



番号 NO.	名称 NAME	原料 MATERIAL	数量 QT'Y	仕上げ FINISH
①	ウエハー WAFER	ナイロン NYLON	1	UL 94V-0
②	ピン PIN	黄銅 BRASS	N	全体錫メッキ PRE-TINNED
③	フィッティングネール FITTING NAIL	黄銅 BRASS	2	半田めっき Sn-Pb PLATING

ボス無しタイプ WITHOUT BOSS	ボス有りタイプ WITH BOSS
55450-***	55450-***

54596-***
リセプタクルアセンブリ
REC. ASS'Y



嵌合図
MATING REC.



製品番号
MATERIAL NO.


55450-****

極数 CIRCUIT SIZE (02 ~ 20)

ボス BOSS 1: ボス有り WITH BOSS

3: ボス無し WITHOUT BOSS

色 COLOR 0: 自然色 NATURAL



断面 X-X
SECTION X-X

27.05	26.25	26.4	23.75	28.65	55450-20*9	55450-20**	20
25.8	25	25.15	22.5	27.4	-19*9	-19**	19
24.55	23.75	23.9	21.25	26.15	-18*9	-18**	18
23.3	22.5	22.65	20	24.9	-17*9	-17**	17
22.05	21.25	21.4	18.75	23.65	-16*9	-16**	16
20.8	20	20.15	17.5	22.4	-15*9	-15**	15
19.55	18.75	18.9	16.25	21.15	-14*9	-14**	14
18.3	17.5	17.65	15	19.9	-13*9	-13**	13
17.05	16.25	16.4	13.75	18.65	-12*9	-12**	12
15.8	15	15.15	12.5	17.4	-11*9	-11**	11
14.55	13.75	13.9	11.25	16.15	-10*9	-10**	10
13.3	12.5	12.65	10	14.9	-09*9	-09**	9
12.05	11.25	11.4	8.75	13.65	-08*9	-08**	8
10.8	10	10.15	7.5	12.4	-07*9	-07**	7
9.55	8.75	8.9	6.25	11.15	-06*9	-06**	6
8.3	7.5	7.65	5	9.9	-05*9	-05**	5
7.05	6.25	6.4	3.75	8.65	-04*9	-04**	4
5.8	5	5.15	2.5	7.4	-03*9	-03**	3
4.55	3.75	3.9	1.25	6.15	55450-02*9	55450-02**	2
E	D	C	B	A	EMBOSSED TAPE PKG. ORDER No. オーダー番号	製品番号 MATERIAL NO.	極数 CKT. SIZE

注) NOTES

1. 原料および仕上げ: 表参照
MATERIAL AND FINISH: SEE CHART

2. エンボス梱包品の詳細は、
SD-55450-005 参照
REFER TO THE SD-55450-005
FOR THE EMBOSSED PACKAGING.



3. 端子平坦度は 0.15 MAX. とする。
COPLANALITY TO BE 0.15 MAX.

REVISED
EC NO: J2009-1147
DRWN: MNABEI
CHKD: THARUYAMA
APPR: NUKITA
2008/11/06
2008/11/07
2008/11/07

GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 UNDER	±0.2
10 OVER 30 UNDER	±0.25
30 OVER	±0.3
ANGULAR	±3 °
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE MM ONLY	
DRAWN BY M. YAGI	DATE '00/06/09
CHECKED BY S. ICHIKAWA	DATE
APPROVED BY H. IKESUGI	DATE
MATERIAL NO.	
SEE TABLE	
SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
MODEL NO.		
ボス有り		55450-***
ボス無し		55450-***
MINI M12 1-ROW SMT WAFER ASSY(SN)		
MOLEX INCORPORATED		
DOCUMENT NO. SD-55450-003		SHEET NO. 1 OF 2



REVISED EC NO: J2009-1147 DRWN:MNABEI 2008/11/06 CHKD:THARUYAMA 2008/11/07 APPR:NUKITA 2008/11/07 D	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
				DRAWN BY M. YAGI		DATE '00/06/09	TITLE MINI MI2 1-ROW SMT WAFER ASSY(SN)			
		10 UNDER	±0.2	CHECKED BY S. ICHIKAWA		DATE				
		10 OVER 30 UNDER	±0.25	APPROVED BY H. IKESUGI		DATE	MOLEX INCORPORATED			
		30 OVER	±0.3	MATERIAL NO.		DOCUMENT NO.				
	ANGULAR ±3 °		SEE SHEET 1		SD-55450-003		2 OF 2			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

DWG. NO.
SD-55450-005

F

D

A

C



B

DO NOT SCALE DRAWING

44	3	45.5	40.4	20.2	28.95	55450-2030	55450-2039	55450-**39 ボス無し WITHOUT BOSS	55450-2010	55450-2019	55450-**19 ボス有り WITH BOSS	20	OK	
					27.7	▲ -1930	▲ -1939		▲ -1910	▲ -1919		19	NO	
					26.45	-1830	-1839		-1810	-1819		18	OK	
					25.2	-1730	-1739		-1710	-1719		17	NO	
					23.95	-1630	-1639		-1610	-1619		16	OK	
					22.7	-1530	-1539		-1510	-1519		15	OK	
					21.45	-1430	-1439		-1410	-1419		14	OK	
					20.2	-1330	-1339		-1310	-1319		13	OK	
32	2	33.5	28.4	14.2	18.95	-1230	-1239		-1210	-1219		12	OK	
					17.7	-1130	-1139		-1110	-1119		11	OK	
					16.45	-1030	-1039		-1010	-1019		10	OK	
					15.2	-0930	-0939		-0910	-0919		9	NO	
24		25.5	11.5	13.95	-0830	-0839	-0810		-0819	8		OK		
				12.7	-0730	-0739	-0710		-0719	7		OK		
				11.45	-0630	-0639	-0610		-0619	6		OK		
				10.2	-0530	-0539	-0510		-0519	5		NO		
				8.95	-0430	-0439	-0410		-0419	4		NO		
				7.7	-0330	-0339	-0310		-0319	3		OK		
16		17.5	7.5	6.45	55450-0230	55450-0239	55450-0210		55450-0219	2		OK		
F		E	(D)	C	(B)	(A)	CONNECTOR	エンボス梱包品 製品番号 MATERIAL NO.	MODEL NO.	CONNECTOR	エンボス梱包品 製品番号 MATERIAL NO.	MODEL NO.	極数 CIRCUIT SIZE	量産対応 AVAILABLE

EC NO. DRWN: CHK: APPR:			EC NO. DRWN: CHK: APPR:			SEE SHEET 1 OF 3 EC NO. DRWN: CHK: APPR:			SEE SHEET 1 OF 3 EC NO. DRWN: CHK: APPR:			SEE SHEET 1 OF 3 EC NO. DRWN: CHK: APPR:			DESCRIPTION MATERIAL 材料 SEE SHEET 1 OF 3 FINISH 仕上り — WIRE RANGE 適用電線範囲 — INS. RANGE 被覆外径 —	REV	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差			SCALE —#— ☒ mm ☐ INCH			DESIGN UNITS ☒ mm ☐ INCH			THIRD ANGLE PROJECTION			☐ mm ☐ INCH ☒ mm ONLY			REVISION ON CAD ONLY		
G																	10 UNDER 未満			±0.2			DRAWN BY & DATE H. Mami '00/06/27			TITLE: 55450-**** TAPING PACKAGE MOLEX INCORPORATED								
																	10 OVER 以上			30 UNDER 未満			±0.25									CHECKED BY & DATE S. Ichikawa / Y. Ota		
																	30 OVER 以上						±0.3									APPROVED BY & DATE S. Ichikawa		
																	ANGLE 角度						±3°									CAD FILE NAME 55450005.S02		
															THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.									SHEET NO. 2 OF 3			SIZE B							

55449005.S02

[illegible]