

4


3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIBT		REVISIONS			
GP	00	P	LTR	DESCRIPTION	DATE	BY	APPD
		B		REVISED PER ECO-08-007327	02OCT08	BM	WM



1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.
 2. ALL DIMENSIONS ARE SHOWN FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.
 3. MATERIAL:
HOUSING, COVER, AND CABLE CLAMP: THERMOPLASTIC.
TERMINALS: PHOS BRONZE.
HARDWARE: STEEL.
 4. FINISH:
TERMINALS: .000030 MIN GOLD OR, GOLD FLASH OVER PALLADIUM NICKEL PLATE, .000030 MIN TOTAL ON MATING SURFACE. .000050 MIN NICKEL UNDERPLATE OVER ENTIRE TERMINAL.
HARDWARE: ZINC PLATED.
 5. COVER AND HARDWARE SHIPPED UNASSEMBLED.
 6. WIRE SIZE: 22 AWG SOLID OR 22 AWG, 7 STRANDS OF COPPER CONDUCTORS. MAXIMUM INSULATION DIAMETER OF .045 IS ACCEPTABLE FOR MOST APPLICATIONS.
 7. KIT SHIPPED IN POLY BAG FORM.
- CORING MAY OR MAY NOT APPEAR AND IS AT THE DISCRETION OF TYCO ENGINEERING.

.550	BLACK	5552383-1
.500		
CABLE RANGE	COLOR	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DR. S. MCMASTER	30SEP08	Tyco Electronics Corporation	
DIMENSIONS:		CHK. W. MILLHIMES	30SEP08	Harrisburg, PA 17105-3608	
INCHES		APPD. W. MILLHIMES	30SEP08	NAME	
OTHER DIMENSIONS:		PRODUCT SPEC		RECEPTACLE KIT, 50 POSITION, C-SLOT, SCREW LOCK WITH TAPERED COVER, CHAMP-LOK	
0 PLC		APPLICATION SPEC		SIZE	RESTRICTED TO
1 PLC		WEIGHT		A2	
2 PLC		CUSTOMER DRAWING		00779	5552383
3 PLC				SCALE	2:1
4 PLC				SHEET	1 of 1
ANGLES				REV	B
FINISH					

AMP 1471-9 REV 31MM2000

5552383

A