







LOC	REV	DESCRIPTION	DATE	BY	APP
C32	ECR-17-003275		07.MAR.2017	KD	RR
C33	ECR-17-008115		07.JUN.2017	LZ	RR
C34	ECR-17-008884		27.JUN.2017	KD	RR
C35	ECR-17-006698		26.JUL.2017	LZ	RR

**REMARKS/Bemerkungen**


- 1 CAVITY SUITABLE FOR STANDARD TIMER CONTACTS LISTED IN PROD. SPEC. 108-18049, ITEM 3.3.2  
Kammer geeignet für Standard Timer Kontakte gelistet in Prod. Spec. 108-18049, Punkt 3.3.2
- 2 CONTACT CAVITY NO. / Kontaktkammernummerierung
- 3 MATING STOP / Tiefenanschlag
- 4 AREA FOR TE LOGO ACC. TO SPEC. 202-36 / Bereich für TE Logo nach Spec. 202-36
- 5 POLARIZATION RIB POSITION "a" AND/OR "b" / Polarisierungsrippe Position "a" und/oder "b"
- 6 KEYING RIB POSITION "c" AND/OR "d" / Kodierrippe Position "c" und/oder "d"
- 6a KEYING RIB POSITION "c" AND/OR "d" AT THE END WALLS OF THE HOUSING / Kodierrippe Position "c" und/oder "d" an den Gehäusestirnseiten
- 7 LOCKING LATCH / Rasthaken
- 8 TE PART NO (PN) / TE Bestell Nr. (PN)
- 9 DESIGN OF THE HOUSINGS ACC. TO RAST 5 STANDARD / Gehäuseauführung gemäss RAST 5 Vorgabe
- 10 GENERAL SUITABLE TAB HEADER SEE RAST 5 PERFORMANCE / Generell passende Flachsteckerwanne siehe RAST 5 Vorgabe
- 11 PACKAGING: BULK PACKAGING IN CORRUGATED BOX PN 740580-2 / 2 POS. 2500 PIECES PER BOX / 3 POS. 2000 PIECES PER BOX  
Verpackung: Schüttgut in Versandkarton Pn 740580-2  
2pol. 2500 Stück per Karton / 3pol. 2000 Stück per Karton
- 12 DIMENSION A, B, C AND D SEE SHEET 2 OF 3
- 13 MATERIAL CORRESPONDS TO THE REQUIREMENT EN 60335 (INCL. GLOW WIRE TEST 750° WITHOUT FLAME)  
Material entspricht den Anforderungen der EN 60335 (inkl. Glühdrährttest 750° ohne Flamme)
- 14 RATIO NUMBER OF THE KEYING VERSION. INKJET PRINTED. SEE SHEET 2 / Kodierungskennnummer, mit Tintenstrahldrucker aufgebracht / siehe Blatt 2
- 15 PRELIMINARY - NOT RELEASED FOR PRODUCTION



SECTION A-A / Schnitt A-A




SECTION B-B / Schnitt B-B



SCALE 2:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		APP. / Author: M	18-10-07	TE Connectivity	
DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK. / Muzic	18-10-07	STANDARD TIMER HSG. RAST 5 MARK II	
mm		APP. / Klencser	18-10-07	Standard Timer Gehäuse RAST 5 Mark II	
Ø	PLC ±0.2	PRODUCT SPEC		SHEET / CASE CODE / DRAWING NO	
PL	PLC ±0.2	108-18049		A   00779   1241961	
PL	PLC ±0.2	APPLICATION SPEC		RESTRICTED TO	
PL	PLC ±0.2			Customer Drawing	
MATERIAL SPEC. TABLE SHEET 2 OF 3	FINISH	HEIGHT		SCALE	5:1
				SHEET	1 OF 3
				REV	C 35

ONLY 5-1241961-7, 1-1241961-9, 7-1241961-7




ALL OTHER DIMENSIONS SEE SHEET 1 OF 3

KEY LAYOUT DESCRIPTION



PAY ATTENTION!  
 DIFFERENT CAVITY GEOMETRY AND LOCKING LATCHE OVERHANG  
 Bitte beachten!  
 Unterschiedliche Kammergeometrie und Rasthakenüberstand.

FOR 2 POS. AND 3 POS.



ALL OTHER DIMENSIONS SEE SHEET 1 OF 3  
 Alle anderen Masse siehe Seite 1 von 3

SPECIAL VERSION: UL94 VO & GW T 750 NF & CTI 350										
5-1241961-7	3	6	1	15	10	PA66	NATURAL	A		
1-1241961-9	3	4	0.5	20	15	PA66	NATURAL	A		
7-1241961-7	3			15	10		NATURAL	A		

SPECIAL VERSION: UL94 V2 & GW T 750 NF										
2322164-1	4	4	0.5	20	15	PA66	NATURAL	1		

SPECIAL VERSION: UL94 V0 & GW T 750 NF										
3-2178412-7	3	6	1	15	10	PA66	NATURAL	1		
4-2178412-7	3	6	1	15	10	UL94 VO & GW T 750 NF	NATURAL	1		
8-2178412-2	2			10	5		NATURAL	1		

UL94 VO & GW T 750 NF										
2322917-4	4	4	0.5	20	15	PA66	NATURAL	1		
2322917-2	2			10	5		NATURAL	1		
2315717-1	2			10	5		NATURAL	C		
2315717-2	2			10	5		NATURAL	C		
2315717-3	2			10	5		NATURAL	1		
2315717-4	4	4	0.5	20	15	UL94 VO & GW T 750 NF	NATURAL	1		
2315717-5	4			20	15		NATURAL	1		
2315717-6	3			15	10		NATURAL	1		
2315717-7	3			15	10		NATURAL	1		

PART NO.	POS.	DIM C	DIM D	DIM A	DIM B	MATERIAL	COLOUR	REV.
----------	------	-------	-------	-------	-------	----------	--------	------

SPECIAL MATERIAL										
1955507-4	4	6	1	20	15	PA66	NATURAL	1		
9-1955506-2	2			10	5	UL 94 VO	NATURAL	1		

PART NO.	POS.	DIM C	DIM D	DIM A	DIM B	MATERIAL	COLOUR	REV.
6-1241961-7	3			15	10	PA 6 UL94V-2	NATURAL	1
4-1241961-7	3			15	10	PA 6 UL94V-2	NATURAL	A
3-1241961-7	3	4	0.5	15	10	PA 6 UL94V-2	NATURAL	A
1-1955422-7	3			15	10	PA 66 UNFILLED UL94 VO	NATURAL	A
5-1955422-7	3			15	10	PA 66 UNFILLED UL94 VO	NATURAL	A
4-1955422-3	2	6	1	10	5	PA 66 UNFILLED UL94 VO	NATURAL	A
2-1241817-3	3	4	0.5	15	10	PA 66 UNFILLED UL94 V-2	Green	E
0-1955422-6	3			15	10	PA 66 UNFILLED UL94 VO	NATURAL	A
8-1241961-8	3			15	10	PA 6 UL94V-2	natural	A
0-1241961-8	3			15	10	PA 6 UL94V-2	natural	A
8-1241961-3	2			10	5	PA 6 UL94V-2	NATURAL	C
3-1241961-1	2			10	5	PA 6 UL94V-2	NATURAL	C
0-1955422-1	2			10	5	PA 66 UNFILLED UL94 VO	NATURAL	A

PART NO.	POS.	DIM C	DIM D	DIM A	DIM B	MATERIAL	COLOUR	REV.
----------	------	-------	-------	-------	-------	----------	--------	------

LOC	QTY	REV	DESCRIPTION	DATE	BY	APP		
SEE SHEET 1-01								
0-1241959-5	5		25 20					
4-1241959-4	4		20 15					
2-1241959-4	4	0.5	20 15					
0-1241959-4	4		20 15					
2-1241817-5	5		25 20					
0-1241817-5	5		25 20					
3-1241817-4	4	0.5	20 15					
2-1241817-4	4		20 15					
0-1241817-4	4	0.5	20 15					
2-1241983-2	2		10 5					
1-1241983-2	2		10 5					
0-1241983-2	2		10 5					
8-1241983-2	2		10 5					
5-1241983-2	2		10 5					
6-1241983-2	2		10 5					
9-1241961-8	3		15 10					
6-1241961-8	3		15 10					
5-1241961-8	3	4	0.5	15 10				
4-1241961-8	3	4	0.5	15 10				
7-1241961-8	3	4	0.5	15 10				
1-1241961-8	3	4	0.5	15 10				
3-1241961-8	3	4	0.5	15 10				
2-1241961-8	3	4	0.5	15 10				
2-1241961-7	3		15 10					
1-1241961-7	3		15 10					
9-1241961-9	3		15 10					
0-1241961-6	3		15 10					
3-1241961-3	3		10 5					
2-1241961-2	3		10 5					
5-1241961-3	3		10 5					
4-1241961-3	3		10 5					
7-1241961-3	3		10 5					
6-1241961-3	3		10 5					
3-1241961-2	3		10 5					
5-1241961-3	3		10 5					
6-1241961-2	3		10 5					
0-1241961-3	3		10 5					
8-1241961-2	3		10 5					
9-1241961-2	3		10 5					
0-1241961-1	3		10 5					
9-969184-9	3	6	1	15	10	PA 66 UL94V-2	Yellow/gelb	
2-969184-8	3			15	10			
4-969184-8	3	4	0.5	15	10			
0-969184-8	3			15	10			
8-969184-7	3			15	10			
7-969184-7	3			15	10			
6-969184-7	3			15	10			
5-969184-7	3			15	10			
4-969184-7	3			15	10			
3-969184-7	3			15	10			
2-969184-7	3			15	10			
1-969184-7	3			15	10			
9-969184-6	3	6	1	15	10			
8-969184-6	3			15	10			
7-969184-6	3			15	10			
6-969184-6	3			15	10			
5-969184-6	3			15	10			
4-969184-6	3			15	10			
3-969184-6	3			15	10			
2-969184-6	3			15	10			
1-969184-6	3			15	10			
9-969184-3	3			10	5			
8-969184-3	3			10	5			
7-969184-3	3			10	5			
6-969184-3	3			10	5			
5-969184-3	3			10	5			
4-969184-3	3			10	5			
3-969184-3	3			10	5			
2-969184-3	3			10	5			
1-969184-3	3			10	5			
9-969184-2	3			10	5			
8-969184-2	3			10	5			
7-969184-2	3			10	5			
6-969184-2	3			10	5			
5-969184-2	3			10	5			
4-969184-2	3			10	5			
3-969184-2	3			10	5			
2-969184-2	3			10	5			
1-969184-2	3			10	5			
9-969184-1	3			10	5			
8-969184-1	3			10	5			
7-969184-1	3			10	5			
6-969184-1	3			10	5			
5-969184-1	3			10	5			
4-969184-1	3			10	5			
3-969184-1	3			10	5			
2-969184-1	3			10	5			
1-969184-1	3			10	5			
0-969184-1	3			10	5			
9-969184-0	3			10	5			
8-969184-0	3			10	5			
7-969184-0	3			10	5			
6-969184-0	3			10	5			
5-969184-0	3			10	5			
4-969184-0	3			10	5			
3-969184-0	3			10	5			
2-969184-0	3			10	5			
1-969184-0	3			10	5			
0-969184-0	3			10	5			
9-969184-0	3			10	5			
8-969184-0	3			10	5			
7-969184-0	3			10	5			
6-969184-0	3			10	5			
5-969184-0	3			10	5			
4-969184-0	3			10	5			
3-969184-0	3			10	5			
2-969184-0	3			10	5			
1-969184-0	3			10	5			
0-969184-0	3			10	5			
9-969184-0	3			10	5			
8-969184-0	3			10	5			
7-969184-0	3			10	5			
6-969184-0	3			10	5			
5-969184-0	3			10	5			
4-969184-0	3			10	5			
3-969184-0	3			10	5			
2-969184-0	3			10	5			
1-969184-0	3			10	5			
0-96918								



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-1241961-3](#)