


Back to search results

62285

This part is in stock!					
Inventory Snapshot:	56 feet*				
*Material in stock maybe allocated to other orders and is subject to prior sales					
OEM Pricing*					
8 feet: \$93.75 per foot	16 feet: \$48.76 per foot	32 feet: \$36.74 per foot			
*For larger quanities, please contact our sales department					


		Thermal Resistance °C/W at 3in length*	Width in	Height in	Surface Area in ² /in	Weight lb/ft	Part Class	
		62285	1.23	6.75	1.63	56.9	4.00	Α

^{*}Based on a 75°C rise in natural convection





Thermal Curves

based on 3.000 in length



Natural Convection






Forced Convection


Heat Sink Temperature Rise Above Ambient (25W Dissipated)

Thermal Resistance Air Flow (m/s)

Air Flow (m/s)							
	1.0	2.0	3.0	4.1	5.1		
25.0							



Heat Sink



Building a Part Number

Full Bar Length = 8.00ft

Base Part#	Bar Length	Finish	Length (use zeros for full or half bars)	RoHS	
5 digit	1 Full (normally 8-ft)	<u>F</u> Unfinished	00000	Compliant NO "G" required	
base part#	2 Half (small cut fee)	<u>F</u> Unfinished	00000		
	3 Custom (cut to specified length)	B Black Anodized U Unfinished* V AavSHIELD ³	length in inches to three decimal places**	Compliant Add "G"	
		C Gold Chromate		Not Compliant	

	_	_		_
62285	3	U	06500	G

^{*}For unfinished extrusions with cut lengths other than half bar, the finish designation is a U.

Examples:

If you wanted to simply order extrusion # 62285 in standard bar form, the part number would be: 622851F00000. The unit price would be sold by the foot.

If you wanted extrusion 62285 cut to a length of 6.500" and black anodized, the part number would be: 622853B06500G. The unit price would be by the piece.

If you wanted extrusion 62285 cut to a length of 14.725" and a wash finish, the part number would be: 622853U14725G. The unit price would be by the piece.

If you wanted extrusion 62285 cut to a length of 14.725" and Gold Chromate finish, the part number would be: 622853C14725. The unit price would be by the piece.

Standard Aavid Thermalloy parts require all 12-13 positions to be complete.

^{**}If the part is less than 10 inches, the first of these 5 digits (digit 7 of the 13 digit series) would be a zero (0).

09/07/2012 Extrusion Profiles

Non-Standard Extrusions

Aavid Thermalloy has over 10,000 extrusion profile designs on file, most with the extrusion die already available. These parts have minimum order requirements and longer lead times, but may be cost effective compared to a new design.

Customizing & Advanced Capabilities

We offer several options for those applications which require a more unique solution. Challenge us with your thermal requirements - we can design custom solutions.

©2012 Aavid Thermalloy, LLC