


CHARACTERISTICS:

MATERIAL:
COLOR: BLACK
STYLE: UL1007


ENVIRONMENTAL
OPERATING TEMPERATURE: -20°C UP TO 80°C
COMPLIANCE: LEAD FREE AND ROHS

WIRE DIMENSION:
AWG: 22

PACKAGING:
10 PCS/BAG




Wire end A	62400113722
Wire end B	62400113722

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = $\pm$ 0.2 .XX = $\pm$ 0.15			
G								
F								
E								
D								
C				APPROVAL: RJ	UNIT: MM	DESCRIPTION: 2.00 MM DUAL ROW PRE-CRIMPED CONTACT		SIZE A4
B	06-AUG-13	CHARACTERISTIC	QL		SCALE:			
A	02-JUL-12	PDF	GG		SHEET: 1/2	WERI PART NO: 624124122030		
REV	DATE	FILE	BY		DRAW: QL			

Note:
1.Dimension
Carton Size:40*30*20(CM)

2.Quantity: 5000 Pcs/Carton



RoHS Compliant								
G				PROJECTION: 	GENERAL TOLERANCE .X = $\pm$ 0.2 .XX = $\pm$ 0.15			
F								
E								
D								
C				APPROVAL: RJ	UNIT: MM	DESCRIPTION: WR-WTB DUAL ROW 2.00MM PRE-CRIMPED CONTACT		SIZE A4
B					SCALE:			
A					SHEET: 2/2	WERI PART NO: 620 120 124 030		
REV	DATE	FILE	BY		DRAW: QL			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Würth Electronics:](#)

[624124122030](#)