



BNC CONNECTORS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE) JACK ASSEMBLY, BNC

6274084-1
TE Internal Number: 6274084-1

- Always EU RoHS/ELV Compliant
- Applies To **Printed Circuit Board**
- Panel Mount Retention **Without**
- PCB Mount Retention **With**
- PCB Termination Method **Hold-Down Posts**
- Body Material **Zinc**

Product Drawings

[JACK, RIGHT ANGLE, PCB 75 OHM, SERIES BNC](#)
PDF (TIFF AVAILABLE)
English

[JACK, RIGHT ANGLE, PCB 75 OHM, SERIES BNC](#)
PDF (TIFF AVAILABLE)
English

CAD Files

[Customer View Model](#)
2D_DXF.ZIP
English

[Customer View Model](#)
3D_IGS.ZIP
English

[Customer View Model](#)
3D_STP.ZIP
English

[3D PDF](#)
PDF
English

Catalog Pages/Data Sheets

[BNC Connectors](#)
PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Applies To	Printed Circuit Board
	Sealed	No
	RF Connector Type	BNC
	Connector Style	Jack

	PCB Mounting Orientation	Right Angle
	Dielectric Material	Polymethylpentene
	ESD Protection	Without
	Isolated Ground	No
	Grade	Commercial
	Product Type	Connector - RF
	Grounding Options	PCB Ground
Configuration Features	Solder Terminal	Without
	Number of Ports	1
Electrical Characteristics	50 Ohm	No
	75 Ohm	Yes
	Impedance (Ω)	75
Body Features	Body Material	Zinc
	Body Plating Material	Nickel
	Body Style	Right Angle
	Body Insulation	Without
	Grounding Pin Post Length	4.11 mm [.162 in]
Contact Features	Center Contact Material	Phosphor Bronze
	Center Contact Plating Material	Gold
	Center Contact Plating Thickness (μin)	30
Termination Features	PCB Termination Method	Hold-Down Posts
Mechanical Attachment	Panel Mount Retention	Without
	PCB Mount Retention	With
	Polarized	No
	Mounting Post Length	3.48 mm [.137 in]
	Mounting Post Style	Standard
	Hardware Included	No
Dimensions	Height above PCB	12.7 mm [.5 in]

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)