

ALL RIGHT RESERVED NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN REPRODUCED WITHOUT THE EXPRESS WRITTEN COMSENT OF SPC TECHNOLOGY

SPC-F005.DWG


REVISIONS								
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
2022	Α	RELEASED	Shashi	11/4/11	Veena	11/4/11	Farnell	25/4/11



Features:

- Poly-Plugs will close unneeded chassis holes, wiring outlets, fill unused accessory openings, cover inspection, and production access holes.
- They can be used as tube end caps and protective bumpers.
- Poly Plugs are moulded in Nylon 6/6 which is abrasion and vibration resistant making them ideal for drawer glides and small appliance feet.
- Poly Plugs are designed with special flexible and tapered prongs which snugly lock in place with finger pressure but can be removed and reused when necessary.





Specification Table

Dimensions: Inches

Description	Hole Size A	Head Size D	Head Height H	Head Style	Finish	Panel Thickness B	Part Number
Nylon Hole Plugs	0.625	0.796 (±0.015)	0.062 (±0.010)	Binder	Matte	0.031/0.072	62PP062BM07

http://www.farnell.com

Compliant

http://www.newark.com

http://www.cpc.co.uk

DICCI AIMED

ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION. AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUT CONTROL.THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:

UNLESS OTHERWISE
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

DRAWN BY:	DATE:
Shashi	11/4/11
CHECKED BY:	DATE:
Veena	11/4/11
APPROVED BY:	DATE:
Farnell	25/4/11

Nylon Hole Plugs

SIZE DWG NO. 62PP062BM07

ELECTION

DRAWING TITLE:

ELECTRONIC FILE REV 73J4835 A

U.O.M.: mm SHEET:

SHEET: 1 OF 1