



HEADERS & RECEPTACLES



TE CONNECTIVITY (TE)

09P MTA100 HDR ASSY SQ R/A F/L

[MTA](#) | [MTA-100](#)

640457-9

TE Internal Number: 640457-9

[Always EU RoHS/ELV Compliant](#)

Centerline **2.54 mm [.1 in]**

Number of Positions **9**

PCB Mounting Orientation **Right Angle**

PCB Mounting Style **Through Hole**

Number of Rows **1**

✓ Active

[↓ PRODUCT DRAWING](#)
English

[↓ 3D PDF](#)

Product Drawings

[MTA 100 HEADER ASSEMBLY, FRICTION LOCK, NOTCHED, .025 SQUARE RIGHT ANGLE POST, TIN PLATED](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[3D PDF](#)

PDF
English

Catalog Pages/Data Sheets

[MTA, CST-100 II, SL-156 And AMP Economy Power \(EP\) Connectors](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_640457-9_03202014855_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

PCB Mounting Orientation

Right Angle


Product Type

Connector

	Connector Type	Header
	Connector System	Wire-to-Board
	Strain Relief	Without
	Sealed	No
	Connector Style	Plug
	Applies To	Printed Circuit Board
<hr/>		
Configuration Features	Number of Positions	9
	Number of Rows	1
	Right Angle Bending Side	Front
	Backwall/Post Interruptions	Without
<hr/>		
Electrical Characteristics	Operating Voltage (VAC)	250
<hr/>		
Body Features	Header Type	Unshrouded
<hr/>		
Contact Features	Contact Mating Area Plating Material	Tin
	Contact Mating Area Plating Thickness	3.81 μm [150 μin]
	Underplate Material	Nickel
	Underplate Material Thickness	1.27 μm, 50 μin
	Contact Style	Right Angle
	Contact Shape	Square
	Tail Plating Material	Tin
	Contact Termination Area Plating Material	Tin
	Tail Plating Thickness	3.81 μm [150 μin]
	Contact Type	Pin
	Contact Current Rating (A)	5
	Contact Layout	Inline
	Contact Base Material	Copper Alloy
<hr/>		
Termination Features	Termination Method to PC Board	Through Hole - Solder
	Termination Method to Wire/Cable	Solder
<hr/>		
Mechanical Attachment	PCB Mounting Style	Through Hole
	PCB Mount Alignment	Without
	Mating Retention	With
	PCB Mount Retention	Without

	PCB Mount Retention	Without
	Contact Retention	Without
	Mating Retention Type	Friction Lock
	Panel Mount Retention	Without
	Mating Alignment	Without
<hr/>		
Housing Features	Centerline	2.54 mm [.1 in]
	Housing Color	Natural
	Housing Style	Friction Lock
	Housing Material	Polyester - GF
<hr/>		
Dimensions	Tail Length	3.56 mm [.14 in]
	Mating Post Length	7.49 mm [.295 in]
	PCB Thickness (Recommended)	1.6 mm [.063 in]
	Height	7.87 mm [.31 in]
	Length	22.86 mm [.9 in]
<hr/>		
Usage Conditions	Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
<hr/>		
Operation/Application	For Use With	MTA .100 Connector Assembly
	Pick and Place Cover	Without
<hr/>		
Industry Standards	UL Flammability Rating	UL 94V-0
	UL File Number	E28476
	CSA Rating	Certified
	Agency/Standard	CSA, UL
	CSA File Number	LR7189
	UL Rating	Recognized
<hr/>		
Packaging Features	Packaging Method	Package
	Packaging Quantity	1
<hr/>		
Product Compliance	Statement of Compliance PDF	
	VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

<p>RJ25 CONNECTORS</p>  <p>6/6 PCB MOD.JACK TE 216564-1</p> <p>Save to List Find Similar Products</p>	<p>PCB CONNECTOR COVERS</p>  <p>09P MTA100 MOLDED COVER 643075-9</p> <p>Save to List Find Similar Products</p>	<p>WIRE-TO-BOARD HEADERS & RECEPTACLES</p>  <p>09P MTA100 CONN ASSY GRN 3-640443-9</p> <p>Save to List Find Similar Products</p>	<p>LED POKE-IN CONNECTORS</p>  <p>Connector, 1 Pos Thru-Hole Poke 2008839-1</p> <p>Save to List Find Similar Products</p>
--	---	---	--

Products - 52 Results

[View All](#)

Compare 0/10

Relation Type

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - W-T-B Headers & Receptacles
MTA | MTA-100

09P MTA100 CONN ASSY POL RIB
- 3-643813-9

TE INTERNAL NUMBER: 3-643813-9

✓ Active

Always EU RoHS/ELV Compliant

Centerline **2.54 mm**

Number of Positions **9**

Number of Rows **1**

Contact Mating Area Plating

Material **Tin**

Contact Mating Area Plating

Material Finish **Matte**



RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - W-T-B Headers & Receptacles
MTA | MTA-100

09P MTA100 CONN ASSY 22AWG RED
- 640440-9

TE INTERNAL NUMBER: 640440-9

✓ Active

Not EU RoHS or ELV Compliant

Centerline **2.54 mm**

Number of Positions **9**

Number of Rows **1**

Contact Mating Area Plating

Material **Tin-Lead**

Contact Mating Area Plating

Material Finish **Bright**




RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - W-T-B Headers & Receptacles
MTA | MTA-100

09P MTA100 CONN ASSY ON TAPE - 4-644511-9

TE INTERNAL NUMBER: 4-644511-9

✓ Active

Always EU RoHS/ELV Compliant

Centerline **2.54 mm**

Number of Positions **9**

Number of Rows **1**

Contact Mating Area Plating

Material **Tin**

Contact Mating Area Plating

Material Finish **Matte**