





PRODUCT NO SEE TABLE	   
-------------------------	---

NOTES:

1. SOLDERING MATERIAL, GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL 94V-0, COLOR: BLUE.
2. TERMINAL MATERIAL, PHOSPHORUS BRONZE.
3. 1° MAX DRAFT PERMITTED ON ALL SURFACES.
4. SAME TOLERANCE APPLIES TO BOTH ENDS OF EACH TERMINAL.
5. 1.5 KG/4 LBS MIN TENSILE PULL-OUT FORCE.
6. .13/.005 STEP AROUND MOUNTING HOLE.
7. RECOMMENDED MOUNTING: SOLDER SIZE #2-#6 FILLISTER HEAD
 4.75/.125 LONG FOR 1.64/.05 BOARD
 6.4/.25 LONG FOR 2.47/.05, 2.18/.125 BOARD
8. ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
9. IF "LF" P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN 00-00-000.
10. THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5mm MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES IF THEY ARE AVAILABLE.

11. plating option. maybe Either Gold or GXT plating at manufacturer's option.

CUSTOMER COPY											
DATE	TIME	BY	DATE	TIME	BY	DATE	TIME	BY	DATE		
ORDER NO. 00-00-000-000 PART NO. 00-00-000-000 QUANTITY 1000000			ORDER NO. 00-00-000-000 PART NO. 00-00-000-000 QUANTITY 1000000			ORDER NO. 00-00-000-000 PART NO. 00-00-000-000 QUANTITY 1000000			ORDER NO. 00-00-000-000 PART NO. 00-00-000-000 QUANTITY 1000000		
ORDER NO. 00-00-000-000 PART NO. 00-00-000-000 QUANTITY 1000000											


www.fciconnect.com

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	KEY DRESS			
											REV	DESCRIPTION	BY	DATE
65692-066	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD	.76u/30u" GXT/GOLD FLASH	A				
-067	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		A				
-068	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C				
-069	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C				
-070	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D				
-071	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO						
-072	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	RD						
-073	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	SO						
-074	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	2.67/.105	RD						
-075	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	17.15/.675	SO						
-076	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	RD						
-077	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	SO						
-078	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	RD						
-079	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	17.15/.675	SO						
-080	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD						
-081	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO						
-082	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD	.38u/15u" Au OVER 1.27u/50u" Ni	A				
-083	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	3.8/.15	RD		A				
-084	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		A				
-085	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C				
-086	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	3.8/.15	RD		C				
-087	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C				
-088	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D				
-089	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	3.8/.15	RD						
-090	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO						
-091	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	RD						
-092	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	3.8/.15	RD						
-093	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	SO						
-094	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	2.67/.105	RD						
-095	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	3.8/.15	RD						
-096	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	17.15/.675	SO						
-097	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	RD						
-098	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	3.8/.15	RD						
-099	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	SO						
65692-100	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	RD		D				

DATE	TIME	BY	NO	1
DO NOT SCALE DIMENSIONS ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED 0.000, 25.4, 50.8, 76.2, 101.6, 127.0, 152.4, 177.8, 203.2, 228.6, 254.0, 279.4, 304.8, 330.2, 355.6, 381.0, 406.4, 431.8, 457.2, 482.6, 508.0, 533.4, 558.8, 584.2, 609.6, 635.0, 660.4, 685.8, 711.2, 736.6, 762.0, 787.4, 812.8, 838.2, 863.6, 889.0, 914.4, 939.8, 965.2, 990.6, 1016.0, 1041.4, 1066.8, 1092.2, 1117.6, 1143.0, 1168.4, 1193.8, 1219.2, 1244.6, 1270.0, 1295.4, 1320.8, 1346.2, 1371.6, 1397.0, 1422.4, 1447.8, 1473.2, 1498.6, 1524.0, 1549.4, 1574.8, 1600.2, 1625.6, 1651.0, 1676.4, 1701.8, 1727.2, 1752.6, 1778.0, 1803.4, 1828.8, 1854.2, 1879.6, 1905.0, 1930.4, 1955.8, 1981.2, 2006.6, 2032.0, 2057.4, 2082.8, 2108.2, 2133.6, 2159.0, 2184.4, 2209.8, 2235.2, 2260.6, 2286.0, 2311.4, 2336.8, 2362.2, 2387.6, 2413.0, 2438.4, 2463.8, 2489.2, 2514.6, 2540.0, 2565.4, 2590.8, 2616.2, 2641.6, 2667.0, 2692.4, 2717.8, 2743.2, 2768.6, 2794.0, 2819.4, 2844.8, 2870.2, 2895.6, 2921.0, 2946.4, 2971.8, 2997.2, 3022.6, 3048.0, 3073.4, 3098.8, 3124.2, 3149.6, 3175.0, 3200.4, 3225.8, 3251.2, 3276.6, 3302.0, 3327.4, 3352.8, 3378.2, 3403.6, 3429.0, 3454.4, 3479.8, 3505.2, 3530.6, 3556.0, 3581.4, 3606.8, 3632.2, 3657.6, 3683.0, 3708.4, 3733.8, 3759.2, 3784.6, 3810.0, 3835.4, 3860.8, 3886.2, 3911.6, 3937.0, 3962.4, 3987.8, 4013.2, 4038.6, 4064.0, 4089.4, 4114.8, 4140.2, 4165.6, 4191.0, 4216.4, 4241.8, 4267.2, 4292.6, 4318.0, 4343.4, 4368.8, 4394.2, 4419.6, 4445.0, 4470.4, 4495.8, 4521.2, 4546.6, 4572.0, 4597.4, 4622.8, 4648.2, 4673.6, 4699.0, 4724.4, 4749.8, 4775.2, 4800.6, 4826.0, 4851.4, 4876.8, 4902.2, 4927.6, 4953.0, 4978.4, 5003.8, 5029.2, 5054.6, 5080.0, 5105.4, 5130.8, 5156.2, 5181.6, 5207.0, 5232.4, 5257.8, 5283.2, 5308.6, 5334.0, 5359.4, 5384.8, 5410.2, 5435.6, 5461.0, 5486.4, 5511.8, 5537.2, 5562.6, 5588.0, 5613.4, 5638.8, 5664.2, 5689.6, 5715.0, 5740.4, 5765.8, 5791.2, 5816.6, 5842.0, 5867.4, 5892.8, 5918.2, 5943.6, 5969.0, 5994.4, 6019.8, 6045.2, 6070.6, 6096.0, 6121.4, 6146.8, 6172.2, 6197.6, 6223.0, 6248.4, 6273.8, 6299.2, 6324.6, 6350.0, 6375.4, 6400.8, 6426.2, 6451.6, 6477.0, 6502.4, 6527.8, 6553.2, 6578.6, 6604.0, 6629.4, 6654.8, 6680.2, 6705.6, 6731.0, 6756.4, 6781.8, 6807.2, 6832.6, 6858.0, 6883.4, 6908.8, 6934.2, 6959.6, 6985.0, 7010.4, 7035.8, 7061.2, 7086.6, 7112.0, 7137.4, 7162.8, 7188.2, 7213.6, 7239.0, 7264.4, 7289.8, 7315.2, 7340.6, 7366.0, 7391.4, 7416.8, 7442.2, 7467.6, 7493.0, 7518.4, 7543.8, 7569.2, 7594.6, 7620.0, 7645.4, 7670.8, 7696.2, 7721.6, 7747.0, 7772.4, 7797.8, 7823.2, 7848.6, 7874.0, 7899.4, 7924.8, 7950.2, 7975.6, 8001.0, 8026.4, 8051.8, 8077.2, 8102.6, 8128.0, 8153.4, 8178.8, 8204.2, 8229.6, 8255.0, 8280.4, 8305.8, 8331.2, 8356.6, 8382.0, 8407.4, 8432.8, 8458.2, 8483.6, 8509.0, 8534.4, 8559.8, 8585.2, 8610.6, 8636.0, 8661.4, 8686.8, 8712.2, 8737.6, 8763.0, 8788.4, 8813.8, 8839.2, 8864.6, 8890.0, 8915.4, 8940.8, 8966.2, 8991.6, 9017.0, 9042.4, 9067.8, 9093.2, 9118.6, 9144.0, 9169.4, 9194.8, 9220.2, 9245.6, 9271.0, 9296.4, 9321.8, 9347.2, 9372.6, 9398.0, 9423.4, 9448.8, 9474.2, 9499.6, 9525.0, 9550.4, 9575.8, 9601.2, 9626.6, 9652.0, 9677.4, 9702.8, 9728.2, 9753.6, 9779.0, 9804.4, 9829.8, 9855.2, 9880.6, 9906.0, 9931.4, 9956.8, 9982.2, 10007.6, 10033.0, 10058.4, 10083.8, 10109.2, 10134.6, 10160.0, 10185.4, 10210.8, 10236.2, 10261.6, 10287.0, 10312.4, 10337.8, 10363.2, 10388.6, 10414.0, 10439.4, 10464.8, 10490.2, 10515.6, 10541.0, 10566.4, 10591.8, 10617.2, 10642.6, 10668.0, 10693.4, 10718.8, 10744.2, 10769.6, 10795.0, 10820.4, 10845.8, 10871.2, 10896.6, 10922.0, 10947.4, 10972.8, 11000.0, 11025.4, 11050.8, 11076.2, 11101.6, 11127.0, 11152.4, 11177.8, 11203.2, 11228.6, 11254.0, 11279.4, 11304.8, 11330.2, 11355.6, 11381.0, 11406.4, 11431.8, 11457.2, 11482.6, 11508.0, 11533.4, 11558.8, 11584.2, 11609.6, 11635.0, 11660.4, 11685.8, 11711.2, 11736.6, 11762.0, 11787.4, 11812.8, 11838.2, 11863.6, 11889.0, 11914.4, 11939.8, 11965.2, 11990.6, 12016.0, 12041.4, 12066.8, 12092.2, 12117.6, 12143.0, 12168.4, 12193.8, 12219.2, 12244.6, 12270.0, 12295.4, 12320.8, 12346.2, 12371.6, 12397.0, 12422.4, 12447.8, 12473.2, 12498.6, 12524.0, 12549.4, 12574.8, 12600.2, 12625.6, 12651.0, 12676.4, 12701.8, 12727.2, 12752.6, 12778.0, 12803.4, 12828.8, 12854.2, 12879.6, 12905.0, 12930.4, 12955.8, 12981.2, 13006.6, 13032.0, 13057.4, 13082.8, 13108.2, 13133.6, 13159.0, 13184.4, 13209.8, 13235.2, 13260.6, 13286.0, 13311.4, 13336.8, 13362.2, 13387.6, 13413.0, 13438.4, 13463.8, 13489.2, 13514.6, 13540.0, 13565.4, 13590.8, 13616.2, 13641.6, 13667.0, 13692.4, 13717.8, 13743.2, 13768.6, 13794.0, 13819.4, 13844.8, 13870.2, 13895.6, 13921.0, 13946.4, 13971.8, 14000.0, 14025.4, 14050.8, 14076.2, 14101.6, 14127.0, 14152.4, 14177.8, 14203.2, 14228.6, 14254.0, 14279.4, 14304.8, 14330.2, 14355.6, 14381.0, 14406.4, 14431.8, 14457.2, 14482.6, 14508.0, 14533.4, 14558.8, 14584.2, 14609.6, 14635.0, 14660.4, 14685.8, 14711.2, 14736.6, 14762.0, 14787.4, 14812.8, 14838.2, 14863.6, 14889.0, 14914.4, 14939.8, 14965.2, 14990.6, 15016.0, 15041.4, 15066.8, 15092.2, 15117.6, 15143.0, 15168.4, 15193.8, 15219.2, 15244.6, 15270.0, 15295.4, 15320.8, 15346.2, 15371.6, 15397.0, 15422.4, 15447.8, 15473.2, 15498.6, 15524.0, 15549.4, 15574.8, 15600.2, 15625.6, 15651.0, 15676.4, 15701.8, 15727.2, 15752.6, 15778.0, 15803.4, 15828.8, 15854.2, 15879.6, 15905.0, 15930.4, 15955.8, 15981.2, 16006.6, 16032.0, 16057.4, 16082.8, 16108.2, 16133.6, 16159.0, 16184.4, 16209.8, 16235.2, 16260.6, 16286.0, 16311.4, 16336.8, 16362.2, 16387.6, 16413.0, 16438.4, 16463.8, 16489.2, 16514.6, 16540.0, 16565.4, 16590.8, 16616.2, 16641.6, 16667.0, 16692.4, 16717.8, 16743.2, 16768.6, 16794.0, 16819.4, 16844.8, 16870.2, 16895.6, 16921.0, 16946.4, 16971.8, 17000.0, 17025.4, 17050.8, 17076.2, 17101.6, 17127.0, 17152.4, 17177.8, 17203.2, 17228.6, 17254.0, 17279.4, 17304.8, 17330.2, 17355.6, 17381.0, 17406.4, 17431.8, 17457.2, 17482.6, 17508.0, 17533.4, 17558.8, 17584.2, 17609.6, 17635.0, 17660.4, 17685.8, 17711.2, 17736.6, 17762.0, 17787.4, 17812.8, 17838.2, 17863.6, 17889.0, 17914.4, 17939.8, 17965.2, 17990.6, 18016.0, 18041.4, 18066.8, 18092.2, 18117.6, 18143.0, 18168.4, 18193.8, 18219.2, 18244.6, 18270.0, 18295.4, 18320.8, 18346.2, 18371.6, 18397.0, 18422.4, 18447.8, 18473.2, 18498.6, 18524.0, 18549.4, 18574.8, 18600.2, 18625.6, 18651.0, 18676.4, 18701.8, 18727.2, 18752.6, 18778.0, 18803.4, 18828.8, 18854.2, 18879.6, 18905.0, 18930.4, 18955.8, 18981.2, 19006.6, 19032.0, 19057.4, 19082.8, 19108.2, 19133.6, 19159.0, 19184.4, 19209.8, 19235.2, 19260.6, 19286.0, 19311.4, 19336.8, 19362.2, 19387.6, 19413.0, 19438.4, 19463.8, 19489.2, 19514.6, 19540.0, 19565.4, 19590.8, 19616.2, 19641.6, 19667.0, 19692.4, 19717.8, 19743.2, 19768.6, 19794.0, 19819.4, 19844.8, 19870.2, 19895.6, 19921.0, 19946.4, 19971.8, 20000.0, 20025.4, 20050.8, 20076.2, 20101.6, 20127.0, 20152.4, 20177.8, 20203.2, 20228.6, 20254.0, 20279.4, 20304.8, 20330.2, 20355.6, 20381.0, 20406.4, 20431.8, 20457.2, 20482.6, 20508.0, 20533.4, 2055				

THIS WAS GIVEN TO THE PROPERTY OF THE NATIONAL ARCHIVES OF THE UNITED STATES.

PRODUCT NO	SIZE	DIN A	DIN B	DIN C	DIN D	DIN E	DIN J	TERM TYPE	TERM PLATING	STYLE
65692-264	2X5	CUSTOMER RESTRICTED								
65692-265	2X13									

REVISION			
REV	DESCRIPTION	BY	DATE
V			


www.fciconnect.com

CUSTOMER COPY		CODE 12345	
DATE	TIME	DATE	TIME
BY	BY	BY	BY

OR NEW SCALE		LINEAR		NON LINEAR		NON LINEAR	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

TOLERANCE		DATE		TIME		BY	
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
BY	BY	BY	BY	BY	BY	BY	BY

||
||
||

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[65692-001LF](#) [65692-003LF](#) [65692-008LF](#) [65692-014LF](#) [65692-020LF](#) [65692-032LF](#) [65692-037LF](#) [65692-058LF](#)
[65692-066LF](#) [65692-232LF](#) [65692-002LF](#) [65692-019LF](#) [65692-001](#) [65692-026](#) [65692-051](#) [65692-043LF](#) [65692-](#)
[013](#) [65692-007LF](#) [65692-013LF](#) [65692-007](#)