







| LOC | | DIST | | REVISIONS | | | |
|-----|-----------------------|-------------|-----------|-----------|------|----|-----|
| F | LTR | DESCRIPTION | DATE | DWN | APVD | BY | REV |
| B11 | REV PER ECO-12-006572 | | 14JAN2013 | BC | RP | | |

| SOLDER TERMINATIONS | | TERMINATION STYLES | |
|---------------------|--|--------------------|---------------------|
| | SOLDER | | |
| | SOLDER | | |
| | WIRE WRAP | | |
| | SOLDER HOOKS | | |
| | SOLDER LUGS | | |
| | SOLDER RIGHT ANGLE | | |
| | SOLDER RIGHT ANGLE WITH MOUNTING BRACKET | | |
| | | | TERMINATION WITH SN |



THIS DRAWING IS A CONTROLLED DOCUMENT.

| | | | |
|----------------|--|-----------------------|---|
| DIMENSIONS: mm | TOLERANCES UNLESS OTHERWISE SPECIFIED: | DIN CUVIELIER 14FEB89 | TE Connectivity |
| 0 PLC ± | 1 PLC ± | APVD | RECEPTACLE ASSEMBLY EUROCARD TYPES B,C AND SHORT VERSIONS (PN:V42254-B2***-C***-7626) |
| 2 PLC ± | 3 PLC ± | PRODUCT SPEC | SIZE A1 |
| 4 PLC ± | ANGLES ± | APPLICATION SPEC | CAGE CODE DRAWING NO 00779 |
| MATERIAL | FINISH | WEIGHT | SCALE NTS |
| | | CUSTOMER DRAWING | SHEET 1 OF 2 |

| LOC | DIST | REVISIONS | | | | | |
|-----|------|-----------|-----|-------------|------|-----|------|
| AD | 00 | F | LTR | DESCRIPTION | DATE | DWN | APVD |
| | | - | - | SEE SHEET 1 | - | - | - |

| PRODUCT DESCRIPTION CODE | TE PN | STYLE & NUMBER OF POSITIONS | TERMINATION POSTS | LOADED ROWS | PERFORMANCE LEVEL | BOARD LOCKS |
|--------------------------|-------------|-----------------------------|--|------------------------------|-------------------|-------------|
| V42254-B2100-C960 | 1393640-1 | C96 | RIGHT-ANGLE SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2101-B640 | 1393640-4 | B64 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2101-B645 | 1393640-5 | B64 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY EVEN PITCH | 1 | NO |
| V42254-B2101-C300 | 1393640-6 | C30 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2101-C480 | 1393640-7 | C48 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2101-C483 | 1393640-8 | C48 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2101-C910 | 3-1392009-9 | C96 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | YES |
| V42254-B2101-C960 | 1393640-9 | C96 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2101-C963 | 1-1393640-0 | C96 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2101-C968 | 1-1393640-1 | C96 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY EVEN PITCH | 1 | NO |
| V42254-B2102-B200 | 1-1393640-5 | B20 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2102-B320 | 1-1393640-6 | B32 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2102-B640 | 1-1393640-7 | B64 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2102-B641 | 1-1393640-8 | B64 | 4,5mm STRAIGHT SOLDER LEADS | ROW A , EVERY PITCH | 1 | NO |
| V42254-B2102-C303 | 2-1393640-0 | C30 | 4,5mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2102-C480 | 2-1393640-1 | C48 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2102-C910 | 2-1393640-3 | C96 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | YES |
| V42254-B2102-C960 | 2-1393640-4 | C96 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2102-C963 | 2-1393640-5 | C96 | 4,5mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2102-C968 | 2-1393640-6 | C96 | 4,5mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY EVEN PITCH | 1 | NO |
| V42254-B2103-B640 | 3-1393640-3 | B64 | 6,3mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2103-C960 | 3-1393640-4 | C96 | 6,3mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2104-C960 | 3-1393640-5 | C96 | 7,3mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2110-B640 | 3-1393640-7 | B64 | RIGHT-ANGLE SOLDER LEADS WITH MOUNTING BRACKET | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2110-C960 | 3-1393640-8 | C96 | RIGHT-ANGLE SOLDER LEADS WITH MOUNTING BRACKET | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2110-C960N | 3-1393640-9 | C96 | RIGHT-ANGLE SOLDER LEADS WITH MOUNTING BRACKET | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2110-C963 | 4-1393640-0 | C96 | RIGHT-ANGLE SOLDER LEADS WITH MOUNTING BRACKET | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2130-B641 | 4-1393640-6 | B64 | 5,5 10mm SOLDER HOOKS | ROW A , EVERY PITCH | 1 | NO |
| V42254-B2135-B640 | 4-1393640-7 | B64 | 5,5 10mm SOLDER LUGS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2135-B641 | 4-1393640-8 | B64 | 5,5 10mm SOLDER LUGS | ROW A , EVERY PITCH | 1 | NO |
| V42254-B2135-C960 | 5-1393640-0 | C96 | 5,5 10mm SOLDER LUGS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2135-C963 | 5-1393640-1 | C96 | 5,5 10mm SOLDER LUGS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2140-B640 | 5-1393640-8 | B64 | 13mm STRAIGHT WIRE-WRAP PINS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2140-C960 | 6-1393640-0 | C96 | 13mm STRAIGHT WIRE-WRAP PINS | EVERY ROW , EVERY PITCH | 1 | NO |
| V42254-B2140-C963 | 6-1393640-1 | C96 | 13mm STRAIGHT WIRE-WRAP PINS | ROW A+C , EVERY PITCH | 1 | NO |
| V42254-B2200-C960 | 7-1393640-0 | C96 | RIGHT-ANGLE SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2200-C963 | 7-1393640-1 | C96 | RIGHT-ANGLE SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | NO |
| V42254-B2201-B200 | 7-1393640-2 | B20 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-B310 | 7-1393640-3 | B32 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | YES |
| V42254-B2201-B320 | 7-1393640-4 | B32 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-B325 | 7-1393640-5 | B32 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY EVEN PITCH | 2 | NO |
| V42254-B2201-B640 | 7-1393640-8 | B64 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-B641 | 7-1393640-9 | B64 | 2,9mm STRAIGHT SOLDER LEADS | ROW A , EVERY PITCH | 2 | NO |
| V42254-B2201-C300 | 8-1393640-0 | C30 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-C313 | 8-1393640-2 | C30 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | YES |
| V42254-B2201-C410 | 8-1393640-3 | C48 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | YES |
| V42254-B2201-C413 | 8-1393640-4 | C48 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | YES |
| V42254-B2201-C480 | 8-1393640-5 | C48 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-C483 | 8-1393640-6 | C48 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | NO |
| V42254-B2201-C485 | 8-1393640-7 | C48 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY EVEN PITCH | 2 | NO |
| V42254-B2201-C488 | 8-1393640-8 | C48 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY EVEN PITCH | 2 | NO |
| V42254-B2201-C910 | 8-1393640-9 | C96 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | YES |
| V42254-B2201-C913 | 9-1393640-0 | C96 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | YES |
| V42254-B2201-C960 | 9-1393640-2 | C96 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2201-C963 | 9-1393640-3 | C96 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY PITCH | 2 | NO |
| V42254-B2201-C965 | 9-1393640-4 | C96 | 2,9mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY EVEN PITCH | 2 | NO |
| V42254-B2201-C968 | 9-1393640-5 | C96 | 2,9mm STRAIGHT SOLDER LEADS | ROW A+C , EVERY EVEN PITCH | 2 | NO |
| V42254-B2202-B200 | 1-1393641-0 | B20 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2202-B320 | 1-1393641-1 | B32 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2202-B321 | 1-1393641-2 | B32 | 4,5mm STRAIGHT SOLDER LEADS | ROW A , EVERY PITCH | 2 | NO |
| V42254-B2202-B640 | 1-1393641-4 | B64 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2202-B640N | 1-1393641-5 | B64 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY PITCH | 2 | NO |
| V42254-B2202-B641 | 1-1393641-6 | B64 | 4,5mm STRAIGHT SOLDER LEADS | ROW A , EVERY PITCH | 2 | NO |
| V42254-B2202-B641N | 1-1393641-7 | B64 | 4,5mm STRAIGHT SOLDER LEADS | ROW A , EVERY PITCH | 2 | NO |
| V42254-B2202-B645 | 1-1393641-8 | B64 | 4,5mm STRAIGHT SOLDER LEADS | EVERY ROW , EVERY EVEN PITCH | 2 | NO |

3) ACCORDING TO BT 236 LEVEL 2.
 2) CONNECTORS HAVE A FLUX-TIGHT COATING.
 1) NO COMPANY NAME MARKED ON THE CONNECTOR.

ACTIVE PART NUMBERS.
 CONTACT TE FOR OTHER CONFIGURATION AVAILABILITY

| | | | | |
|--|--|------------------|------------------------------|------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DIN | CUVELIER | 14FEB89 |
| DIMENSIONS: mm | | CHK | - | - |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD | - | - |
| 0 PLC ± - | | NAME | RECEPTACLE ASSEMBLY EUROCARD | |
| 1 PLC ± - | | PRODUCT SPEC | TYPES B,C AND SHORT VERSIONS | |
| 2 PLC ± - | | APPLICATION SPEC | (PN:V42254-B2***-C***-*-762) | |
| 3 PLC ± - | | SIZE | CAGE CODE | DRAWING NO |
| 4 PLC ± - | | WEIGHT | A1 | 00779 |
| MATERIAL | | RESTRICTED TO | - | |
| FINISH | | CUSTOMER DRAWING | SCALE | NTS |
| | | SHEET | 2 | 2 |
| | | REV | B11 | |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[7-1393640-8](#)