


THIS DRAWING IS A CONTROLLED DOCUMENT
REV: US 000001

USED ON



Left Side
 Connector(s): LC-Duplex Secure
 Mode: MM
 Housing Color: Yellow
 Geom. Spec: N/A

Fiber Path
 A - _____ - B
 B - _____ - A

Right Side
 Connector(s): LC-Duplex
 Mode: MM
 Housing Color: Beige
 Geom. Spec: N/A

- Notes:
- 1 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
 - 2 Includes dust caps (not shown on print).
 - 3 IL tested at 1300nm.
 - 4 Label 2 will not be present on any cable assembly less than 5 meters long.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY BY PERSONNEL WHO HAVE BEEN AUTHORIZED BY TYCO ELECTRONICS CORPORATION. IT IS TO BE KEPT UNDER STRICT CONTROL AND NOT TO BE DISCLOSED TO ANY OTHER PERSONS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA 17105-3608

LOC	CE
DIST	16

A	Rev Per EC#	RELEASE	1/22/2009	-	DK		
P	LTR	REVISION RECORD	DATE	DN	APVD		

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
meters	0 PLC ± .
	1 PLC ± .
	2 PLC ± .
	3 PLC ± .
	4 PLC ± .

Restricted To:

DM	Cable Assy Configurator	MATERIAL	HEAT TREAT
DK	Doug Kirsch		
APVD	Doug Kirsch	AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
NAME	FO C/A - 2 fiber, XG - 50/125, OFNP (Plenum) jacket, LC-Duplex Secure to LC-Duplex		
SCALE	SIZE	DRAWING NO	SHEET
NTS	A2	C- 1905363	1 of 4
			REV A

Label 1

Per specification 107-1645-1



Trace # - Bar Code
Trace # - Human Readable
Part Number
Country of Origin

This label is used on all lengths on this drawing.

Label 2

Per specification 107-1645-1



Trace # - Bar Code
Trace # - Human Readable
Part Number
Country of Origin

This label is used on all lengths on this drawing.

THIS DRAWING IS A CONTROLLED DOCUMENT.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION... UNLESS IT MAY BE DISCLOSED TO ANYONE OTHER THAN TYCO ELECTRONICS PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC
CE
DIST
16

Table with columns: P, LTR, Rev Per EC#, RELEASE, REVISION RECORD, DATE, DIN, DK, APVD

Table with columns: DIMENSIONS: meters, TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC, 1 PLC, 2 PLC, 3 PLC, 4 PLC

Restricted To:

Table with columns: DIN, Cable Assy Configurator, MATERIAL, HEAT TREAT, DDK, Doug Kirsch, APVD, Doug Kirsch, NAME, FO C/A - 2 fiber, XG - 50/125, OFNP (Plenum) jacket, LC-Duplex Secure to LC-Duplex, SCALE, NTS, SIZE, A2, DRAWING NO, C- 1905363, SHEET, 4 of 4, REV, A

D
C
B
A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity Divested:](#)

[3-1906037-4](#)