





LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DMN	APVD		
H1		REVISED PER ECO-11-004835	11MAR11	RK	HMR		
H2		ECR-11-013206	27JUN2011	D.P	C.W		





OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN T. BILLMAN 4-9-90	04JAN01	TE Connectivity	
DIMENSIONS: INCHES		CHK R. MILLER	APVD		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		0. PLC ± - 1. PLC ± - 2. PLC ± - 3. PLC ± 0.127(.005) 4. PLC ± - ANGLES ± -		PRODUCT SPEC APPLICATION SPEC SIZE WEIGHT	
MATERIAL: HSG:GLASS REINF		FINISH:		SIMM II RTANG 1.27[.050] 1.27 [.050] CL ASSY 4.064[.160] HEIGHT A1 00779 C=382482 CUSTOMER DRAWING	
		SCALE: 4:1		SHEET 1 OF 2 REV H2	



- ⚠ FOR OPTIMUM PERFORMANCE, CONTACT PAD PLATING SHOULD BE SMOOTH AND FLAT. COPPER CONTACT PADS ARE TO BE OVERPLATED WITH .00127 [.000050] MIN THK NICKEL FOLLOWED WITH .00254 [.000100] MIN THK TIN-LEAD PLATING.
- ⚠ 0.00381 [.000150] MIN. THK TIN-LEAD OVER 0.00127 [.000050] MIN. THK NICKEL OVER ENTIRE CONTACT.



OB SOLE TE

OB SOLE TE	58.22 [2.292]	127.00 [5.000]	110.49 [4.350]	123.19 [4.850]	63.50 [2.500]	52.07 [2.050]	130.81 [5.150]	116.43 [4.584]	84	8-382482-4
OB SOLE TE	55.68 [2.192]	121.92 [4.800]	105.41 [4.150]	118.11 [4.650]	60.96 [2.400]	49.53 [1.950]	125.73 [4.950]	111.35 [4.384]	80	8-382482-0
OB SOLE TE	50.60 [1.992]	111.76 [4.400]	95.25 [3.750]	107.95 [4.250]	55.88 [2.200]	44.45 [1.750]	115.57 [4.550]	101.19 [3.984]	72	7-382482-2
OB SOLE TE	48.06 [1.892]	106.68 [4.200]	90.17 [3.550]	102.87 [4.050]	53.34 [2.100]	41.91 [1.650]	110.49 [4.350]	96.11 [3.784]	68	6-382482-8
OB SOLE TE	30.28 [1.192]	71.12 [2.800]	54.61 [2.150]	67.31 [2.650]	35.56 [1.400]	24.13 [0.950]	74.93 [2.950]	60.55 [2.384]	40	4-382482-0
	DIM M	DIM J	DIM F	DIM E	DIM D	DIM C	DIM B	DIM A	POSN	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	0 PLC ± -	1 PLC ± -	2 PLC ± -	3 PLC ± 0.13 [.005]	4 PLC ± -	ANGLES ± -
--------------------	--	-----------	-----------	-----------	---------------------	-----------	------------

DIN T. BILLMAN 4-9-90	CHK R. SMITH 4-12-90	APVD R. MILLER 4-9-90	NAME
APPLICATION SPEC			SIZE CAGE CODE DRAWING NO
WEIGHT			A1 00779 C=382482
CUSTOMER DRAWING			SCALE 4:1 SHEET 2 OF 2 REV H2

STE TE Connectivity

SIMM II, RTANG, 1.27 [.050] CENTERLINE ASSY 4.06 [.160] HGT

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[7-382482-2](#)