




| | |
|-------------|--------------------|
| PRODUCT NO. | DESCRIPTION |
| 73474-101 | HEAT STAKE VERSION |
| 73474-101LF | HEAT STAKE VERSION |


FRONT VIEW



HEAT-STAKE PEG VERSION



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE



NOTES:

- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- INDICATED HOLES ARE UNPLATED.
- SEE SHEET 2 FOR PRESS-PEG VERSION.
SEE SHEET 3 FOR SCREW-DOWN VERSION.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.


| | | | | | | | | | | |
|-------------|----------|------------|----------|---------------------------------------|--------------|------------------|--|------------------|--------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | | |
| SEE NOTES | | ISO 1302 ✓ | | ISO 406 ISO 1101 | | mm | | METRAL ACC | | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | mm | | title | | |
| G | v11668 | LSS | 6/12/01 | angles | linear | xx ±.01/3 | | RECEPTACLE GUIDE | | |
| H | v12868 | CGD | 1/02/02 | | | xxx ±.005/.13 | | MODULE, 5 ROW | | |
| J | v05-0007 | TAB | 1/11/05 | σ±2' | | xxxx ±.0020/.050 | | scale 1:1 | | |
| K | v05-0223 | TAB | 3/11/05 | dr | M. FETROW | 5/19/97 | | dwg no | | |
| L | v05-0730 | DAI | 8/04/05 | enr | c. PENDLETON | 5/19/97 | | sheet 1 of 5 | | |
| M | m05-0231 | MHT | 10/28/05 | chr | c. PENDLETON | 5/19/97 | | size | | |
| N | M06-0286 | MNR | 7/27/06 | appd | c. PENDLETON | 5/19/97 | | A3 | | |
| sheet | revision | N | N | N | N | | | type | | |
| index | sheet | 1 | 2 | 3 | 4 | 5 | | | Product Customer Drawing | |






Copyright FCI

| | |
|-------------|-------------------|
| PRODUCT NO. | DESCRIPTION |
| 73474-201 | PRESS-PEG VERSION |
| 73474-201LF | PRESS-PEG VERSION |

FRONT VIEW



PRESS PEG VERSION



NOTE 2

NOTES:

- ① HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- ② INDICATED HOLES ARE UNPLATED.
- 3. THIS SHEET SHOWS DIMENSIONS OF OPTIONAL PRESS-PEG ONLY.
FOR ALL OTHER DIMENSIONS AND REQUIREMENTS SEE SHEET 1.
FOR HEAT-STAKE VERSION SEE SHEET 1, FOR SCREW-DOWN
VERSION, SEE SHEET 3.


REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

| | | | | | | | | | |
|-------------|-----|----------------|----|---------------------|--|--|--|-----------------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTES | | ISO 1302 ✓ | | ISO 406 ISO 1101 | | | | METRAL ACC | |
| ltr | ecn | no | dr | date | | tolerances unless otherwise specified | | title | |
| N | | | | | | angles linear xx ±.01/.3 xxx ±.005/.13 0'±2' xxx ±.0020/.050 | | RECEPTACLE GUIDE MODULE, 5 ROW | |
| | | | | | | scale 1:1 | | dwg no | |
| | | | | | | | | sheet 2 of 5 size | |
| | | | | | | | | 73474 A3 | |
| | | | | | | | | type Product Customer Drawing | |
| sheet index | | revision sheet | | | | | | | |




Copyright FCI
 FCIconnect.com

| | |
|-------------|--------------------|
| PRODUCT NO. | DESCRIPTION |
| 73474-301 | SCREW DOWN VERSION |
| 73474-301LF | SCREW DOWN VERSION |

FRONT VIEW



SCREW DOWN VERSION



REQUIRED P.C. BOARD LAYOUT COMPONENT SIDE

NOTES:

- HOUSING MATERIAL: LCP, 30% GLASS FILLED FLAME RETARDANT PER UL 94V-0. COLOR: NATURAL
- THIS SHEET SHOWS DIMENSIONS OF OPTIONAL SCREW-DOWN ONLY. FOR ALL OTHER DIMENSIONS AND REQUIREMENTS SEE SHEET 1. FOR HEAT-STAKE VERSION SEE SHEET 1, FOR PRESS-PEG, SEE SHEET 2.
- TWO MOUNTING SCREWS, P/N 63787-001, OR 63787-001LF FOR 73474-301LF, FOR MAX PCB THICKNESS 2.4mm [0.094"]. P/N 63787-002 OR 63787-002LF FOR 73474-301LF MAX PCB THICKNESS 3.2mm [0.126"]. MUST BE ORDERED SEPARATELY
- THE MATING CONNECTOR FOR THIS APPLICATION MUST USE A WALL-LESS HEADER HOUSING, P/N 63735-101, TO AVOID INTERFERENCE WITH MOUNTING SCREW HEADS.







FCIconnect.com

Copyright FCI

| | | | | | |
|--------------------------|----------------|-----------------------|----------------------------------|---------------------------------------|---|
| mat'l. code SEE NOTES | | surface ISO 1302 ✓ | tolerance ISO 406 ISO 1101 | projection | product family METRAL ACC |
| ltr | ecn no/dr | date | | tolerances unless otherwise specified | title RECEPTACLE GUIDE MODULE, 5 ROW |
| N | | angles | linear | mm ←→ | scale 1:1 |
| | | dr | M. FETROW | 5/19/97 | |
| | | enr | C. PENDLETON | 5/19/97 | |
| | | chr | C. PENDLETON | 5/19/97 | |
| | | app | C. PENDLETON | 5/19/97 | |
| sheet index | revision sheet | | | | dwg no 73474 sheet 3 of 5 size A3 type Product Customer Drawing |

| | |
|-------------|--------------------|
| PRODUCT NO. | DESCRIPTION |
| 73474-302 | SCREW DOWN VERSION |
| 73474-302LF | SCREW DOWN VERSION |

FRONT VIEW



REQUIRED P.C. BOARD LAYOUT
COMPONENT SIDE

NOTES:


- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- THIS SHEET SHOWS DIMENSIONS OF OPTIONAL SCREW-DOWN ONLY.
FOR ALL OTHER DIMENSIONS AND REQUIREMENTS SEE SHEET 1.
FOR HEAT-STAKE VERSION SEE SHEET 1, FOR PRESS-PEG,
SEE SHEET 2.
- TWO MOUNTING SCREWS, P/N 63787-001, OR 63787-001LF FOR
73474-301LF, FOR MAX PCB THICKNESS 2.4mm [0.094"].
P/N 63787-002 OR 63787-002LF FOR 73474-301LF MAX
PCB THICKNESS 3.2mm [0.126"].
MUST BE ORDERED SEPARATELY
- THE MATING CONNECTOR FOR THIS APPLICATION MUST USE A
WALL-LESS HEADER HOUSING, P/N 63735-101, TO AVOID
INTERFERENCE WITH MOUNTING SCREW HEADS.

FCI
FCIconnect.com


Copyright FCI

| | | | | | | | | | |
|-------------|----------|------------|-----|---------------------|---------------------------------------|------------|------------------|-------------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTES | | ISO 1302 ✓ | | ISO 406 ISO 1101 | | | | METRAL ACC | |
| ltr | ecn | no | dr | date | tolerances unless otherwise specified | | | | |
| N | | | | | angles | linear | xx ±.01/.3 | title | |
| | | | | | 0°±2' | | xxx ±.005/.13 | RECEPTACLE GUIDE | |
| | | | | | | | xxxx ±.0020/.050 | MODULE, 5 ROW | |
| | | | dr | M. FETROW | 5/19/97 | scale 1:1 | | dwg no | |
| | | | enr | C. PENDLETON | 5/19/97 | | | sheet 4 of 5 size | |
| | | | chr | C. PENDLETON | 5/19/97 | | | 73474 A3 | |
| | | | app | C. PENDLETON | 5/19/97 | | | type Product Customer Drawing | |
| sheet | revision | | | | | | | | |
| index | sheet | | | | | | | | |

| PRODUCT NUMBER | DESCRIPTION |
|----------------|-------------------|
| 73474-401M | PRESS PEG VERSION |
| 73474-401 | PRESS PEG VERSION |
| 73474-401LF | PRESS PEG VERSION |



- NOTES:
- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
 - INDICATED HOLES ARE UNPLATED.
 - THIS SHEET SHOWS DIMENSIONS OF OPTIONAL PRESS-PEG ONLY.
FOR ALL OTHER DIMENSIONS AND REQUIREMENTS SEE SHEET 1.
FOR HEAT-STAKE VERSION SEE SHEET 1, FOR SCREW-DOWN
VERSION, SEE SHEET 3.



| | | | | | |
|--------------------------|----------------|-----------------------|----------------------------------|------------------|--|
| mat'l. code SEE NOTES | | surface ISO 1302 ✓ | tolerance ISO 406 ISO 1101 | projection mm | product family METRAL ACC |
| ltr | ecn no | dr | date | angles | title RECEPTACLE GUIDE MODULE, 5 ROW |
| N | | | | linear | scale 1:1 |
| | | | | σ±2' | dwg no 73474 |
| | | dr | M. FETROW | 5/19/97 | sheet 5 of 5 size A3 |
| | | enr | C. PENDLETON | 5/19/97 | type Product Customer Drawing |
| | | chr | C. PENDLETON | 5/19/97 | |
| | | app | C. PENDLETON | 5/19/97 | |
| sheet index | revision sheet | | | | |

FCJ
FCIconnect.com

Copyright FCI

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[73474-201LF](#) [73474-301LF](#)