



## PCB D-SUB CONNECTORS



### TE CONNECTIVITY (TE) 09 RCPT SP/MS STD AMPLIMITE | SP

745183-1  
TE Internal Number: 745183-1

5 of 6 EU RoHS/ELV Compliant  
[Find Compliant Alternatives](#)

Connector Style **Receptacle**

Centerline (in) **.108**

Number of Positions **9**

Number of Rows **2**

Shell Size **1**

✓ Active

↓ **PRODUCT DRAWING**  
English

↓ **3D PDF**

#### Product Drawings

[RECEPTACLE ASSY, SIZE 1, 9 POS, VERTICAL, AMPLIMITE HDP](#)  
PDF (**TIFF AVAILABLE**)  
English

[RECEPTACLE ASSY, SIZE 1, 9 POS, VERTICAL, AMPLIMITE HDP](#)  
PDF (**TIFF AVAILABLE**)  
English

#### CAD Files

[Customer View Model](#)  
2D\_DXF.ZIP  
English

[Customer View Model](#)  
3D\_IGS.ZIP  
English

[Customer View Model](#)  
3D\_STP.ZIP  
English

[3D PDF](#)  
PDF  
English

#### Product Specifications

Product Specification [AMPLIMITE HD-20 PCB Mounted Connector](#)  
PDF  
English

Application Specification [AMPLIMITE HD-20 Straight Solder Contact Tine, Front Metal Shell, PC Board And Panel Mount Connectors](#)  
PDF  
English

Qualification Test Report [Connector, AMPLIMITE HD-20, Printed Circuit Board Mounted](#)  
PDF  
English

#### Product Environmental Compliance

TE Material Declaration [MD\\_745183-1\\_12122015150\\_dmtec](#)  
PDF  
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

---

Product Type Features	Connector Style	<b>Receptacle</b>
	Shell Size	<b>1</b>
	Profile	<b>High</b>
	PCB Mounting Orientation	<b>Vertical</b>
	Grounding Straps	<b>Without</b>
	Shell Type	<b>Full Metal Shell</b>
	Grounding Indents	<b>Without</b>
	Applies To	<b>Printed Circuit Board</b>
	Sealed	<b>No</b>
Product Type	<b>Connector</b>	

---

Configuration Features	Number of Positions	<b>9</b>
	Number of Rows	<b>2</b>
	Preloaded	<b>Yes</b>

---

Body Features	Plastic	<b>No</b>
	Color Code	<b>None</b>
	Shell Plating Material	<b>Tin</b>
	Insert Material	<b>Thermoplastic</b>
	Shell Material	<b>Carbon Steel</b>
	Post Size	<b>.64 mm [ .025 in ]</b>

---

Contact Features	Contact Shape	<b>Square</b>
	Solder Tail Contact Plating Material	<b>Tin-Lead over Nickel</b>
	Contact Base Material	<b>Phosphor Bronze</b>
	Contact Mating Area Plating Thickness (µin)	<b>30</b>
	Contact Mating Area Plating Material	<b>Gold Flash over Palladium Nickel, Gold</b>

---

Termination Features	Termination Post Length	<b>3.18 mm [ .125 in ]</b>
	Grounding Clips	<b>Without</b>

---

Mechanical Attachment	PCB Mounting Style	<b>Through Hole</b>
	PCB Mount Retention	<b>With</b>
	PCB Mount Retention Type	<b>Mounting Holes</b>

PCB Mount Retention Type	<b>Mounting Holes</b>
Mating Connector Lock	<b>Without</b>
Panel Mount Retention	<b>Without</b>
Mounting Hole Diameter	<b>3.05 mm [ .12 in ]</b>

Housing Features	Centerline (in)	<b>.108</b>
	Housing Color	<b>Black</b>
	Housing Material	<b>Thermoplastic</b>

Dimensions	PCB Thickness (Recommended)	<b>1.57 – 2.36 mm [ .062 – .093 in ]</b>
------------	-----------------------------	--

Industry Standards	Insert Flammability Rating	<b>UL 94V-0</b>
	UL Flammability Rating	<b>UL 94V-0</b>
	Approved Standards	<b>UL E28476</b>

Packaging Features	Packaging Method	<b>Tube</b>
	Packaging Quantity	<b>17</b>

Other	Comment	<b>All receptacles are preloaded with size 20 DF posted socket contacts</b>
-------	---------	---

Product Compliance	<a href="#">Statement of Compliance PDF</a> <a href="#">VIEW ALL PRODUCT COMPLIANCE</a>
--------------------	--

Products - 8 Results

[View All](#)

[Compare 0/10](#)

Relation Type ▼

RELATIONSHIP

### Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - IDC D-Sub Connectors  
 AMPLIMITE I HDE (IDC) Insulation  
**09 SHLDG ENCL PLUG,  
 LEAD FREE - 1-747944-5**  
 TE INTERNAL NUMBER: 1-747944-5

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Shielded **Yes**

Number of Positions **9**

Number of Rows **2**

Preloaded **Yes**

RELATIONSHIP

## Mating Products

Used to identify Mating Parts

[See All Mating Products](#)



PRODUCT - MATING PRODUCTS

Connectors - IDC D-Sub Connectors  
AMPLIMITE I HDE (IDC) Insulation

### 09 HDE PMOLD PLUG, LEAD FREE - 747515-7

TE INTERNAL NUMBER: 747515-7

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Shielded **Yes**

Centerline **1.38 mm**

Number of Positions **9**

Number of Rows **2**



RELATIONSHIP

## Mating Products

Used to identify Mating Parts

[See All Mating Products](#)



PRODUCT - MATING PRODUCTS

Connectors - IDC D-Sub Connectors  
AMPLIMITE I HDF for Flat Ribbon Cable

### 09 POS HDF PLUG, MS, LEAD FREE - 1658613-4

TE INTERNAL NUMBER: 1658613-4

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Number of Positions **9**

Number of Rows **2**

Preloaded **Yes**

Contact Size **20**

