



# PCB D-SUB CONNECTORS



TE CONNECTIVITY (TE)

## 09 MSFL PLUG RA 318 (SL,FM,BL)

AMPLIMITE | SL , Standard

747840-5

TE Internal Number: 747840-5

Not EU RoHS or ELV Compliant

[Find Compliant Alternatives](#)

Connector Style **Plug**

Centerline (mm) **2.74**

Number of Positions **9**

Number of Rows **2**

Shell Size **1**

Active

[PRODUCT DRAWING](#)  
English

[3D PDF](#)

### Product Drawings

[PLUG ASSEMBLY, SIZE 1, 9 POSITION, RIGHT ANGLE, FRONT METAL SHELL, .318 SERIES, BOARDLOCKS, AMPLIMITE HD-20](#)

PDF  
English

### CAD Files

[Customer View Model](#)

2D\_DXF.ZIP  
English

[3D PDF](#)

PDF  
3D

[Customer View Model](#)

3D\_IGS.ZIP  
English

[Customer View Model](#)

3D\_STP.ZIP  
English

### Product Specifications

Product Specification

[AMPLIMITE HD-20 PCB Mounted Connector](#)

PDF  
English

Application Specification

[AMPLIMITE Right-Angle Front Metal Shell Connectors](#)

PDF  
English

Qualification Test Report

[Connector, AMPLIMITE HD-20, Printed Circuit Board Mounted](#)

PDF  
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Style

**Plug**

Shell Size

**1**

	Profile	<b>Standard</b>
	PCB Mounting Orientation	<b>Right Angle</b>
	Grounding Straps	<b>With</b>
	Shell Type	<b>Front Metal Shell</b>
	Footprint	<b>8.08 mm [ .318 in ]</b>
	Grounding Indents	<b>With</b>
	Applies To	<b>Printed Circuit Board</b>
	Sealed	<b>No</b>
	Product Type	<b>Connector</b>
<hr/>		
Configuration Features	Number of Positions	<b>9</b>
	Number of Rows	<b>2</b>
	Preloaded	<b>Yes</b>
<hr/>		
Body Features	Plastic	<b>No</b>
	Female Screwlock Material	<b>Zinc</b>
	Female Screwlock Plating Material	<b>Clear Chromate</b>
	Color Code	<b>None</b>
	Eyelet Plating Material	<b>Tin over Copper Flash</b>
	Shell Plating Material	<b>Tin</b>
	Shell Material	<b>Steel</b>
	Eyelet Material	<b>Brass</b>
	Post Size	<b>.66 mm [ .026 in ]</b>
<hr/>		
Contact Features	Contact Shape	<b>Round</b>
	Solder Tail Contact Plating Material	<b>Tin over Nickel, Tin-Lead over Nickel</b>
	Contact Base Material	<b>Brass</b>
	Contact Mating Area Plating Material	<b>Gold Flash</b>
<hr/>		
Termination Features	Termination Post Length	<b>3.18 mm [ .125 in ]</b>
	Grounding Clips	<b>Without</b>
<hr/>		
Mechanical Attachment	PCB Mounting Style	<b>Through Hole</b>
	PCB Mount Retention	<b>With</b>
	PCB Mount Retention Type	<b>Boardlocks</b>
	Mating Connector Lock	<b>With</b>

Mating Connector Lock Type	<b>Female Screwlocks, Fixed</b>
Panel Mount Retention	<b>Without</b>
Boardlock Material	<b>Copper Alloy</b>
Mounting Hole Diameter	<b>3.18 mm [ .125 in ]</b>
Boardlock Plating Material	<b>Tin-Lead over Nickel</b>

Housing Features	Centerline (mm)	<b>2.74</b>
	Housing Color	<b>Black</b>
	Housing Material	<b>Nylon GF, Polyester GF</b>

Dimensions	PCB Thickness (Recommended)	<b>1.57 mm [ .062 in ]</b>
------------	-----------------------------	----------------------------

Industry Standards	UL Flammability Rating	<b>UL 94V-0</b>
	Approved Standards	<b>UL E28476</b>

Packaging Features	Packaging Method	<b>Tray</b>
	Packaging Quantity	<b>130</b>

Other	Comment	<b>Plugs are preloaded with size 20 DF posted pin contacts</b>
-------	---------	--

Product Compliance [Statement of Compliance PDF](#)  
[VIEW ALL PRODUCT COMPLIANCE](#)

## CUSTOMERS ALSO BOUGHT

WIRE-TO-BOARD HEADERS & RECEPTACLES	PCB FERRULES & SHIELDS	MULTIPLE CONFIGURATION PCB HEADERS & RECEPTACLES	SURFACE MOUNT DEVICES
 <p><b>03P MTA100 HDR ASSY FL/RA LF</b> 3-641127-3</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>	 <p><b>Z-PACK SHLD.LOWER A</b> 5338108-9</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>	 <p><b>26 MODII HDR DRST B/A W/HD</b> 1-104433-3</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>	 <p><b>SMD030F-2018-2</b> SMD030F-2018-2</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>

Relation Type ▼

RELATIONSHIP

**Mating Products**

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - IDC D-Sub Connectors  
AMPLIMITE | HDE (IDC) Insulation

**KIT, RCPT, 9P, HDE,  
SHLD HDWRE - 747516-9**  
TE INTERNAL NUMBER: 747516-9

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Shielded **Yes**

Centerline **1.38 mm**

Number of Positions **9**

Number of Rows **2**



RELATIONSHIP

**Mating Products**

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Solder D-Sub Connectors  
AMPLIMITE | Solder Cup Connectors

**LF RECEPT KIT, SIZE 1,  
7.2MM - 1571654-4**  
TE INTERNAL NUMBER: 1571654-4

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **9**

Contact Size **20**

Shell Size **1**

Enclosure **With**



RELATIONSHIP

**Mating Products**

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Solder D-Sub Connectors  
AMPLIMITE | Solder Cup Connectors

**LF RECEPT KIT, SIZE 1,  
9.5MM - 1571654-5**  
TE INTERNAL NUMBER: 1571654-5

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **9**

Contact Size **20**

Shell Size **1**

Enclosure **With**

