







LOC		DIST		P		F		ZONE		LTR		REVISIONS		DATE	APPD
CM	53											B	REV PER EC OL30-0055-97	4-16-97	JH RS



TYPICAL RECEPTACLE CAVITY
(DIMENSIONS REFERENCE ONLY)



3-DIMENSIONAL MODEL
NTS

MATING CONNECTOR INTERFACE

MM	IN	MM	IN
4.19	.165	28.58	1.125
4.06	.160	27.18	1.070
3.25	.128	10.80	.425
3.18	.125	6.10	.240
3.12	.123	5.03	.198
0.25	.010	4.57	.180
0.13	.005	4.39	.173
MM	IN	MM	IN

CONVERSION TABLE

METRIC

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DO NOT SCALE PRINT.
UNLESS SPECIFIED
DIMENSIONS IN mm (INCHES)
TOLERANCES ON:
2 PLC DEC ± 0.13
3 PLC DEC ± -
ANGLES ± 0°30'

MATERIAL
NYLON, UL 94V-2
NATURAL

FINISH
-

DR 7-27-93
K. WHITAKER
CHK 7-27-93
R. SWING
APPD 7-27-93
C. CASH
APPD 7-27-93
C. CASH
PRODUCT SPEC
-
APPLICATION SPEC
-

794015-1
PART NO

AMP AMP Incorporated
Harrisburg, PA 17105-3608

NAME
RECEPTACLE,
POSITIVE LOCK, 5 CIRCUIT,
.093 COMMERCIAL PIN AND SOCKET

SIZE	CAGE CODE	DRAWING NO
D	00779	C-794015
SCALE	4:1	SHEET
		1 OF 1