


Item no.: 773-124  
 Product description: PUSH-WIRE CONNECTOR FOR JUNCTION BOXES 4-CONDUCTOR TERMINAL BLOCK



Produkt kann von Bild abweichen / product may differ

Packing unit 100 pieces

Product group	7 (Push Wire Conn.)
pole count	4
Cross section [mm <sup>2</sup> ]	1.5 - 2.5 mm <sup>2</sup>
Cross section [AWG]	14 - 12 AWG
Connection method	PUSH WIRE®
Number of strands	3
Cross section [mm <sup>2</sup> ]	1 - 2.5 mm <sup>2</sup>
Cross section [AWG]	14 - 12 AWG
Wiring method	e
Number of strands	3
Cross section [mm <sup>2</sup> ]	1.5 - 14 AWG
Number of strands	1
Measured voltage EN	400 V
Measured shock voltage	4 kV
Pollution degree	2
Current intensity EN	24 A
Weight	2.677 g
Color	light gray
No. of connection Points	4
No. of potentials	1

Height  
Height

13.1 mm  
0.516 in



Width	9 mm
Width	0.354 in
Depth	19.1 mm
Depth	0.752 in
Strip length from	10 mm
Strip length to	13 mm
Strip length	0.45 in



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [ mm <sup>2</sup> ]
773-124	CSA	154112/1059453	600	20	18-12
773-124	UL	E69654	600	20	12-18

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected