




REVISIONS					
P.	LTR	DESCRIPTION	DATE	DWN	APVD
J5		REVISED PER ECO-13-019430	10DEC2013	DD	DS
J6		REVISED PER ECO-15-000177	30JAN2015	DD	DS
J7		REVISED PER ECO-15-003872	25MAR2015	DD	DS
J8		REVISED PER ECO-16-003526	09MAR2016	JM	DS

- ⚠ ACCEPTS #3 SELF TAPPING THREAD FORMING SCREW OR METRIC EQUIVALENT TO BE DRIVEN AT 0.6-0.8 N-m
- ⚠ DATE CODE IN THIS LOCATION USING 5 DIGIT CODE
FIRST 2 DIGITS = YEAR, SECOND 2 DIGITS = WEEK
LAST DIGIT = DAY
- ⚠ HOUSING COLORS ARE MECHANICALLY KEYED TO MATE ONLY WITH IDENTICALLY COLORED PLUG ASSEMBLIES.
- ⚠ MATERIAL: HEADER HOUSING - GLASS FILLED PBT
PINS - TIN OR GOLD PLATED BRASS
GASKET - SILICONE
5. HEADER MATES TO PLUG ASSEMBLY 776164 WHICH USES REELED TERMINAL 770520 OR LOOSE PIECE TERMINAL 770854



SECTION A-A




776163-1 & 1-776163-1
KEY LOCATION AS SHOWN


DURAGOLD	ORANGE	1-776163-6
DURAGOLD	BLUE	1-776163-5
DURAGOLD	GRAY	1-776163-4
DURAGOLD	NATURAL (WHITE)	1-776163-2
DURAGOLD	BLACK	1-776163-1
TIN	BLUE	776163-5
TIN	GRAY	776163-4
TIN	NATURAL (WHITE)	776163-2
TIN	BLACK	776163-1
FINISH	HEADER COLOR ⚠	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 31DEC2002	TE Connectivity	
		CHK D. CROWE 31DEC2002		
DIMENSIONS:		APVD D. CROWE 31DEC2002	NAME	
mm		PRODUCT SPEC		
		108-1329	SIZE	
		APPLICATION SPEC		
MATERIAL		WEIGHT	A100779C=776163	
		CUSTOMER DRAWING		
		SCALE 4:1	SHEET 1 OF 2	
			REV J8	


REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




RECOMMENDED MOUNTING HOLE LAYOUT
FOR 5.0 MAX THICK PANEL




RECOMMENDED P.C. BOARD LAYOUT
FOR 1.57 THICK P.C. BOARD




SECTION Z-Z
OPTIONAL CONSTRUCTION IF
THICKNESS IS GREATER THAN 2.0
SCALE 6:1




SECTION Z-Z
OPTIONAL CONSTRUCTION IF
THICKNESS IS GREATER THAN 2.0
SCALE 6:1




776163-2 & 1-776163-2
KEY LOCATION AS SHOWN
SCALE 2:1





776163-4 & 1-776163-4
KEY LOCATION AS SHOWN
SCALE 2:1




776163-5 & 1-776163-5
KEY LOCATION AS SHOWN
SCALE 2:1



1-776163-6
KEY LOCATION AS SHOWN
SCALE 2:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL	31DEC2002	 TE Connectivity			
DIMENSIONS:		CHK D. CROWE	31DEC2002				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. CROWE	31DEC2002	NAME	HEADER ASSEMBLY, 35 POSITION, RIGHT ANGLE, AMPSEAL		
	0 PLC ±0.2	PRODUCT SPEC		SIZE			
	1 PLC ±0.2	108-1329				CAGE CODE	
	2 PLC ±0.2	APPLICATION SPEC					DRAWING NO
	3 PLC ±0.2	114-16016					
	4 PLC ±0.2	114-16016					
ANGLES ±0.2			A100779				
FINISH				SCALE 4:1			
MATERIAL					SHEET 2 OF 2		
-						REV J8	
-							
-							
-							
-							
		CUSTOMER DRAWING					

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[776163-2](#)