

1. PURPOSE 目的

Define the packaging specification and packaging method of AMP-DUAC products.

订定 AMP-DUAC 产品之包装规格及包装方式。

2. APPLICABLE PRODUCT 适用范围

TYPE	Product Part No.	Description
TYPE A (2P. With Pegs)	794302-X	AMP-DUAC
	794662-2	AMP-DUAC
	794663-2	AMP-DUAC
	794540-X	AMP-DUAC
	794666-2	AMP-DUAC
	794667-2	AMP-DUAC
TYPE B (2P. No Pegs)	794349-X	AMP-DUAC
	794664-2	AMP-DUAC
	794665-2	AMP-DUAC
	794543-X	AMP-DUAC
	794668-2	AMP-DUAC
	794669-2	AMP-DUAC
	390450-1	AMP-DUAC
TYPE C (4P. With Pegs)	794303-X	AMP-DUAC
	794662-4	AMP-DUAC
	794663-4	AMP-DUAC
	794466-X	AMP-DUAC
	794666-4	AMP-DUAC
	794667-4	AMP-DUAC
TYPE D (4P. No Pegs)	794350-X	AMP-DUAC
	794664-4	AMP-DUAC
	794665-4	AMP-DUAC
	794484-X	AMP-DUAC
	794668-4	AMP-DUAC
	794669-4	AMP-DUAC
	390451-1	AMP-DUAC

DR
Ansin Yang

CHK
Harry Yang

APVD
Michelle Peng

2. APPLICABLE PRODUCT 适用范围

TYPE	Product Part No.	Description
TYPE E (6P. With Pegs)	794304-X	AMP-DUAC
	794662-6	AMP-DUAC
	794663-6	AMP-DUAC
	794467-X	AMP-DUAC
	794666-6	AMP-DUAC
	794667-6	AMP-DUAC
TYPE F (6P. No Pegs)	794351-X	AMP-DUAC
	794664-6	AMP-DUAC
	794665-6	AMP-DUAC
	794485-X	AMP-DUAC
	794668-6	AMP-DUAC
	794669-6	AMP-DUAC
	1586120-1	AMP-DUAC
TYPE G (8P. With Pegs)	794305-X	AMP-DUAC
	794662-8	AMP-DUAC
	794663-8	AMP-DUAC
	794468-X	AMP-DUAC
	794666-8	AMP-DUAC
	794667-8	AMP-DUAC
TYPE H (8P. No Pegs)	794352-X	AMP-DUAC
	794664-8	AMP-DUAC
	794665-8	AMP-DUAC
	794486-X	AMP-DUAC
	794668-8	AMP-DUAC
	794669-8	AMP-DUAC
TYPE I (14P. With Pegs)	794308-X	AMP-DUAC
	1-794662-4	AMP-DUAC
	1-794663-4	AMP-DUAC
	794453-X	AMP-DUAC
	1-794666-4	AMP-DUAC
	1-794667-4	AMP-DUAC
TYPE J (14P. No Pegs)	794355-X	AMP-DUAC
	1-794664-4	AMP-DUAC
	1-794665-4	AMP-DUAC
	794489-X	AMP-DUAC
	1-794668-4	AMP-DUAC
	1-794669-4	AMP-DUAC

2. APPLICABLE PRODUCT 适用范围

TYPE	Product Part No.	Description
TYPE K (16P. With Pegs)	794309-X	AMP-DUAC
	1-794662-6	AMP-DUAC
	1-794663-6	AMP-DUAC
	794429-X	AMP-DUAC
	1-794666-6	AMP-DUAC
	1-794667-6	AMP-DUAC
TYPE L (16P. No Pegs)	794356-X	AMP-DUAC
	1-794664-6	AMP-DUAC
	1-794665-6	AMP-DUAC
	794490-X	AMP-DUAC
	1-794668-6	AMP-DUAC
	1-794669-6	AMP-DUAC
TYPE M (20P. With Pegs)	794311-X	AMP-DUAC
	2-794662-0	AMP-DUAC
	2-794663-0	AMP-DUAC
	794455-X	AMP-DUAC
	2-794666-0	AMP-DUAC
	2-794667-0	AMP-DUAC
TYPE N (20P. No Pegs)	794358-X	AMP-DUAC
	2-794664-0	AMP-DUAC
	2-794665-0	AMP-DUAC
	794492-X	AMP-DUAC
	2-794668-0	AMP-DUAC
	2-794669-0	AMP-DUAC
TYPE O	1586118-1	AMP-DUAC

3. PACKAGING MATERIAL 包装材料

Package	Part No.	Description
INNER	294079-1	COVER
	294080-1	TRAY
	623865-2	INNER LABEL
MIDDLE	995265-5	PE BAG
OUTER	999719-1	BOX
	623865-1	INNER LABEL

	Inner	Middle	Outer
LABEL	623865-2	-	623865-1
SEALING	Tape	-	Tape

4. PACKAGING QUANTITY 包装用量

TYPE	TRAY (294080-1)	COVER (294079-1)	BAG (995265-5)	BOX (12140-1)
TYPE A	1/288	1/288	1/4320	1/4320
TYPE B	1/636	1/636	1/9540	1/9540
TYPE C	1/216	1/216	1/3240	1/3240
TYPE D	1/372	1/372	1/5580	1/5580
TYPE E	1/168	1/168	1/2520	1/2520
TYPE F	1/252	1/252	1/3780	1/3780
TYPE G	1/144	1/144	1/2160	1/2160
TYPE H	1/192	1/192	1/2880	1/2880
TYPE I	1/96	1/96	1/1440	1/1400
TYPE J	1/108	1/108	1/1620	1/1620
TYPE K	1/84	1/84	1/1260	1/1260
TYPE L	1/96	1/96	1/1440	1/1440
TYPE M	1/72	1/72	1/1080	1/1080
TYPE N	1/84	1/84	1/1260	1/1260
TYPE O	1/348	1/348	1/5220	1/5220

5. PACKING METHOD 包装方法

5.1. Load connectors all orientated same way into tray & close cover onto the tray.

将产品朝同一方向放入TRAY中，并盖上盖子。

(注：TRAY 的槽位一定要与 COVER 的槽位对齐)

5.2. Secure cover with 2 strips of tape on each edge of cover, locate each strip near each corner of tray.

用两条胶带在TRAY的转角处的附近(约10 cm) 封住TRAY和COVER的的边缘。

5.3. Place a inner label on middle of the cover.

在盖的正面中间位置贴上一内标签。

5.4. Repeat step 5.1. ~ 5.3. 14 times.

重复第一步到第三步十四次。

5.5. Stack 15 of trays into bag & bag of stacked trays into box.

将 15盒TRAY 装入袋中并将包装好 TRAY 的袋子放入箱中。

5.6. Fold bag of entry & close box.

折叠好袋口并合上箱子。

5.7. Seal the box with tape. And place product identification label in "product id" marked on box.

用胶带封箱，在箱外印有“PRODUCT ID”标识处贴上外标签。