




+ CONNECTORS

MULTIPLE CONFIGURATION PCB HEADERS & RECEPTACLES



✓ Active

TE CONNECTIVITY (TE)  
2X13P MOD2 ST-STECK

AMPMODU | [AMPMODU Headers](#)

827881-1  
TE Internal Number: 827881-1

[EU RoHS Compliant](#)  
[EU ELV Compliant](#)

**Number of Positions** 26  
**Centerline (Pitch)** 2.54 mm [ .1 in ]  
**Connector & Contact Terminates To** Printed Circuit Board  
**Connector Style** Plug  
**Header Type** Shrouded

[↓](#) **PRODUCT DRAWING**  
English

[↓](#) **3D PDF**

DOCUMENTATION

Product Drawings

**MODU II,Stiftwanne,26-Polig**

PDF [\(TIFF AVAILABLE\)](#)

English

CAD Files

**3D PDF**

PDF

English

**Customer View Model**

3D\_IGS.ZIP

English

Customer View Model

3D\_STP.ZIP

English

Customer View Model

2D\_DXF.ZIP

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

- Connector & Contact Terminates To Printed Circuit Board
- Connector Style Plug
- Header Type Shrouded
- PCB Mounting Orientation Vertical
- Connector Type Header
- Row-to-Row Spacing 2.54 mm [ .1 in ]
- Strain Relief Without
- Product Type Connector
- Stabilizers Without

Configuration Features

- Selectively Loaded No
- Number of Positions 26
- Number of Rows 2

Body Features

- Color Yellow
- Material Polyamide 6.6 GF

Contact Features

- Solder Tail Contact Plating Material Tin
- Contact Plating Material Tin
- Contact Type Pin

Termination Features

- Termination Method to PC Board Through Hole
- Termination End Plating Material Tin

Mechanical Attachment

- Mating Connector Lock Type Detent Latching
- Mating Connector Lock With
- PCB Mounting Style Through Hole
- PCB Mount Retention Without
- Mating Alignment With
- Mating Alignment Type Polarization

Housing Features

**Centerline (Pitch)** 2.54 mm [ .1 in ]

Packaging Features

**Packaging Quantity** 200

**Packaging Method** Carton

PRODUCT COMPLIANCE



Statement of Compliance

**Statement of Compliance**

PDF