





RECOMMENDED P.C.B HOLE LAYOUT



- NOTES:
- MATERIAL:
    - HSG: LCP, GLASS-FILLED, UL94V-0, COLOR: BLACK
    - PIN: 0.64MM SQ PIN, COPPER ALLOY
  - PLATING TYPE:
    - 0.0254 μm GOLD FLASH OVER  
1.25 μm MIN. NICKEL OVERALL.
    - 0.025 μm MIN. GOLD PLATE ON CONTACT AND  
1.88 μm MIN. TIN ON SOLDER TAIL OVER  
1.25 μm MIN. NICKEL OVERALL.
    - 0.25 μm MIN. GOLD PLATE ON CONTACT AND  
1.88 μm MIN. TIN ON SOLDER TAIL OVER  
1.25 μm MIN. NICKEL OVERALL.
    - 0.38 μm MIN. GOLD PLATE ON CONTACT AND  
1.88 μm MIN. TIN ON SOLDER TAIL OVER  
1.25 μm MIN. NICKEL OVERALL.
    - 0.75 μm MIN. GOLD PLATE ON CONTACT AND  
1.88 μm MIN. TIN ON SOLDER TAIL OVER  
1.25 μm MIN. NICKEL OVERALL.
    - 2.50 μm MIN. TIN OVER 1.25 μm MIN. NICKEL OVERALL.
    - 0.38 μm MIN. GOLD PLATE ON CONTACT AND  
2.50 μm MIN. TIN ON SOLDER TAIL OVER  
1.25 μm MIN. NICKEL OVERALL.
    - 0.38 μm MIN. GOLD PLATE ON CONTACT AND  
0.05 μm MIN. GOLD FLASH ON SOLDER TAIL OVER  
1.25 μm MIN. NICKEL OVERALL.
    - 0.05 - 0.25 μm MIN. GOLD FLASH OVER  
1.25 μm MIN. NICKEL OVERALL.
  - PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION
  - THE ABOVE 14 CKT IS FOR ILLUSTRATION PURPOSE ONLY.
  - FOR PACKAGING OPTION PLEASE REFER TO THE TABLE.
  - RECOMMENDED PCB THICKNESS 1.60MM.
  - PRODUCT SPECIFICATION: PS-87920-019
  - WAFER TO BE FLAT WITHIN 0.003mm/mm
  - IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE.
  - PARTS ARE NOT STACKABLE ON 2.54 CENTER
  - CAP TO BE PLACED AS CENTRAL OF PART AS POSSIBLE WITH THE TOP SURFACE FLAT FOR PICK AND PLACE.
  - PACKAGING SPECIFICATION:
    - TRAY: PK-89990-489
    - BULK: PK-89990-491

REVISION OF DRAWING MAY BE CHANGED DURING FINAL RELEASED FOR PRODUCTION.

SHT 7, +879140847  
 EC NO: S2014-0048  
 DRW: NATSEE 2013/07/11  
 CHK: DSKANG 2013/07/11  
 APPR: MLONG 2013/10/09

QUALITY SYMBOLS	DESCRIPTION
$F_A = 0$	
$F_G = 0$	
$F_P = 0$	

GENERAL TOLERANCES (UNLESS SPECIFIED)	
mm	INCH
4 PLACES ± ---	± ---
3 PLACES ± ---	± ---
2 PLACES ± 0.20	± ---
1 PLACE ± ---	± ---
0 PLACE ±	±

ANGULAR ± 3°  
 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
KCHO	2004/11/05
CHECKED BY	DATE
PTLIM	2004/12/08
APPROVED BY	DATE
MLONG	2010/09/06

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
NTS	METRIC	
2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H		
<b>molex</b>		
MATERIAL NO.	DOCUMENT NO.	SHEET NO.
SEE TABLE	SD-87914-013	1 OF 45
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

	10		9		8		7		6		5		4		3		2		1	
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
									A	B	F	M	P							
F	87914-0211	-----	-----	-----	-----	2	----	1	2.54	----	10.92	5.84	2.79							
	87914-0221	-----	-----	-----	-----	2	----	1	2.54	----	12.25	7.00	2.96							
	87914-0231	-----	-----	-----	-----	2	----	1	2.54	----	13.38	6.09	5.00							
	87914-0212	-----	-----	-----	-----	2	----	2	2.54	----	10.92	5.84	2.79							
	87914-0222	-----	-----	-----	-----	2	----	2	2.54	----	12.25	7.00	2.96							
	87914-0232	-----	-----	-----	-----	2	----	2	2.54	----	13.38	6.09	5.00							
E	87914-0213	-----	-----	-----	-----	2	----	3	2.54	----	10.92	5.84	2.79							
	87914-0223	-----	-----	-----	-----	2	----	3	2.54	----	12.25	7.00	2.96							
	87914-0233	-----	-----	-----	-----	2	----	3	2.54	----	13.38	6.09	5.00							
	87914-0214	-----	-----	-----	-----	2	----	4	2.54	----	10.92	5.84	2.79							
	87914-0224	-----	-----	-----	-----	2	----	4	2.54	----	12.25	7.00	2.96							
	87914-0234	-----	-----	-----	-----	2	----	4	2.54	----	13.38	6.09	5.00							
D	87914-0215	-----	-----	-----	-----	2	----	5	2.54	----	10.92	5.84	2.79							
	87914-0225	-----	-----	-----	-----	2	----	5	2.54	----	12.25	7.00	2.96							
	87914-0235	-----	-----	-----	-----	2	----	5	2.54	----	13.38	6.09	5.00							
	87914-0216	-----	-----	-----	-----	2	----	6	2.54	----	10.92	5.84	2.79							
	87914-0226	-----	-----	-----	-----	2	----	6	2.54	----	12.25	7.00	2.96							
	87914-0236	-----	-----	-----	-----	2	----	6	2.54	----	13.38	6.09	5.00							
C																				
B																				

SHT 7, +879140847 IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS  = 0  = 0  = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H			
		4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	CHECKED BY PTLIM	DATE 2004/12/08		
		2 PLACES	± 0.20	± ---	1 PLACE	± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06		
0 PLACE	±	±	ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-87914-013		2 OF 45			
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	P	G
F	87914-0611	-----	-----	-----	6	----	1	7.62	5.08	10.92	5.84	2.79	----
	87914-0621	-----	-----	-----	6	----	1	7.62	5.08	12.25	7.00	2.96	----
	87914-0631	-----	-----	-----	6	----	1	7.62	5.08	13.38	6.09	5.00	----
	87914-0612	-----	-----	-----	6	----	2	7.62	5.08	10.92	5.84	2.79	----
	87914-0622	-----	-----	-----	6	----	2	7.62	5.08	12.25	7.00	2.96	----
	87914-0632	-----	-----	-----	6	----	2	7.62	5.08	13.38	6.09	5.00	----
E	87914-0613	-----	-----	-----	6	----	3	7.62	5.08	10.92	5.84	2.79	----
	87914-0623	-----	-----	-----	6	----	3	7.62	5.08	12.25	7.00	2.96	----
	87914-0633	-----	-----	-----	6	----	3	7.62	5.08	13.38	6.09	5.00	----
	87914-0614	-----	-----	-----	6	----	4	7.62	5.08	10.92	5.84	2.79	----
	87914-0624	-----	-----	-----	6	----	4	7.62	5.08	12.25	7.00	2.96	----
	87914-0634	-----	-----	-----	6	----	4	7.62	5.08	13.38	6.09	5.00	----
D	87914-0615	-----	-----	-----	6	----	5	7.62	5.08	10.92	5.84	2.79	----
	87914-0625	-----	-----	-----	6	----	5	7.62	5.08	12.25	7.00	2.96	----
	87914-0635	-----	-----	-----	6	----	5	7.62	5.08	13.38	6.09	5.00	----
	87914-0616	-----	-----	-----	6	----	6	7.62	5.08	10.92	5.84	2.79	----
	87914-0626	-----	-----	-----	6	----	6	7.62	5.08	12.25	7.00	2.96	----
	87914-0636	-----	-----	-----	6	----	6	7.62	5.08	13.38	6.09	5.00	----
C													

SHT 7, +879140847 EC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09 REV D14	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	4 PLACES	MM ONLY	NTS	METRIC	2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H <b>molex</b> SD-87914-013
	▽=0	3 PLACES	mm INCH	DATE	TITLE	
	▽=0	2 PLACES	± 0.20	DATE	DATE	
		1 PLACE	±	DATE	DATE	
	0 PLACE	±	DATE	DATE		
	ANGULAR ± 3°	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE	MATERIAL NO.	DOCUMENT NO.	SHEET NO.
			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		









10 9 8 7 6 5 4 3 2 1

	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
									A	B	F	M	P
F	87914-1211	-----	-----	-----	-----	12	----	1	15.24	12.70	10.92	5.84	2.79
	-----	87914-1291	-----	-----	-----	12	----	9	15.24	12.70	10.92	5.84	2.79
	87914-1221	-----	-----	-----	-----	12	----	1	15.24	12.70	12.25	7.00	2.96
	87914-1231	-----	-----	-----	-----	12	----	1	15.24	12.70	13.38	6.09	5.00
	87914-1212	-----	-----	-----	-----	12	----	2	15.24	12.70	10.92	5.84	2.79
	87914-1222	-----	-----	-----	-----	12	----	2	15.24	12.70	12.25	7.00	2.96
E	87914-1232	-----	-----	-----	-----	12	----	2	15.24	12.70	13.38	6.09	5.00
	87914-1213	-----	-----	-----	-----	12	----	3	15.24	12.70	10.92	5.84	2.79
	87914-1223	-----	-----	-----	-----	12	----	3	15.24	12.70	12.25	7.00	2.96
	87914-1233	-----	-----	-----	-----	12	----	3	15.24	12.70	13.38	6.09	5.00
	87914-1214	-----	-----	-----	-----	12	----	4	15.24	12.70	10.92	5.84	2.79
	87914-1224	-----	-----	-----	-----	12	----	4	15.24	12.70	12.25	7.00	2.96
D	87914-1234	-----	-----	-----	-----	12	----	4	15.24	12.70	13.38	6.09	5.00
	87914-1215	-----	-----	-----	-----	12	----	5	15.24	12.70	10.92	5.84	2.79
	87914-1225	-----	-----	-----	-----	12	----	5	15.24	12.70	12.25	7.00	2.96
	87914-1235	-----	-----	-----	-----	12	----	5	15.24	12.70	13.38	6.09	5.00
	87914-1216	-----	-----	-----	-----	12	----	6	15.24	12.70	10.92	5.84	2.79
	87914-1226	-----	-----	-----	-----	12	----	6	15.24	12.70	12.25	7.00	2.96
C	87914-1236	-----	-----	-----	-----	12	----	6	15.24	12.70	13.38	6.09	5.00

B B

SHT 7, +879140847 EC NO: S2014-0048 DRW:NATSE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	REV DESCRIPTION D14	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
		$\nabla = 0$ $\nabla = 0$ $\nabla = 0$	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ±	MM ONLY	NTS	METRIC	DRAWN BY DATE KCHO 2004/11/05 CHECKED BY DATE PTL IM 2004/12/08 APPROVED BY DATE MLONG 2010/09/06	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H
		ANGULAR ± 3°	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE	DOCUMENT NO.	SHEET NO. 9 OF 45		
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

A A

fb\_frame\_A3\_P\_AM\_T Rev. G 2012/01/11 9 8 7 6 5 4 3 2 1



F	10	9	8	7	6	5	4	3	2	1			
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P	
	87914-1411	-----	-----	-----	-----	14	----	1	17.78	15.24	10.92	5.84	2.79
	87914-1421	-----	-----	-----	-----	14	----	1	17.78	15.24	12.25	7.00	2.96
	87914-1431	-----	-----	-----	-----	14	----	1	17.78	15.24	13.38	6.09	5.00
	87914-1412	-----	-----	-----	-----	14	----	2	17.78	15.24	10.92	5.84	2.79
	87914-1422	-----	-----	-----	-----	14	----	2	17.78	15.24	12.25	7.00	2.96
	87914-1432	-----	-----	-----	-----	14	----	2	17.78	15.24	13.38	6.09	5.00
E	87914-1413	-----	-----	-----	-----	14	----	3	17.78	15.24	10.92	5.84	2.79
	87914-1423	-----	-----	-----	-----	14	----	3	17.78	15.24	12.25	7.00	2.96
	87914-1433	-----	-----	-----	-----	14	----	3	17.78	15.24	13.38	6.09	5.00
	87914-1414	-----	-----	-----	-----	14	----	4	17.78	15.24	10.92	5.84	2.79
	87914-1424	-----	-----	-----	-----	14	----	4	17.78	15.24	12.25	7.00	2.96
	87914-1434	-----	-----	-----	-----	14	----	4	17.78	15.24	13.38	6.09	5.00
D	87914-1415	-----	-----	-----	-----	14	----	5	17.78	15.24	10.92	5.84	2.79
	87914-1425	-----	-----	-----	-----	14	----	5	17.78	15.24	12.25	7.00	2.96
	87914-1435	-----	-----	-----	-----	14	----	5	17.78	15.24	13.38	6.09	5.00
	87914-1416	-----	-----	-----	-----	14	----	6	17.78	15.24	10.92	5.84	2.79
	87914-1426	-----	-----	-----	-----	14	----	6	17.78	15.24	12.25	7.00	2.96
	87914-1436	-----	-----	-----	-----	14	----	6	17.78	15.24	13.38	6.09	5.00
C	87914-0007	-----	-----	-----	-----	14	----	6	17.78	15.24	13.42	8.08	3.05

SHT 7, +879140847 EC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09		QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
				mm    INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H
				4 PLACES ± --- ± ---	CHECKED BY PTL IM	DATE 2004/12/08	
				3 PLACES ± --- ± ---	APPROVED BY MLONG	DATE 2010/09/06	
		2 PLACES ± 0.20 ± ---					
		1 PLACE ± --- ± ---					
		0 PLACE ±     ±					
			ANGULAR ± 3 °				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE	MATERIAL NO.	DOCUMENT NO. SD-87914-013	SHEET NO. 11 OF 45
				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		



	10	9	8	7	6	5	4	3	2	1				
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	P		
F	87914-1611	-----	-----	-----	-----	16	----	1	20.32	17.78	10.92	5.84	2.79	F
	87914-1621	-----	-----	-----	-----	16	----	1	20.32	17.78	12.25	7.00	2.96	
	87914-1631	-----	-----	-----	-----	16	----	1	20.32	17.78	13.38	6.09	5.00	
	87914-1612	-----	-----	-----	-----	16	----	2	20.32	17.78	10.92	5.84	2.79	
	87914-1622	-----	-----	-----	-----	16	----	2	20.32	17.78	12.25	7.00	2.96	
	87914-1632	-----	-----	-----	-----	16	----	2	20.32	17.78	13.38	6.09	5.00	
E	87914-1613	-----	-----	-----	-----	16	----	3	20.32	17.78	10.92	5.84	2.79	E
	87914-1623	-----	-----	-----	-----	16	----	3	20.32	17.78	12.25	7.00	2.96	
	87914-1633	-----	-----	-----	-----	16	----	3	20.32	17.78	13.38	6.09	5.00	
	87914-1614	-----	-----	-----	-----	16	----	4	20.32	17.78	10.92	5.84	2.79	
	87914-1624	-----	-----	-----	-----	16	----	4	20.32	17.78	12.25	7.00	2.96	
	87914-1634	-----	-----	-----	-----	16	----	4	20.32	17.78	13.38	6.09	5.00	
D	87914-1615	-----	-----	-----	-----	16	----	5	20.32	17.78	10.92	5.84	2.79	D
	87914-1625	-----	-----	-----	-----	16	----	5	20.32	17.78	12.25	7.00	2.96	
	87914-1635	-----	-----	-----	-----	16	----	5	20.32	17.78	13.38	6.09	5.00	
	87914-1616	-----	-----	-----	-----	16	----	6	20.32	17.78	10.92	5.84	2.79	
	87914-1626	-----	-----	-----	-----	16	----	6	20.32	17.78	12.25	7.00	2.96	
	87914-1636	-----	-----	-----	-----	16	----	6	20.32	17.78	13.38	6.09	5.00	
C	87914-1600	-----	-----	-----	-----	16	----	6	20.32	17.78	9.49	4.50	2.70	C
	87914-1637	-----	-----	-----	-----	16	----	6	20.32	17.78	15.79	10.45	3.05	
B														B

<b>SHT 7, +879140847</b> IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS $\nabla_F=0$ $\nabla_E=0$ $\nabla_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
		4 PLACES $\pm$ --- $\pm$ --- 3 PLACES $\pm$ --- $\pm$ --- 2 PLACES $\pm$ 0.20 $\pm$ --- 1 PLACE $\pm$ --- $\pm$ --- 0 PLACE $\pm$ $\pm$	mm      INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE <b>2.54MM PITCH          DUAL ROW HEADER          SINGLE WAFER, T/H</b>					
		ANGULAR $\pm$ 3 °		CHECKED BY PTLIM	DATE 2004/12/08	<b>molex</b>					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY MLONG	DATE 2010/09/06	MATERIAL NO. <b>SEE TABLE</b>	DOCUMENT NO. <b>SD-87914-013</b>	SHEET NO. <b>13 OF 45</b>			

	10	9	8	7	6	5	4	3	2	1				
	PART NO. FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	P		
F	87914-1811	-----	-----	-----	-----	18	----	1	22.86	20.32	10.92	5.84	2.79	F
	87914-1821	-----	-----	-----	-----	18	----	1	22.86	20.32	12.25	7.00	2.96	
	87914-1831	-----	-----	-----	-----	18	----	1	22.86	20.32	13.38	6.09	5.00	
	87914-1812	-----	-----	-----	-----	18	----	2	22.86	20.32	10.92	5.84	2.79	
	87914-1822	-----	-----	-----	-----	18	----	2	22.86	20.32	12.25	7.00	2.96	
	87914-1832	-----	-----	-----	-----	18	----	2	22.86	20.32	13.38	6.09	5.00	
E	87914-1813	-----	-----	-----	-----	18	----	3	22.86	20.32	10.92	5.84	2.79	E
	87914-1823	-----	-----	-----	-----	18	----	3	22.86	20.32	12.25	7.00	2.96	
	87914-1833	-----	-----	-----	-----	18	----	3	22.86	20.32	13.38	6.09	5.00	
	87914-1814	-----	-----	-----	-----	18	----	4	22.86	20.32	10.92	5.84	2.79	
	87914-1824	-----	-----	-----	-----	18	----	4	22.86	20.32	12.25	7.00	2.96	
	87914-1834	-----	-----	-----	-----	18	----	4	22.86	20.32	13.38	6.09	5.00	
D	87914-1815	-----	-----	-----	-----	18	----	5	22.86	20.32	10.92	5.84	2.79	D
	87914-1825	-----	-----	-----	-----	18	----	5	22.86	20.32	12.25	7.00	2.96	
	87914-1835	-----	-----	-----	-----	18	----	5	22.86	20.32	13.38	6.09	5.00	
	87914-1816	-----	-----	-----	-----	18	----	6	22.86	20.32	10.92	5.84	2.79	
	87914-1826	-----	-----	-----	-----	18	----	6	22.86	20.32	12.25	7.00	2.96	
	87914-1836	-----	-----	-----	-----	18	----	6	22.86	20.32	13.38	6.09	5.00	
C														C
B														B

SHT 7. +879140847 IEC NO: S2014-0048 DRW:NATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS $\nabla_F=0$ $\nabla_E=0$ $\nabla_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H				
		4 PLACES	$\pm$ ---	$\pm$ ---	3 PLACES	$\pm$ ---	CHECKED BY PTLIM	DATE 2004/12/08				
		2 PLACES	$\pm$ 0.20	$\pm$ ---	1 PLACE	$\pm$ ---	APPROVED BY MLONG	DATE 2010/09/06				
0 PLACE	$\pm$	$\pm$	ANGULAR $\pm$ 3 °		MATERIAL NO.	DOCUMENT NO.	SHEET NO.					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-87914-013				14 OF 45		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												

	10	9	8	7	6	5	4	3	2	1			
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P	
F	87914-2011	-----	-----	-----	-----	20	----	1	25.40	22.86	10.92	5.84	2.79
	87914-2021	-----	-----	-----	-----	20	----	1	25.40	22.86	12.25	7.00	2.96
	87914-2031	-----	-----	-----	-----	20	----	1	25.40	22.86	13.38	6.09	5.00
	87914-2012	-----	-----	-----	-----	20	----	2	25.40	22.86	10.92	5.84	2.79
	87914-2022	-----	-----	-----	-----	20	----	2	25.40	22.86	12.25	7.00	2.96
	87914-2032	-----	-----	-----	-----	20	----	2	25.40	22.86	13.38	6.09	5.00
E	87914-2013	-----	-----	-----	-----	20	----	3	25.40	22.86	10.92	5.84	2.79
	87914-2023	-----	-----	-----	-----	20	----	3	25.40	22.86	12.25	7.00	2.96
	87914-2033	-----	-----	-----	-----	20	----	3	25.40	22.86	13.38	6.09	5.00
	87914-2014	-----	-----	-----	-----	20	----	4	25.40	22.86	10.92	5.84	2.79
	87914-2024	-----	-----	-----	-----	20	----	4	25.40	22.86	12.25	7.00	2.96
	87914-2034	-----	-----	-----	-----	20	----	4	25.40	22.86	13.38	6.09	5.00
D	87914-2015	-----	-----	-----	-----	20	----	5	25.40	22.86	10.92	5.84	2.79
	87914-2025	-----	-----	-----	-----	20	----	5	25.40	22.86	12.25	7.00	2.96
	87914-2035	-----	-----	-----	-----	20	----	5	25.40	22.86	13.38	6.09	5.00
	87914-2016	-----	-----	-----	-----	20	----	6	25.40	22.86	10.92	5.84	2.79
	87914-2026	-----	-----	-----	-----	20	----	6	25.40	22.86	12.25	7.00	2.96
	87914-2036	-----	-----	-----	-----	20	----	6	25.40	22.86	13.38	6.09	5.00
C													
B													

SHT 7, +879140847 IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS  = 0  = 0  = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION			
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ±	mm INCH ± --- ± --- ± 0.20 ± --- ± --- ± --- ± ±	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H					
		ANGULAR ± 3 °		CHECKED BY PTLIM	DATE 2004/12/08						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY MLONG	DATE 2010/09/06	MATERIAL NO. <b>SEE TABLE</b>	DOCUMENT NO. SD-87914-013	SHEET NO. 15 OF 45			

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
								F	87914-2211	-----	-----	-----
	87914-2221	-----	-----	-----	22	----	1	27.94	25.40	12.25	7.00	2.96
	87914-2231	-----	-----	-----	22	----	1	27.94	25.40	13.38	6.09	5.00
	87914-2212	-----	-----	-----	22	----	2	27.94	25.40	10.92	5.84	2.79
	87914-2222	-----	-----	-----	22	----	2	27.94	25.40	12.25	7.00	2.96
	87914-2232	-----	-----	-----	22	----	2	27.94	25.40	13.38	6.09	5.00
E	87914-2213	-----	-----	-----	22	----	3	27.94	25.40	10.92	5.84	2.79
	87914-2223	-----	-----	-----	22	----	3	27.94	25.40	12.25	7.00	2.96
	87914-2233	-----	-----	-----	22	----	3	27.94	25.40	13.38	6.09	5.00
	87914-2214	-----	-----	-----	22	----	4	27.94	25.40	10.92	5.84	2.79
	87914-2224	-----	-----	-----	22	----	4	27.94	25.40	12.25	7.00	2.96
	87914-2234	-----	-----	-----	22	----	4	27.94	25.40	13.38	6.09	5.00
D	87914-2215	-----	-----	-----	22	----	5	27.94	25.40	10.92	5.84	2.79
	87914-2225	-----	-----	-----	22	----	5	27.94	25.40	12.25	7.00	2.96
	87914-2235	-----	-----	-----	22	----	5	27.94	25.40	13.38	6.09	5.00
	87914-2216	-----	-----	-----	22	----	6	27.94	25.40	10.92	5.84	2.79
	87914-2226	-----	-----	-----	22	----	6	27.94	25.40	12.25	7.00	2.96
	87914-2236	-----	-----	-----	22	----	6	27.94	25.40	13.38	6.09	5.00
C												
B												

<b>SHT 7, +879140847</b> IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS $\nabla_F=0$ $\nabla_E=0$ $\nabla_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>		SCALE <b>NTS</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION	
		4 PLACES $\pm$ --- $\pm$ --- 3 PLACES $\pm$ --- $\pm$ --- 2 PLACES $\pm$ 0.20 $\pm$ --- 1 PLACE $\pm$ --- $\pm$ --- 0 PLACE $\pm$ $\pm$	mm      INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE <b>2.54MM PITCH          DUAL ROW HEADER          SINGLE WAFER, T/H</b>			
		ANGULAR $\pm$ 3 °		CHECKED BY PTLIM	DATE 2004/12/08				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY MLONG	DATE 2010/09/06	MATERIAL NO. <b>SEE TABLE</b>	DOCUMENT NO. <b>SD-87914-013</b>	SHEET NO. 16 OF 45	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
								F	87914-2411	-----	-----	-----
	87914-2421	-----	-----	-----	24	----	1	30.48	27.94	12.25	7.00	2.96
	87914-2431	-----	-----	-----	24	----	1	30.48	27.94	13.38	6.09	5.00
	87914-2412	-----	-----	-----	24	----	2	30.48	27.94	10.92	5.84	2.79
	87914-2422	-----	-----	-----	24	----	2	30.48	27.94	12.25	7.00	2.96
	87914-2432	-----	-----	-----	24	----	2	30.48	27.94	13.38	6.09	5.00
E	87914-2413	-----	-----	-----	24	----	3	30.48	27.94	10.92	5.84	2.79
	87914-2423	-----	-----	-----	24	----	3	30.48	27.94	12.25	7.00	2.96
	87914-2433	-----	-----	-----	24	----	3	30.48	27.94	13.38	6.09	5.00
	87914-2414	-----	-----	-----	24	----	4	30.48	27.94	10.92	5.84	2.79
	87914-2424	-----	-----	-----	24	----	4	30.48	27.94	12.25	7.00	2.96
	87914-2434	-----	-----	-----	24	----	4	30.48	27.94	13.38	6.09	5.00
D	87914-2415	-----	-----	-----	24	----	5	30.48	27.94	10.92	5.84	2.79
	87914-2425	-----	-----	-----	24	----	5	30.48	27.94	12.25	7.00	2.96
	87914-2435	-----	-----	-----	24	----	5	30.48	27.94	13.38	6.09	5.00
	87914-2416	-----	-----	-----	24	----	6	30.48	27.94	10.92	5.84	2.79
	87914-2426	-----	-----	-----	24	----	6	30.48	27.94	12.25	7.00	2.96
	87914-2436	-----	-----	-----	24	----	6	30.48	27.94	13.38	6.09	5.00
C												
B												

<b>SHT 7, +879140847</b> IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS $\nabla_F = 0$ $\nabla_E = 0$ $\nabla_P = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
				DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H				
				CHECKED BY PTLIM	DATE 2004/12/08					
				APPROVED BY MLONG	DATE 2010/09/06					
		MATERIAL NO. <b>SEE TABLE</b>		DOCUMENT NO. SD-87914-013		SHEET NO. 17 OF 45				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
								F	87914-2611	-----	-----	-----
	87914-2621	-----	-----	-----	26	----	1	33.02	30.48	12.25	7.00	2.96
	87914-2631	-----	-----	-----	26	----	1	33.02	30.48	13.38	6.09	5.00
	87914-2612	-----	-----	-----	26	----	2	33.02	30.48	10.92	5.84	2.79
	87914-2622	-----	-----	-----	26	----	2	33.02	30.48	12.25	7.00	2.96
	87914-2632	-----	-----	-----	26	----	2	33.02	30.48	13.38	6.09	5.00
E	87914-2613	-----	-----	-----	26	----	3	33.02	30.48	10.92	5.84	2.79
	87914-2623	-----	-----	-----	26	----	3	33.02	30.48	12.25	7.00	2.96
	87914-2633	-----	-----	-----	26	----	3	33.02	30.48	13.38	6.09	5.00
	87914-2614	-----	-----	-----	26	----	4	33.02	30.48	10.92	5.84	2.79
	87914-2624	-----	-----	-----	26	----	4	33.02	30.48	12.25	7.00	2.96
	87914-2634	-----	-----	-----	26	----	4	33.02	30.48	13.38	6.09	5.00
D	87914-2615	-----	-----	-----	26	----	5	33.02	30.48	10.92	5.84	2.79
	87914-2625	-----	-----	-----	26	----	5	33.02	30.48	12.25	7.00	2.96
	87914-2635	-----	-----	-----	26	----	5	33.02	30.48	13.38	6.09	5.00
	87914-2616	-----	-----	-----	26	----	6	33.02	30.48	10.92	5.84	2.79
	87914-2626	-----	-----	-----	26	----	6	33.02	30.48	12.25	7.00	2.96
	87914-2636	-----	-----	-----	26	----	6	33.02	30.48	13.38	6.09	5.00
C												
B												

SHT 7, +879140847 IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS  = 0  = 0  = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H			
		4 PLACES ± --- ± ---				CHECKED BY PTLIM	DATE 2004/12/08				
		3 PLACES ± --- ± ---				APPROVED BY MLONG	DATE 2010/09/06				
2 PLACES ± 0.20 ± ---				MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
1 PLACE ± --- ± ---				SEE TABLE		SD-87914-013		18 OF 45			
0 PLACE ± ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

	10		9		8		7		6		5		4		3		2		1	
	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
									A	B	F	M	P							
F	87914-2811	-----	-----	-----	-----	28	----	1	35.56	33.02	10.92	5.84	2.79							
	87914-2821	-----	-----	-----	-----	28	----	1	35.56	33.02	12.25	7.00	2.96							
	87914-2831	-----	-----	-----	-----	28	----	1	35.56	33.02	13.38	6.09	5.00							
	87914-2812	-----	-----	-----	-----	28	----	2	35.56	33.02	10.92	5.84	2.79							
	87914-2822	-----	-----	-----	-----	28	----	2	35.56	33.02	12.25	7.00	2.96							
	87914-2832	-----	-----	-----	-----	28	----	2	35.56	33.02	13.38	6.09	5.00							
E	87914-2813	-----	-----	-----	-----	28	----	3	35.56	33.02	10.92	5.84	2.79							
	87914-2823	-----	-----	-----	-----	28	----	3	35.56	33.02	12.25	7.00	2.96							
	87914-2833	-----	-----	-----	-----	28	----	3	35.56	33.02	13.38	6.09	5.00							
	87914-2814	-----	-----	-----	-----	28	----	4	35.56	33.02	10.92	5.84	2.79							
	87914-2824	-----	-----	-----	-----	28	----	4	35.56	33.02	12.25	7.00	2.96							
	87914-2834	-----	-----	-----	-----	28	----	4	35.56	33.02	13.38	6.09	5.00							
D	87914-2815	-----	-----	-----	-----	28	----	5	35.56	33.02	10.92	5.84	2.79							
	87914-2825	-----	-----	-----	-----	28	----	5	35.56	33.02	12.25	7.00	2.96							
	87914-2835	-----	-----	-----	-----	28	----	5	35.56	33.02	13.38	6.09	5.00							
	87914-2816	-----	-----	-----	-----	28	----	6	35.56	33.02	10.92	5.84	2.79							
	87914-2826	-----	-----	-----	-----	28	----	6	35.56	33.02	12.25	7.00	2.96							
	87914-2836	-----	-----	-----	-----	28	----	6	35.56	33.02	13.38	6.09	5.00							
C																				
B																				

SHT 7: +879140847 IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS $\nabla_F=0$ $\nabla_E=0$ $\nabla_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H				
		4 PLACES	$\pm$ ---	$\pm$ ---	3 PLACES	$\pm$ ---	CHECKED BY PTLIM	DATE 2004/12/08	<b>molex</b>			
		2 PLACES	$\pm$ 0.20	$\pm$ ---	1 PLACE	$\pm$ ---	APPROVED BY MLONG	DATE 2010/09/06				
0 PLACE	$\pm$	$\pm$	ANGULAR $\pm$ 3 °		MATERIAL NO.	DOCUMENT NO.	SHEET NO.					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-87914-013		19 OF 45					





	10	9	8	7	6	5	4	3	2	1				
	PART NO. FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	D		
F	87914-3411	-----	-----	-----	-----	34	----	1	43.18	40.64	10.92	5.84	2.79	F
	87914-3421	-----	-----	-----	-----	34	----	1	43.18	40.64	12.25	7.00	2.96	
	87914-3431	-----	-----	-----	-----	34	----	1	43.18	40.64	13.38	6.09	5.00	
	87914-3412	-----	-----	-----	-----	34	----	2	43.18	40.64	10.92	5.84	2.79	
	87914-3422	-----	-----	-----	-----	34	----	2	43.18	40.64	12.25	7.00	2.96	
	87914-3432	-----	-----	-----	-----	34	----	2	43.18	40.64	13.38	6.09	5.00	
E	87914-3413	-----	-----	-----	-----	34	----	3	43.18	40.64	10.92	5.84	2.79	E
	87914-3423	-----	-----	-----	-----	34	----	3	43.18	40.64	12.25	7.00	2.96	
	87914-3433	-----	-----	-----	-----	34	----	3	43.18	40.64	13.38	6.09	5.00	
	87914-3414	-----	-----	-----	-----	34	----	4	43.18	40.64	10.92	5.84	2.79	
	87914-3424	-----	-----	-----	-----	34	----	4	43.18	40.64	12.25	7.00	2.96	
	87914-3434	-----	-----	-----	-----	34	----	4	43.18	40.64	13.38	6.09	5.00	
D	87914-3415	-----	-----	-----	-----	34	----	5	43.18	40.64	10.92	5.84	2.79	D
	87914-3425	-----	-----	-----	-----	34	----	5	43.18	40.64	12.25	7.00	2.96	
	87914-3435	-----	-----	-----	-----	34	----	5	43.18	40.64	13.38	6.09	5.00	
	87914-3416	-----	-----	-----	-----	34	----	6	43.18	40.64	10.92	5.84	2.79	
	87914-3426	-----	-----	-----	-----	34	----	6	43.18	40.64	12.25	7.00	2.96	
	87914-3436	-----	-----	-----	-----	34	----	6	43.18	40.64	13.38	6.09	5.00	
C														C
B														B

SHT 7, +879140847 IEC NO: S2014-0048 DRW:NATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS $\nabla_F=0$ $\nabla_E=0$ $\nabla_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H				
		4 PLACES	$\pm$ ---	$\pm$ ---	3 PLACES	$\pm$ ---	CHECKED BY PTLIM	DATE 2004/12/08				
		2 PLACES	$\pm$ 0.20	$\pm$ ---	1 PLACE	$\pm$ ---	APPROVED BY MLONG	DATE 2010/09/06				
0 PLACE	$\pm$	$\pm$	ANGULAR $\pm$ 3 °		MATERIAL NO.	DOCUMENT NO.	SHEET NO.					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-87914-013				22 OF 45		
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

	10	9	8	7	6	5	4	3	2	1				
	PART NO. FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	P		
F	87914-3611	-----	-----	-----	-----	36	----	1	45.72	43.18	10.92	5.84	2.79	F
	87914-3621	-----	-----	-----	-----	36	----	1	45.72	43.18	12.25	7.00	2.96	
	87914-3631	-----	-----	-----	-----	36	----	1	45.72	43.18	13.38	6.09	5.00	
	87914-3612	-----	-----	-----	-----	36	----	2	45.72	43.18	10.92	5.84	2.79	
	87914-3622	-----	-----	-----	-----	36	----	2	45.72	43.18	12.25	7.00	2.96	
	87914-3632	-----	-----	-----	-----	36	----	2	45.72	43.18	13.38	6.09	5.00	
E	87914-3613	-----	-----	-----	-----	36	----	3	45.72	43.18	10.92	5.84	2.79	E
	87914-3623	-----	-----	-----	-----	36	----	3	45.72	43.18	12.25	7.00	2.96	
	87914-3633	-----	-----	-----	-----	36	----	3	45.72	43.18	13.38	6.09	5.00	
	87914-3614	-----	-----	-----	-----	36	----	4	45.72	43.18	10.92	5.84	2.79	
	87914-3624	-----	-----	-----	-----	36	----	4	45.72	43.18	12.25	7.00	2.96	
	87914-3634	-----	-----	-----	-----	36	----	4	45.72	43.18	13.38	6.09	5.00	
D	87914-3615	-----	-----	-----	-----	36	----	5	45.72	43.18	10.92	5.84	2.79	D
	87914-3625	-----	-----	-----	-----	36	----	5	45.72	43.18	12.25	7.00	2.96	
	87914-3635	-----	-----	-----	-----	36	----	5	45.72	43.18	13.38	6.09	5.00	
	87914-3616	-----	-----	-----	-----	36	----	6	45.72	43.18	10.92	5.84	2.79	
	87914-3626	-----	-----	-----	-----	36	----	6	45.72	43.18	12.25	7.00	2.96	
	87914-3636	-----	-----	-----	-----	36	----	6	45.72	43.18	13.38	6.09	5.00	
C	87914-3637	-----	-----	-----	-----	36	----	6	45.72	43.18	12.10	7.01	2.60	C
B														B

<b>SHT 7, +879140847</b> IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ±	mm INCH ± --- ± --- ± 0.20 ± --- ± --- ± --- ± ±	DRAWN BY KCHO	DATE 2004/11/05	TITLE <b>2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H</b>					
		ANGULAR ± 3 °		CHECKED BY PTLIM	DATE 2004/12/08						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY MLONG	DATE 2010/09/06	MATERIAL NO. <b>SEE TABLE</b>	DOCUMENT NO. <b>SD-87914-013</b>	SHEET NO. <b>23 OF 45</b>			

	10	9	8	7	6	5	4	3	2	1				
	PART NO. FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	P		
F	87914-3811	-----	-----	-----	-----	38	----	1	48.26	45.72	10.92	5.84	2.79	F
	87914-3821	-----	-----	-----	-----	38	----	1	48.26	45.72	12.25	7.00	2.96	
	87914-3831	-----	-----	-----	-----	38	----	1	48.26	45.72	13.38	6.09	5.00	
	87914-3812	-----	-----	-----	-----	38	----	2	48.26	45.72	10.92	5.84	2.79	
	87914-3822	-----	-----	-----	-----	38	----	2	48.26	45.72	12.25	7.00	2.96	
	87914-3832	-----	-----	-----	-----	38	----	2	48.26	45.72	13.38	6.09	5.00	
E	87914-3813	-----	-----	-----	-----	38	----	3	48.26	45.72	10.92	5.84	2.79	E
	87914-3823	-----	-----	-----	-----	38	----	3	48.26	45.72	12.25	7.00	2.96	
	87914-3833	-----	-----	-----	-----	38	----	3	48.26	45.72	13.38	6.09	5.00	
	87914-3814	-----	-----	-----	-----	38	----	4	48.26	45.72	10.92	5.84	2.79	
	87914-3824	-----	-----	-----	-----	38	----	4	48.26	45.72	12.25	7.00	2.96	
	87914-3834	-----	-----	-----	-----	38	----	4	48.26	45.72	13.38	6.09	5.00	
D	87914-3815	-----	-----	-----	-----	38	----	5	48.26	45.72	10.92	5.84	2.79	D
	87914-3825	-----	-----	-----	-----	38	----	5	48.26	45.72	12.25	7.00	2.96	
	87914-3835	-----	-----	-----	-----	38	----	5	48.26	45.72	13.38	6.09	5.00	
	87914-3816	-----	-----	-----	-----	38	----	6	48.26	45.72	10.92	5.84	2.79	
	87914-3826	-----	-----	-----	-----	38	----	6	48.26	45.72	12.25	7.00	2.96	
	87914-3836	-----	-----	-----	-----	38	----	6	48.26	45.72	13.38	6.09	5.00	
C														C
B														B

SHT 7. +879140847 IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS  = 0  = 0  = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05		TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H
				4 PLACES	± ---	± ---	CHECKED BY PTLIM	DATE 2004/12/08	molex
				3 PLACES	± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06	
		2 PLACES	± 0.20	± ---	MATERIAL NO.	DOCUMENT NO. SD-87914-013			
		1 PLACE	± ---	± ---	SEE TABLE		SHEET NO. 24 OF 45		
		0 PLACE	±	±	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
		ANGULAR ± 3 °			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
								F	87914-4011	-----	-----	-----
	87914-4021	-----	-----	-----	40	----	1	50.80	48.26	12.25	7.00	2.96
	87914-4031	-----	-----	-----	40	----	1	50.80	48.26	13.38	6.09	5.00
	87914-4012	-----	-----	-----	40	----	2	50.80	48.26	10.92	5.84	2.79
	87914-4022	-----	-----	-----	40	----	2	50.80	48.26	12.25	7.00	2.96
	87914-4032	-----	-----	-----	40	----	2	50.80	48.26	13.38	6.09	5.00
E	87914-4013	-----	-----	-----	40	----	3	50.80	48.26	10.92	5.84	2.79
	87914-4023	-----	-----	-----	40	----	3	50.80	48.26	12.25	7.00	2.96
	87914-4033	-----	-----	-----	40	----	3	50.80	48.26	13.38	6.09	5.00
	87914-4014	-----	-----	-----	40	----	4	50.80	48.26	10.92	5.84	2.79
	87914-4024	-----	-----	-----	40	----	4	50.80	48.26	12.25	7.00	2.96
	87914-4034	-----	-----	-----	40	----	4	50.80	48.26	13.38	6.09	5.00
D	87914-4015	-----	-----	-----	40	----	5	50.80	48.26	10.92	5.84	2.79
	87914-4025	-----	-----	-----	40	----	5	50.80	48.26	12.25	7.00	2.96
	87914-4035	-----	-----	-----	40	----	5	50.80	48.26	13.38	6.09	5.00
	87914-4016	-----	-----	-----	40	----	6	50.80	48.26	10.92	5.84	2.79
	87914-4026	-----	-----	-----	40	----	6	50.80	48.26	12.25	7.00	2.96
	87914-4036	-----	-----	-----	40	----	6	50.80	48.26	13.38	6.09	5.00
C												
B												

<b>SHT 7, +879140847</b> IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS $\nabla_F = 0$ $\nabla_E = 0$ $\nabla_P = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>		SCALE <b>NTS</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION	
		4 PLACES $\pm$ --- $\pm$ --- 3 PLACES $\pm$ --- $\pm$ --- 2 PLACES $\pm$ 0.20 $\pm$ --- 1 PLACE $\pm$ --- $\pm$ --- 0 PLACE $\pm$ $\pm$	mm      INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE <b>2.54MM PITCH          DUAL ROW HEADER          SINGLE WAFER, T/H</b>			
		ANGULAR $\pm$ 3 °		CHECKED BY PTLIM	DATE 2004/12/08				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY MLONG	DATE 2010/09/06	MATERIAL NO. <b>SEE TABLE</b>	DOCUMENT NO. <b>SD-87914-013</b>	SHEET NO. <b>25 OF 45</b>	

PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
F	87914-4211	-----	-----	-----	42	----	1	53.34	50.80	10.92	5.84	2.79
	87914-4221	-----	-----	-----	42	----	1	53.34	50.80	12.25	7.00	2.96
	87914-4212	-----	-----	-----	42	----	2	53.34	50.80	10.92	5.84	2.79
	87914-4222	-----	-----	-----	42	----	2	53.34	50.80	12.25	7.00	2.96
	87914-4213	-----	-----	-----	42	----	3	53.34	50.80	10.92	5.84	2.79
	87914-4223	-----	-----	-----	42	----	3	53.34	50.80	12.25	7.00	2.96
E	87914-4214	-----	-----	-----	42	----	4	53.34	50.80	10.92	5.84	2.79
	87914-4224	-----	-----	-----	42	----	4	53.34	50.80	12.25	7.00	2.96
	87914-4215	-----	-----	-----	42	----	5	53.34	50.80	10.92	5.84	2.79
	87914-4225	-----	-----	-----	42	----	5	53.34	50.80	12.25	7.00	2.96
	87914-4216	-----	-----	-----	42	----	6	53.34	50.80	10.92	5.84	2.79
	87914-4226	-----	-----	-----	42	----	6	53.34	50.80	12.25	7.00	2.96
D												
C												
B												

SHT 7, +879140847 IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS  = 0  = 0  = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H			
		4 PLACES	± ---	± ---	CHECKED BY PTL IM	DATE 2004/12/08					
		3 PLACES	± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06					
2 PLACES	± 0.20	± ---	MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87914-013				
0 PLACE	±	±	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

















PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
F	87914-6011	-----	-----	-----	60	-----	1	76.20	73.66	10.92	5.84	2.79
	87914-6021	-----	-----	-----	60	-----	1	76.20	73.66	12.25	7.00	2.96
	87914-6012	-----	-----	-----	60	-----	2	76.20	73.66	10.92	5.84	2.79
	87914-6022	-----	-----	-----	60	-----	2	76.20	73.66	12.25	7.00	2.96
	87914-6013	-----	-----	-----	60	-----	3	76.20	73.66	10.92	5.84	2.79
	87914-6023	-----	-----	-----	60	-----	3	76.20	73.66	12.25	7.00	2.96
E	87914-6014	-----	-----	-----	60	-----	4	76.20	73.66	10.92	5.84	2.79
	87914-6024	-----	-----	-----	60	-----	4	76.20	73.66	12.25	7.00	2.96
	87914-6015	-----	-----	-----	60	-----	5	76.20	73.66	10.92	5.84	2.79
	87914-6025	-----	-----	-----	60	-----	5	76.20	73.66	12.25	7.00	2.96
	87914-6016	-----	-----	-----	60	-----	6	76.20	73.66	10.92	5.84	2.79
	87914-6026	-----	-----	-----	60	-----	6	76.20	73.66	12.25	7.00	2.96
D												
C												
B												

SHT 7, +879140847 IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS  = 0  = 0  = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H			
		4 PLACES	± ---	± ---		CHECKED BY PTL IM	DATE 2004/12/08				
		3 PLACES	± ---	± ---		APPROVED BY MLONG	DATE 2010/09/06				
2 PLACES	± 0.20	± ---		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
1 PLACE	± ---	± ---		SEE TABLE		SD-87914-013		35 OF 45			
0 PLACE	±	±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	



	10	9	8	7	6	5	4	3	2	1				
	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					
								A	B	F	M	P		
F	87914-6411	-----	-----	-----	-----	64	----	1	81.28	78.74	10.92	5.84	2.79	F
	87914-6421	-----	-----	-----	-----	64	----	1	81.28	78.74	12.25	7.00	2.96	
	87914-6412	-----	-----	-----	-----	64	----	2	81.28	78.74	10.92	5.84	2.79	
	87914-6422	-----	-----	-----	-----	64	----	2	81.28	78.74	12.25	7.00	2.96	
	87914-6413	-----	-----	-----	-----	64	----	3	81.28	78.74	10.92	5.84	2.79	
	87914-6423	-----	-----	-----	-----	64	----	3	81.28	78.74	12.25	7.00	2.96	
E	87914-6414	-----	-----	-----	-----	64	----	4	81.28	78.74	10.92	5.84	2.79	E
	87914-6424	-----	-----	-----	-----	64	----	4	81.28	78.74	12.25	7.00	2.96	
	87914-6415	-----	-----	-----	-----	64	----	5	81.28	78.74	10.92	5.84	2.79	
	87914-6425	-----	-----	-----	-----	64	----	5	81.28	78.74	12.25	7.00	2.96	
	87914-6416	-----	-----	-----	-----	64	----	6	81.28	78.74	10.92	5.84	2.79	
	87914-6426	-----	-----	-----	-----	64	----	6	81.28	78.74	12.25	7.00	2.96	
D														D
C														C
B														B

SHT 7, +879140847 IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS  = 0  = 0  = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H			
		4 PLACES	± ---	± ---		CHECKED BY PTLIM	DATE 2004/12/08				
		3 PLACES	± ---	± ---		APPROVED BY MLONG	DATE 2010/09/06				
2 PLACES	± 0.20	± ---		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
1 PLACE	± ---	± ---		SEE TABLE		SD-87914-013		37 OF 45			
0 PLACE	±	±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	









PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
								A	B	F	M	P
								F	87914-7411	-----	-----	-----
	87914-7421	-----	-----	-----	74	----	1	93.98	91.44	12.25	7.00	2.96
	87914-7412	-----	-----	-----	74	----	2	93.98	91.44	10.92	5.84	2.79
	87914-7422	-----	-----	-----	74	----	2	93.98	91.44	12.25	7.00	2.96
	87914-7413	-----	-----	-----	74	----	3	93.98	91.44	10.92	5.84	2.79
	87914-7423	-----	-----	-----	74	----	3	93.98	91.44	12.25	7.00	2.96
E	87914-7414	-----	-----	-----	74	----	4	93.98	91.44	10.92	5.84	2.79
	87914-7424	-----	-----	-----	74	----	4	93.98	91.44	12.25	7.00	2.96
	87914-7415	-----	-----	-----	74	----	5	93.98	91.44	10.92	5.84	2.79
	87914-7425	-----	-----	-----	74	----	5	93.98	91.44	12.25	7.00	2.96
	87914-7416	-----	-----	-----	74	----	6	93.98	91.44	10.92	5.84	2.79
	87914-7426	-----	-----	-----	74	----	6	93.98	91.44	12.25	7.00	2.96
D												
C												
B												

SHT 7, +879140847 IEC NO: S2014-0048 DRW:ATSEE 2013/07/11 CHKD:SKANG 2013/07/11 APPR:MLONG 2013/10/09	QUALITY SYMBOLS $\nabla_F = 0$ $\nabla_E = 0$ $\nabla_P = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
				mm	INCH	DRAWN BY KCHO	DATE 2004/11/05	TITLE 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H				
				4 PLACES ± ---	± ---	3 PLACES ± ---	± ---	CHECKED BY PTLIM	DATE 2004/12/08	<b>molex</b> DOCUMENT NO. SD-87914-013 SHEET NO. 42 OF 45		
				2 PLACES ± 0.20	± ---	1 PLACE ± ---	± ---	APPROVED BY MLONG	DATE 2010/09/06			
		0 PLACE ±	±	ANGULAR ± 3 °		MATERIAL NO.		SEE TABLE				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						







# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[87914-3614](#)