

4

3

2




1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED. COPYRIGHT 20


REVISIONS					
REV	DATE	BY	CHK	APP	DESCRIPTION
1	24SEP2010	APB	MM		PROPOSAL
2	02DEC2010	WVS	MM		UPDATE GEOM: CHG DRIVE CUR. TO 350-1000
3	02FEB2011	MM	MM		CLARIFY OPTIC INFORMATION

- MATERIALS:**
- LIGHT ENGINE: ALUMINUM PCB
 - THERMAL PAD: SILICONE
 - BASE HOUSING: GF PBT, COLOR: WHITE
 - SCREWS: STEEL
 - OPTIC: ACRYLIC
 - COMPRESSION RING: SILICONE
 - TOP RING: GF PBT, COLOR: WHITE

- MUST COMPLY WITH DIRECTIVE 2002/95/EC (ROHS)
- THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING
- REFER TO TYCO ELECTRONICS APPLICATION SPECIFICATION 114-13293 FOR PROPER HEAT SINK MOUNTING INFORMATION
- PRODUCT SHIPPED AS THREE SUB-ASSEMBLIES (AS SHOWN IN VIEW A) WITHIN THE SAME SHIPPING CONTAINER.



VIEW A SCALE 3:2



40	FLOOD	350-1000mA	4000K	CREE X-PG	1-2154194-3
25	NARROW FLOOD	350-1000mA	4000K	CREE X-PG	1-2154194-2
18	SPOT	350-1000mA	4000K	CREE X-PG	1-2154194-1
40	FLOOD	350-1000mA	3000K	CREE X-PG	2154194-3
25	NARROW FLOOD	350-1000mA	3000K	CREE X-PG	2154194-2
18	SPOT	350-1000mA	3000K	CREE X-PG	2154194-1

DESIGN APPROVED THIS PRINT IS
PRELIMINARY
 TO FIRST PIECE APPROVAL
 CONTACT PRODUCT ENGINEERING
 BEFORE USING THIS PRINT

DIMENSIONS: mm		DATE: 24SEP2010		DRAWN: C. DAILY	
MATERIAL: -		DATE: 24SEP2010		DRAWN: M. MOSTOLLER	
FINISH: -		PRODUCT SPEC: 108-2451		NAME: Tyco Electronics	
OPTIC: -		APPLICATION SPEC: 114-13293		Tyco Electronics Corporation Harrisburg, PA 17105-3608	
WEIGHT: -		CUSTOMER DRAWING		LIGHT MODULE ASSEMBLY, CIRCULAR, 6 LED; 58.0mm DIA. CNS8	
SCALE: 2:1		SHEET 1 OF 3		RESTRICTED TO	