

**Cutting, stripping and crimping tool
STRIPAX PLUS 2.5**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com

**Cutting, stripping and crimping tools for
connected wire-end ferrules strips**

- Cutting
- Stripping
- Crimping
- Automatic feeding of wire end ferrules
- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- Efficient: only one tool needed for cable work, and thus significant time saved

General ordering data

Type	STRIPAX PLUS 2.5
Order No.	902000000
Version	Cutting, stripping and crimping tool, Crimping tool for wire-end ferrules, 0.5mm ² , 2.5mm ² , Trapezoidal crimp
GTIN (EAN)	4008190067267
Qty.	1 pc(s).

Cutting, stripping and crimping tool STRIPAX PLUS 2.5

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	210 mm	Width (inches)	8.268 inch
Weight	260 g	Net weight	250.91 g

Technical data

Version	Mechanical, without interchangeable inserts
---------	---

Description of contact

Type of contact	Strips of linked wire-end ferrules	Crimping range, min.	0.5 mm ²
Crimping range, max.	2.5 mm ²		

tool data crimping

Crimping profile 1, min.	0.5 mm ²	Crimping type/profile	Trapezoidal crimp
Wire end ferrules cross-section, min.	0.5 mm ²	Crimping profile 1, max.	0.75 mm ²
Wire end ferrules cross-section, max.	2.5 mm ²	Crimping profile 2, min.	1 mm ²
Crimping profile 2, max.	1.5 mm ²	Crimping profile 3, min.	2.5 mm ²

Classifications

ETIM 3.0	EC000005	ETIM 4.0	EC000005
ETIM 5.0	EC000005	ETIM 6.0	EC002109
UNSPSC	31-16-31-02	eClass 5.1	27-40-02-01
eClass 6.2	21-04-38-11	eClass 7.1	27-40-02-01
eClass 8.1	27-40-02-01	eClass 9.0	21-04-38-11
eClass 9.1	21-04-37-06		

Product information

Descriptive text ordering data	Additional accessories can be found in chapter J
Descriptive text technical data	Only strip-type products from Weidmüller may be processed. The use of wire-end ferrules on reels may lead to destruction.

Approvals

Approvals



ROHS	Conform
------	---------

Downloads


Brochure/Catalogue	CAT 6 TOOLS 15/16 EN
Engineering Data	WSCAD

**Cutting, stripping and crimping tool
STRIPAX PLUS 2.5**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com

Drawings

Example of use



Example of use



Example of use



**Cutting, stripping and crimping tool
STRIPAX PLUS 2.5**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Accessories
Strip of wire end ferrules


- Linked of wire-end ferrule strips (50 pcs.)
- Weidmüller colour code
- DIN colour code
- other colour code

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.	Packaging
H1,0/14 GE BD	9004320000	Wire end ferrule, insulated, 10 mm, 8 mm, Yellow	4008190167523	500 pc(s).	Reel packaged
H1,0/14D R BD	9004330000	Wire end ferrule, insulated, 10 mm, 8 mm, Red	4008190047498	500 pc(s).	Reel packaged

Stripax plus (cutting, stripping, crimping) and accessories

**Cutting, stripping and crimping tools for
connected wire-end ferrules strips**

- Cutting
- Stripping
- Crimping
- Automatic feeding of wire end ferrules
- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- Efficient: only one tool needed for cable work, and thus significant time saved

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
ERSATZMESSE STRIPAX PL	9050340000	Spare blade	4008190350949	5 pc(s).

Strip of wire end ferrules


- Linked of wire-end ferrule strips (50 pcs.)
- Weidmüller colour code
- DIN colour code

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.	Packaging
H1,5/14 R BD	9004340000	Wire end ferrule, insulated, 10 mm, 8 mm, Red	4008190080723	500 pc(s).	Reel packaged

Data sheet

**Cutting, stripping and crimping tool
STRIPAX PLUS 2.5**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 1429-0
Fax: +49 5231 14292083
www.weidmueller.com

Accessories

H1,5/14D SW 9004350000 BD	Wire end ferrule, insulated, 4008190005474 500 pc(s). 10 mm, 8 mm, Black	Reel packaged
--	---	---------------

Strip of wire end ferrules



- Linked of wire-end ferrule strips (50 pcs.)
- DIN colour code
- other colour code

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.	Packaging
H2,5/14D BL BD	9004360000	Wire end ferrule, insulated, 11 mm, 8 mm, Blue	4008190083397	500 pc(s).	Reel packaged
H2,5/14T GR BD	9004370000	Wire end ferrule, insulated, 11 mm, 8 mm, Grey	4008190052508	500 pc(s).	Reel packaged

Strip of wire end ferrules



- Linked of wire-end ferrule strips (50 pcs.)
- Weidmüller colour code
- DIN colour code

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.	Packaging
H0,5/14 OR BD	9004270000	Wire end ferrule, insulated, 10 mm, 8 mm, Orange	4008190091774	500 pc(s).	Reel packaged
H0,5/14D W BD	9004280000	Wire end ferrule, insulated, 10 mm, 8 mm, White	4008190162627	500 pc(s).	Reel packaged

**Cutting, stripping and crimping tool
STRIPAX PLUS 2.5**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Accessories

Strip of wire end ferrules



- Linked of wire-end ferrule strips (50 pcs.)
- Weidmüller colour code
- DIN colour code
- other colour code

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.	Packaging
H0,75/14T HBL BD	9004310000	Wire end ferrule, insulated, 10 mm, 8 mm, Light Blue	4008190179298	500 pc(s).	Reel packaged
H0,75/14 W BD	9004290000	Wire end ferrule, insulated, 10 mm, 8 mm, White	4008190006778	500 pc(s).	Reel packaged
H0,75/14D GR BD	9004300000	Wire end ferrule, insulated, 10 mm, 8 mm, Grey	4008190154837	500 pc(s).	Reel packaged