



CONNECTORS

HOUSINGS



✓ Active

TE CONNECTIVITY (TE)

2X6P LOCK-CLIP GEH

AMPMODU | AMPMODU , GDH

926209-6

TE Internal Number: 926209-6

EU RoHS Compliant

EU ELV Compliant

Number of Positions 12

Centerline (Pitch) 2.54 mm [.1 in]

Termination Method to Wire/Cable Crimp

Number of Rows 2

Row-to-Row Spacing 2.54 mm [.1 in]

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

DOCUMENTATION

Product Drawings

2 X 1 BIS 2 X 15 POLIGES LOCKING CLIP GEHAEUSE

PDF

English

CAD Files

3D PDF

PDF

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Customer View Model

2D_DXF.ZIP

English

Agency Approvals

Agency Approval Document

AMPMODU CONNECTOR REPORT (GERMANY)

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Row-to-Row Spacing 2.54 mm [.1 in]

Connector Type Housing

Product Type Connector

Connector Style Receptacle

Configuration Features

Number of Positions 12

Number of Rows 2

Stamped No

Contact Features

Contact Type Socket

Termination Features

Termination Method to Wire/Cable Crimp

Mechanical Attachment

Mating Connector Lock Without

Mating Alignment Without

Housing Features

Centerline (Pitch) 2.54 mm [.1 in]

Housing Material PBT GF

Housing Color Black

Housing Configuration Both Ends Closed

Dimensions

Length (mm) 6.8

Height (mm) 17.8

Industry Standards

UL Flammability Rating UL 94V-0

Packaging Features

Packaging Method Box

Packaging Quantity 400

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF
