

PRODUCT NUMBER  
95615-XXXXLF

PLATING

- 0 = 0.20µm GOLD/GXT ON CONTACT AREA  
3.81 TIN LEAD ON TAIL
- 1 = 0.76µm GOLD/GXT ON CONTACT AREA  
3.81 TIN LEAD ON TAIL
- 3 = 0.38µm GOLD/GXT ON CONTACT AREA  
3.81 TIN LEAD ON TAIL
- 5 = 0.38µm GXT FULL PLATED
- 6 = 0.76µm GXT FULL PLATED
- 7 = 0.76µm GOLD/GXT FULL PLATED
- 9 = 0.20µm GOLD/GXT FULL PLATED


UNDERPLATING 1.27µm Ni MIN

WHEN "LF" IS REQUIRED, 2µm MATTE TIN OVER 1.27µm Ni MIN IS PROVIDED INSTEAD OF TIN LEAD, ONLY FOR PLATING 1, 3, 5



WHEN REQUIRED, ADD SUFFIX LETTER "LF"  
INDICATES THE PRODUCT IS RoHS  
COMPATIBLE, SEE NOTE 6 & 7

PACKAGING, SEE NOTE 5

TOTAL NB OF POSITIONS, 08 TO 34



STANDARD PICK-UP CAP



LARGE PICK-UP CAP NOTE 5  
NOT AVAILABLE FOR 2X2




NOTES:

1. MATERIAL HOUSING: HIGH TEMP. THERMOPLASTIC  
UL 94V-0, COLOR CREAM
2. MATERIAL TERMINAL: COPPER ALLOY
3. TO DETERMINE DIMENSIONS:  
N = NUMBER OF POSITIONS PER ROW
4. 7N MIN. PIN RETENTION IN EITHER DIRECTION.
5. PACKAGING:

- = POLYBAGS
- T = TUBE AVAILABILITY : FROM 2x5 UP TO 2x 17
- B = TUBE WITH PICK UP CAP AVAILABLE FROM 2x5 UP TO 2x 17
- K = TAPE AND REEL WITHOUT PICK-UP CAP, AVAILABLE FROM TA-845
- A = TAPE AND REEL WITH LARGE PICK-UP CAP, NOT AVAILABLE FOR 2X2
- TR = TAPE AND REEL WITH PICK-UP CAP, AVAILABLE FROM TA-845.

6. 95615-5XXXXLF IS SIMILAR TO 95615-5XXX  
95615-6XXXXLF IS SIMILAR TO 95615-6XXX  
THE SUFFIX "LF" IS ADDED FOR EASY LEAD FREE IDENTIFICATION
7. RoHS COMPATIBLE PRODUCT SPECIFICATIONS

- a - PLATING:
  - "LF" MEANS THE PRODUCT IS LEAD-FREE,  
2µm MINIMUM MATTE TIN OVER 1.27µm  
MINIMUM NICKEL UNDERPLATE.
- b - MANUFACTURING PROCESS COMPATIBILITY
  - THE HOUSING WILL WITHSTAND EXPOSURE TO  
260°C PEAK TEMPERATURE FOR 30 SECONDES  
MAX IN A CONVECTION, INFRA-RED OR VAPOR  
PHASE OR REFLOW OVEN.
- c - LABELLING:
  - MEETS PACKAGING SPECS AS PER GS-14-920
- d - THIS PRODUCT MEETS EUROPEAN DIRECTIVES  
AND OTHER COUNTRY REGULATIONS AS DISCRIBED  
IN GS-22-008.



mat'l. code SEE NOTES				surface ISO 1302	tolerance ISO 406 ISO 1101	projection mm	product family MINITEK HEADER
ltr	ecn no	dr	date	tolerances unless otherwise specified		mm	title SHR HEADER 2.00mm SMT
K	F05-0128	LMU	05.02.21	angles	.X ±0.3		scale 7:1
L	F06-0210	LMU	06.07.05	linear	.XX ±0.13		
M	F07-0191	JCO	07.09.05	±2'	.XXX ±0.05		
N	F08-0145	ELA	08.04.15	dr	JL.CORDIER 97.07.26	FCJ	dwg no 95615
P	F11-0071	JCO	11.08.17	engr	J.COMPAGNON 97.07.26		sheet 1 of 1 size A3
R	F11-0339	JCO	11.12.06	chr	JL.CORDIER 97.07.26		type CUSTOMER Drawing
				appd	COMPAGNON 97.07.26		
sheet index	revision sheet						

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[95615-014TR](#) [95615-110TR](#) [95615-112TR](#) [95615-120TR](#) [95615-124TR](#) [95615-008](#) [95615-120](#) [95615-130](#)  
[95615-124](#) [95615-130TR](#) [95615-010](#) [95615-116](#) [95615-108](#) [95615-114](#) [95615-110](#)