


| | |
|-------------|------------------------------------|
| PRODUCT NO. | SEE DIAGRAM SH. 2 |
| SHEET INDEX | |
| SHEET 1 | TITLE SHEET |
| SHEET 2 | PART NUMBER AND MATED HEIGHT INFO. |
| SHEET 3 | VERTICAL RECEPTACLE WITH HOOK |
| SHEET 4 | VERTICAL RECEPTACLE WITHOUT HOOK |
| SHEET 5 | RIGHT ANGLE RECEPTACLE |
| SHEET 6 | RIGHT ANGLE HEADER |
| SHEET 7 | VERTICAL HEADER WITH HOOK |
| SHEET 8 | VERTICAL HEADER WITHOUT HOOK |

FEATURES:

- PITCH = 1.27mm/.05 AT CONTACT INTERFACE
- POSTURE: RIGHT ANGLE RECEPTACLE
RIGHT ANGLE HEADER
VERTICAL RECEPTACLE
VERTICAL HEADER
- NUMBER OF POSITIONS:
20,30,40,50,60,80,100,120
- MATED HEIGHTS, VERTICAL POSTURE:
7,8,9,10,12,MM
- PCB RETENTION HOOK ON ALL RIGHT ANGLE ASSEMBLIES, OPTIONAL ON VERTICAL ASSEMBLIES
- RECEPTACLE TERMINAL MATERIAL:
PHOS-BRONZE WITH 15u"/0.38u MIN GXT IN CONTACT AREA AND 100u"/2.54u MIN SnPb IN SOLDER TAIL AREA
HEADER TERMINAL MATERIAL:
PHOS-BRONZE WITH 15u"/0.38u MIN GXT IN CONTACT AREA AND 100u"/2.54u MIN SnPb IN SOLDER TAIL AREA
HOUSING MATERIAL: LCP, COLOR IS BLACK
- P/N'S WITH SUFFIX "LF" ARE LEAD FREE P/N'S. FOR LEAD FREE P/N'S, ALL SnPb PLATING WILL BE SUBSTITUTED BY PURE TIN
- PACKING STANDARD GS-14-920 WILL BE APPLIED FOR LEAD FREE P/N'S
- FOR LEAD FREE P/N, THE PRODUCT MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008
- FOR LEAD FREE P/N, THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 40 SECONDS IN A CONVECTION, INFRARED OR VAPOR PHASE REFLOW OVEN.



MODULEMATE
VERTICAL RECEPTACLE

| | | | | | | | | | | | |
|-------------|----------|------|----------|---------------------------------------|-------------|----------|---|---|--------------------|---|--|
| mat'l. code | | | | tolerances unless otherwise specified | | | | CUSTOMER COPY | |  www.fcjconnect.com | |
| ltr | ecn no | dr | date | linear | .XX ± 0.13 | | projection |  | | title | |
| H | V11178 | TAI | 05/09/01 | | .XXX ± 0.05 | | | | | MODULEMATE | |
| J | N05-0269 | PH | 09/28/05 | angles | 0° ± 2° | |  | | CONNECTOR ASSEMBLY | | |
| K | N06-0304 | LONG | 12/04/06 | | | | | | product family | | |
| E | T60403 | L S | 10/5/96 | dr | KENNY TAI | 05/09/01 | MM | | MODULEMATE | | |
| F | T70121 | L S | 03/27/97 | enr | KENNY TAI | 05/09/01 |  | | code | | |
| G | T80299 | CH | 07/13/98 | chr | KENNY TAI | 05/09/01 | | | size | | |
| | | | | appd | PAUL WANG | 05/09/01 | | | 95747 | | |
| sheet | revision | K | J | K | J | J | K | J | J | sheet | |
| index | sheet | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 1 of 8 | |



MODULEMATE ASSEMBLY PRODUCT
NUMBERS, HEADERS AND RECEPTACLES
PRODUCT NUMBER 9 5 7 G P - N N H

| | |
|------------|-------|
| GENDER | PROOC |
| HEADER | 4 |
| RECEPTACLE | 5 |

| | |
|-------------------|------|
| POSTURE | CODE |
| RIGHT ANGLE | 7 |
| VERTICAL W/HOOK | 8 |
| VERTICAL W/O HOOK | 9 |


| | |
|------|---------------------------|
| CODE | TOTAL NUMBER OF POSITIONS |
| 02 | 20 |
| 03 | 30 |
| 04 | 40 |
| 05 | 50 |
| 06 | 60 |
| 08 | 80 |
| 10 | 100 |
| 12 | 120 |

| | | |
|--|-----------------|------------|
| CODE | MATING DISTANCE | |
| | HEADER | RECEPTACLE |
| SEE TABLES 1 FOR VERTICAL MATING, TABLE 2 FOR HORIZONTAL MATING, AND TABLES 3 AND 4 FOR RIGHT ANGLE MATING | | |



| HEADER CODE | RECEPTACLE CODE | MATED HEIGHT | DIM H2 | DIM H3 |
|-------------|-----------------|--------------|--------|--------|
| 5 | 2 | 7 | 5 | 2 |
| 5 | 3 | 8 | 5 | 3 |
| 7 | 2 | 9 | 7 | 2 |
| 7 | 3 | 10 | 7 | 3 |
| 5 | 5 | 10 | 5 | 5 |
| 7 | 5 | 12 | 7 | 5 |

| HEADER CODE | RECEPTACLE CODE | |
|-------------|-----------------|--|
| 8 | 8 | RIGHT ANGLE HEADER TO RIGHT ANGLE RECEPTACLE |



| HEADER CODE | RECEPTACLE CODE | | L1 | L2 |
|-------------|-----------------|---------------------------------------|--------|----|
| 5 | 8 | VERTICAL HEADER TO RIGHT ANGLE RECPT. | 9.105 | 5 |
| 7 | 8 | | 11.105 | 7 |

| HEADER CODE | RECEPTACLE CODE | | K1 | K2 |
|-------------|-----------------|---|-------|----|
| 8 | 2 | RIGHT ANGLE HEADER TO VERTICAL RECEPTACLE | 9.06 | 2 |
| 8 | 3 | | 10.06 | 3 |
| 8 | 5 | | 12.06 | 5 |

| | | | | | | | | | | |
|-------------|----------|----|------|---------------------------------------|-------------|----------|---------------|--------------------|------------------------|--------|
| mat'l. code | | | | tolerances unless otherwise specified | | | CUSTOMER COPY | | www.fciconnect.com | |
| ltr | ecn no | dr | date | linear | .X ± 0.3 | | projection | title | | |
| J | | | | | .XX ± 0.13 | | | MODULEMATE | | |
| | | | | | .XXX ± 0.05 | | | CONNECTOR ASSEMBLY | | |
| | | | | angles | 0° ± 2° | | MM | product family | | code |
| | | | | dr | KENNY TAI | 05/09/01 | | MODULEMATE | | |
| | | | | enr | KENNY TAI | 05/09/01 | scale | size | | dwg no |
| | | | | chr | KENNY TAI | 05/09/01 | | A3 | | 95747 |
| | | | | appd | PAUL WANG | 05/09/01 | | | sheet 2 of | |
| sheet | revision | | | | | | | | | |
| index | sheet | | | | | | | | | |



This data shall remain the property of FCI. Reproduction or use in any form without the written permission of FCI is prohibited.

All rights are reserved. Reproduction or use in any form without the written permission of FCI is prohibited.






| PRODUCT NUMBER | POS. | DIM A | DIM B | DIM E | DIM P | TYPE | COMMENTS |
|----------------|------|-------|-------|-------|-------|----------|------------|
| 95758-022LF | 20 | 25.43 | 20.32 | 11.43 | 5.4 | STYLE I | AVAILABLE |
| -032 | 30 | 31.78 | 26.67 | 17.78 | | | |
| -042 | 40 | 38.13 | 33.02 | 24.13 | | | |
| -052 | 50 | 44.48 | 39.37 | 30.48 | | | |
| -062/062LF | 60 | 50.83 | 45.72 | 36.83 | | | |
| -082 | 80 | 63.53 | 58.42 | 49.53 | | | |
| -102 | 100 | 76.23 | 71.12 | 62.23 | | | NOT TOOLED |
| 95758-122 | 120 | 88.93 | 83.82 | 74.93 | 5.4 | STYLE I | |
| 95758-023 | 20 | 25.43 | 20.32 | 13.43 | 6.4 | STYLE I | |
| -033 | 30 | 31.78 | 26.67 | 19.78 | | | |
| -043 | 40 | 38.13 | 33.02 | 26.13 | | | |
| -053 | 50 | 44.48 | 39.37 | 32.48 | | | |
| -063 | 60 | 50.83 | 45.72 | 38.83 | | | |
| -083 | 80 | 63.53 | 58.42 | 51.53 | | | |
| -103 | 100 | 76.23 | 71.12 | 64.23 | | | |
| 95758-123 | 120 | 88.93 | 83.82 | 76.93 | 6.4 | STYLE I | |
| 95758-025 | 20 | 25.43 | 20.32 | 13.43 | 8.4 | STYLE II | |
| -035 | 30 | 31.78 | 26.67 | 19.78 | | | |
| -045 | 40 | 38.13 | 33.02 | 26.13 | | | |
| -055 | 50 | 44.48 | 39.37 | 32.48 | | | |
| -065 | 60 | 50.83 | 45.72 | 38.83 | | | |
| -085 | 80 | 63.53 | 58.42 | 51.53 | | | |
| -105 | 100 | 76.23 | 71.12 | 64.23 | | | |
| 95758-125 | 120 | 88.93 | 83.82 | 76.93 | 8.4 | STYLE II | |


VERTICLE RECEPTACLE WITH HOOKS SHOWN ON THIS SHEET



RECOMMENDED PCB LAYOUT



SECTION X-X
STYLE I



STYLE II

| | | | | | | | | | | | |
|-------------|----------|----|------|---------------------------------------|-------------|----------|---------------|--|------------------------|--------|-------|
| mat'l. code | | | | tolerances unless otherwise specified | | | CUSTOMER COPY | | www.fcjconnect.com | | |
| ltr | ecn no | dr | date | linear | .X ± 0.3 | | projection | title MODULEMATE CONNECTOR ASSEMBLY | | | |
| K | | | | | .XX ± 0.13 | | | | | | |
| | | | | | .XXX ± 0.05 | | | | | | |
| | | | | angles | 0° ± 2° | | MM A3 | product family MODULEMATE | | code | |
| | | | | dr | KENNY TAI | 05/09/01 | | size | | dwg no | sheet |
| | | | | enr | KENNY TAI | 05/09/01 | | 95747 | | 3 of | |
| | | | | chr | KENNY TAI | 05/09/01 | | | | | |
| | | | | appd | PAUL WANG | 05/09/01 | | | | | |
| sheet | revision | | | | | | | | | | |
| index | sheet | | | | | | | | | | |






Tous droits réservés. Reproduction ou communication sans autorisation écrite de l'auteur est formellement interdite.
 Property © FCJ ELECTRONICS.
 Copyright © FCJ ELECTRONICS by

All rights reserved. Reproduction or communication without written authority from the proprietor is not permitted.
 Property © FCJ ELECTRONICS.
 Copyright © FCJ ELECTRONICS by


| PRODUCT NUMBER | POS. | DIM A | DIM E | DIM P | TYPE | COMMENTS | |
|----------------|------|-------|-------|-------|----------|------------|------------|
| 95759-022 | 20 | 18.83 | 11.43 | 5.4 | STYLE I | AVAILABLE | |
| -032 | 30 | 25.18 | 17.78 | ↑ | | NOT TOOLED | |
| -042 | 40 | 31.53 | 24.13 | ↑ | | | |
| -052 | 50 | 37.88 | 30.48 | ↑ | | | |
| -062 | 60 | 44.23 | 36.83 | ↑ | | AVAILABLE | |
| -082 | 80 | 56.93 | 49.53 | ↑ | | | |
| -102 | 100 | 69.63 | 62.23 | ↓ | | | |
| 95759-122 | 120 | 82.33 | 74.93 | 5.4 | STYLE I | | |
| 95759-023 | 20 | 18.83 | 13.43 | 6.4 | | STYLE I | NOT TOOLED |
| -033 | 30 | 25.18 | 19.78 | ↑ | | | |
| -043 | 40 | 31.53 | 26.13 | ↑ | | | |
| -053 | 50 | 37.88 | 32.48 | ↑ | | | |
| -063 | 60 | 44.23 | 38.83 | ↑ | | | |
| -083 | 80 | 56.93 | 51.53 | ↓ | | | |
| -103 | 100 | 69.63 | 64.23 | ↓ | | | |
| 95759-123 | 120 | 82.33 | 76.93 | 6.4 | STYLE II | | |
| 95759-025 | 20 | 18.83 | 13.43 | 8.4 | | STYLE II | |
| -035 | 30 | 25.18 | 19.78 | ↑ | | | |
| -045 | 40 | 31.53 | 26.13 | ↑ | | | |
| -055 | 50 | 37.88 | 32.48 | ↑ | | | |
| -065 | 60 | 44.23 | 38.83 | ↑ | | | |
| -085 | 80 | 56.93 | 51.53 | ↓ | | | |
| -105 | 100 | 69.63 | 64.23 | ↓ | | | |
| 95759-125 | 120 | 82.33 | 76.93 | 8.4 | | | |

VERTICLE RECEPTACLE WITHOUT HOOK
 SHOWN ON THIS SHEET

RECOMMENDED PCB LAYOUT



STYLE I
SECTION X-X
4/1




STYLE II


| | | | | | | | | | | | |
|-------------|----------|------|-----------|---------------------------------------|-------------|------------|----------------|--------------------|------------------------|------|------|
| mat'l. code | | | | tolerances unless otherwise specified | | | CUSTOMER COPY | | www.fcjconnect.com | | |
| ltr | ecn no | dr | date | linear | .X ± 0.3 | projection | | title | | code | |
| J | | | | | .XX ± 0.13 | | | MODULEMATE | | | size |
| | | | | angles | .XXX ± 0.05 | | | CONNECTOR ASSEMBLY | | | |
| | | | | | 0°±2° | MM | product family | MODULEMATE | sheet | | |
| | | dr | KENNY TAI | 05/09/01 | | scale | A3 | 95747 | 4 of | | |
| | | enr | KENNY TAI | 05/09/01 | | | | | | | |
| | | chr | KENNY TAI | 05/09/01 | | | | | | | |
| | | appd | PAUL WANG | 05/09/01 | | | | | | | |
| sheet | revision | | | | | | | | | | |
| index | sheet | | | | | | | | | | |

These details are for reference only. Reproduction or communication of these details without the written authority of the proprietor, FCI, is prohibited. Copyright © 2010 FCI. All rights reserved.





| PRODUCT NO. | POS. | DIM A | DIM B | DIM E | COMMENTS |
|-------------|------|-------|-------|-------|------------|
| 95757-028 | 20 | 25.43 | 20.32 | 11.43 | NOT TOOLED |
| -038 | 30 | 31.78 | 26.67 | 17.78 | |
| -048 | 40 | 38.13 | 33.02 | 24.13 | |
| -058 | 50 | 44.48 | 39.37 | 30.48 | |
| -068 | 60 | 50.83 | 45.72 | 36.83 | |
| -088 | 80 | 63.53 | 58.42 | 49.53 | |
| -108 | 100 | 76.23 | 71.12 | 62.23 | |
| 95757-128 | 120 | 88.93 | 83.82 | 74.93 | |



RIGHT ANGLE RECEPTACLE WITH HOOK SHOWN ON THIS SHEET



RECOMMENDED PCB LAYOUT










SECTION X-X
4/1

| | | | | | | | | | | | |
|-------------|----------------|----|------|---------------------------------------|-------------|----------|---------------|--|------------------------|------|-------|
| mat'l. code | | | | tolerances unless otherwise specified | | | CUSTOMER COPY | | www.fciconnect.com | | |
| ltr | ecn no | dr | date | linear | .X ± 0.3 | | projection | title MODULEMATE CONNECTOR ASSEMBLY | | | |
| J | | | | | .XX ± 0.13 | | | | | | |
| | | | | | .XXX ± 0.05 | | | | | | |
| | | | | angles | 0° ± 2° | | MM A3 | product family MODULEMATE | | code | |
| | | | | dr | KENNY TAI | 05/09/01 | | size | dwg no | | sheet |
| | | | | engr | KENNY TAI | 05/09/01 | | 95747 | | 5 of | |
| | | | | chr | KENNY TAI | 05/09/01 | | | | | |
| | | | | appd | PAUL WANG | 05/09/01 | | | | | |
| sheet index | revision sheet | | | | | | | | | | |

| PRODUCT NO. | POS. | DIM A | DIM B | DIM E | COMMENTS |
|-----------------|------|-------|-------|-------|------------|
| 95747-028/028LF | 20 | 25.43 | 20.32 | 11.43 | AVAILABLE |
| -038 | 30 | 31.78 | 26.67 | 17.78 | NOT TOOLED |
| -048 | 40 | 38.13 | 33.02 | 24.13 | AVAILABLE |
| -058 | 50 | 44.48 | 39.37 | 30.48 | |
| -068 | 60 | 50.83 | 45.72 | 36.83 | |
| -088 | 80 | 63.53 | 58.42 | 49.53 | NOT TOOLED |
| -108 | 100 | 76.23 | 71.12 | 62.23 | |
| 95747-128 | 120 | 88.93 | 83.82 | 74.93 | |

RIGHT ANGLE HEADER WITH HOOK
SHOWN ON THIS SHEET





| | | | | | | | | | | |
|-------------|----------|----|------|---------------------------------------|-------------|----------|---------------|--------------------|-----------------------|-------|
| mat'l. code | | | | tolerances unless otherwise specified | | | CUSTOMER COPY | | www.fcconnect.com | |
| ltr | ecn no | dr | date | linear | .X ± 0.3 | | projection | title | | |
| K | | | | | .XX ± 0.13 | | | MODULEMATE | | |
| | | | | | .XXX ± 0.05 | | | CONNECTOR ASSEMBLY | | |
| | | | | angles | 0° ± 2° | | MM | product family | | code |
| | | | | dr | KENNY TAI | 05/09/01 | | MODULEMATE | | |
| | | | | enr | KENNY TAI | 05/09/01 | scale | size | | sheet |
| | | | | chr | KENNY TAI | 05/09/01 | | A3 | | 6 of |
| | | | | appd | PAUL WANG | 05/09/01 | 95747 | | | |
| sheet | revision | | | | | | | | | |
| index | sheet | | | | | | | | | |

Tous droits réservés. Reproduction ou communication sans autorisation écrite de l'auteur est formellement interdite.




All rights reserved. Reproduction or communication without written authority from the proprietor is expressly prohibited.

| PRODUCT NO. | POS. | DIM A | DIM B | DIM E | STYLE | COMMENTS |
|-------------|------|-------|-------|-------|----------|------------|
| 95748-025 | 20 | 25.43 | 20.32 | 11.43 | STYLE I | NOT TOOLED |
| -035 | 30 | 31.78 | 26.67 | 17.78 | | |
| -045 | 40 | 38.13 | 33.02 | 24.13 | | |
| -055 | 50 | 44.48 | 39.37 | 30.48 | | |
| -065 | 60 | 50.83 | 45.72 | 36.83 | | |
| -085 | 80 | 63.53 | 58.42 | 49.53 | | |
| -105 | 100 | 76.23 | 71.12 | 62.23 | | |
| 95748-125 | 120 | 88.93 | 83.82 | 74.93 | | |
| 95748-027 | 20 | 25.43 | 20.32 | 11.43 | STYLE II | |
| -037 | 30 | 31.78 | 26.67 | 17.78 | | |
| -047 | 40 | 38.13 | 33.02 | 24.13 | | |
| -057 | 50 | 44.48 | 39.37 | 30.48 | | |
| -067 | 60 | 50.83 | 45.72 | 36.83 | | |
| -087 | 80 | 63.53 | 58.42 | 49.53 | | |
| -107 | 100 | 76.23 | 71.12 | 62.23 | | |
| 95748-127 | 120 | 88.93 | 83.82 | 74.93 | | |


VERTICLE HEADER WITH HOOK
SHOWN ON THIS SHEET




RECOMMENDED PCB LAYOUT



STYLE I



STYLE II



SECTION X-X









| | | | | | | | | | | | |
|-------------|----------|----|------|---------------------------------------|-------------|----------|---------------|--|------------------------|--------|-------|
| mat'l. code | | | | tolerances unless otherwise specified | | | CUSTOMER COPY | | www.fciconnect.com | | |
| ltr | ecn no | dr | date | linear | .X ± 0.3 | | projection | title MODULEMATE CONNECTOR ASSEMBLY | | | |
| J | | | | | .XX ± 0.13 | | | | | | |
| | | | | | .XXX ± 0.05 | | | | | | |
| | | | | angles | 0° ± 2° | | MM A3 | product family MODULEMATE | | code | |
| | | | | dr | KENNY TAI | 05/09/01 | | size | | dwg no | sheet |
| | | | | enr | KENNY TAI | 05/09/01 | | 95747 | | 7 of | |
| | | | | chr | KENNY TAI | 05/09/01 | | | | | |
| | | | | appd | PAUL WANG | 05/09/01 | | | | | |
| sheet | revision | | | | | | | | | | |
| index | sheet | | | | | | | | | | |

This data is preliminary. Reproduction or communication of this form in any form or by any means is prohibited without written authority from the proprietor. Property © FCJ ELECTRONICS. Copyright © FCJ ELECTRONICS.

All rights are reserved. Reproduction or use in any form is prohibited without written authority from the proprietor. Property © FCJ ELECTRONICS. Copyright © FCJ ELECTRONICS.

| PRODUCT NO. | POS. | DIM A | DIM E | STYLE | COMMENTS |
|-------------|------|-------|-------|----------|------------|
| 95749-025 | 20 | 18.83 | 14.23 | STYLE I | NOT TOOLED |
| -035 | 30 | 25.48 | 20.58 | | |
| -045 | 40 | 31.53 | 26.93 | | |
| -055 | 50 | 37.88 | 33.28 | | |
| -065 | 60 | 44.23 | 39.63 | | |
| -085 | 80 | 56.93 | 52.33 | | |
| -105 | 100 | 69.63 | 65.03 | | |
| -125 | 120 | 82.33 | 77.73 | | |
| -027 | 20 | 18.83 | 14.23 | STYLE II | |
| -037 | 30 | 25.48 | 20.58 | | |
| -047 | 40 | 31.53 | 26.93 | | |
| -057 | 50 | 37.88 | 33.28 | | |
| -067 | 60 | 44.23 | 39.63 | | |
| -087 | 80 | 56.93 | 52.33 | | |
| -107 | 100 | 69.63 | 65.03 | | |
| 95749-127 | 120 | 82.33 | 77.73 | | |

VERTICLE HEADER WITHOUT HOOK SHOWN ON THIS SHEET



| | | | | | | | | | | |
|-------------|----------------|----|------|---------------------------------------|-------------|----------|---------------|--------------------|------------------------|------------|
| mat'l. code | | | | tolerances unless otherwise specified | | | CUSTOMER COPY | | www.fciconnect.com | |
| ltr | ecn no | dr | date | linear | .X ± 0.3 | | projection | title | | |
| J | | | | | .XX ± 0.13 | | | MODULEMATE | | |
| | | | | | .XXX ± 0.05 | | | CONNECTOR ASSEMBLY | | |
| | | | | angles | 0°±2° | | MM | product family | | code |
| | | | | dr | KENNY TAI | 05/09/01 | | MODULEMATE | | |
| | | | | enr | KENNY TAI | 05/09/01 | | size | | dwg no |
| | | | | chr | KENNY TAI | 05/09/01 | | scale | | |
| | | | | appd | PAUL WANG | 05/09/01 | --- | A3 | 95747 | sheet 8 of |
| sheet index | revision sheet | | | | | | | | | |

This data addendum remains the property of FCI Electronics. Reproduction or communication of this form in any form or by any means without the written permission of FCI Electronics is prohibited.

All rights are reserved. Reproduction or use in any form without the written permission of FCI Electronics is prohibited.

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype [ameyasales1](#) [ameyasales2](#)

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com