



ELECTRICIAN'S GUIDE TO EMERGENCY LIGHTING

Fully updated to
BS 5266-1:2011

ELECTRICIAN'S
GUIDE

Published by The Institution of Engineering and Technology, London, United Kingdom

The Institution of Engineering and Technology is registered as a Charity in England & Wales (no. 211014) and Scotland (no. SCO38698).



The Institution of Engineering and Technology is the new institution formed by the joining together of two great institutions; the IEE (Institution of Electrical Engineers) and the IIE (The Institution of Incorporated Engineers). The new Institution is the inheritor of the IEE brand and all its products and services, such as this one, which we hope you find useful.

© 2009, 2014 The Institution of Engineering and Technology

First published 2009

Second edition 2014

This publication is copyright under the Berne Convention and the Universal Copyright Convention. All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Enquiries concerning reproduction outside those terms should be sent to the publishers at The Institution of Engineering and Technology, Michael Faraday House, Six Hills Way, Stevenage, SG1 2AY, United Kingdom.

Copies of this publication may be obtained from:

The Institution of Engineering and Technology

PO Box 96, Stevenage, SG1 2SD, UK

Tel: +44 (0)1438 767328

Email: sales@theiet.org

www.theiet.org/wiringbooks

While the author, publisher and contributors believe that the information and guidance given in this work are correct, all parties must rely upon their own skill and judgement when making use of them. The author, publisher and contributors do not assume any liability to anyone for any loss or damage caused by any error or omission in the work, whether such an error or omission is the result of negligence or any other cause. Where reference is made to legislation it is not to be considered as legal advice. Any and all such liability is disclaimed.

Extracts from BS 5266-1 (2011) are reproduced within this Publication with the permission of the BSI Standards Limited. Copyright subsists in all BSI publications. British Standards can be obtained in PDF or hard copy formats from the BSI online shop: www.bsigroup.com/shop or by contacting BSI Customer Services for hard copies only: Tel: +44 (0)20 8996 9001, Email: cservices@bsigroup.com.

ISBN 978-1-84919-771-7

eISBN 978-1-84919-772-4

Typeset in the UK by Carnegie Book Production, Lancaster

Printed in the UK by Polestar Wheaton

Contents

Cooperating organisations	7
Acknowledgements	9
Preface	11
Chapter 1 Legislation	13
1.1 Introduction	13
1.2 The Health and Safety at Work etc. Act 1974	14
1.3 The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242)	15
1.4 The Workplace (Health, Safety and Welfare) Regulations 1992 (SI 1992 No. 3004)	16
1.5 The Health and Safety (Safety Signs and Signals) Regulations 1996 (SI 1996 No. 341)	16
1.6 The Building Regulations 2010 (SI 2010 No. 2214)	18
1.7 The Regulatory Reform (Fire Safety) Order 2005 (SI 2005 No. 1541)	18
1.8 The Cinematograph (Safety) Regulations 1955 (SI 1955 no. 1129) as amended	20
Chapter 2 Building Regulations	21
2.1 Introduction	21
2.2 Approved Document B, Volume 1 – dwellinghouses	23
2.3 Approved Document B, Volume 2 – buildings other than dwellinghouses	24
Chapter 3 Emergency lighting standards	27
3.1 European standards	27
3.2 British Standards	27
3.3 Definitions	29
3.4 BS 5266 Emergency lighting	30

Chapter 4 Design	33
4.1 Introduction	33
4.2 Primary escape route signs and luminaires	37
4.3 Additional emergency lighting luminaires	40
4.4 Escape route illumination	44
4.5 Open area (anti-panic) lighting	47
4.6 High risk task area lighting	49
4.7 Standby lighting	49
4.8 Classification of emergency lighting systems	50
4.9 Requirements for safety signs	53
4.10 Automatic test systems	54
Chapter 5 Electrical installation	57
5.1 Basic requirement	57
5.2 Self-contained luminaires	57
5.3 Central power supply systems	58
5.4 Cable support, fixings and joints	60
5.5 Segregation	60
5.6 Continuity of supply to the emergency lighting	61
5.7 Isolation	62
5.8 Warning notices	62
5.9 Inspection and testing	63
5.10 BS 7671:2008 as amended	63
Chapter 6 Operation and maintenance	65
6.1 Disabled persons	65
6.2 Legislation	65
6.3 Instructions	65
6.4 As-installed drawings	65
6.5 Handover	66
6.6 Logbook	66
6.7 Care of batteries during installation	67
6.8 Servicing	67
6.9 Routine inspection and testing	68
6.10 Certificates	69
6.11 Automatic testing systems (ATS)	70
6.12 The Waste Electrical and Electronic Equipment (WEEE) Directive	70
6.13 Guidance	71

Annex A	Model completion certificate	72
Annex B	Model certificate for completion of small new installations and verification of existing installations	76
Annex C	Model periodic inspection and test certificate	79
Chapter 7	Safety signs	83
7.1	Introduction	83
7.2	Format of safety signs	84
7.3	Emergency escape and first-aid signs	86
7.4	Fire-fighting signs	88
Index		89

Cooperating organisations

The IET acknowledges the invaluable contribution made by the following organisations in the preparation of this Guide.

BEAMA Installations Ltd

Eur Ing M.H. Mullins BA CEng FIET
P. Sayer IEng MIIE GCGI

British Standards Institution

Department for Communities and Local Government

A. Burd

Electrical Contractors' Association

G. Digilio IEng FIET ACIBSE MSLL

Electrical Contractors' Association of Scotland t/a SELECT

D. Millar IEng MIIE MILE

Electrical Safety Council

Fire and Security Association

M. Turner

Health and Safety Executive

K. Morton CEng MIET

Institution of Engineering and Technology

M. Coles BEng(Hons) MIEE
P.E. Donnachie BSc CEng FIET

Scottish Government Building Standards Division

C. Donnelly

Author

P.R.L. Cook CEng FIET

The author would like to record special thanks to Eur Ing Leon Markwell MSc BSc CEng MIET MCIBSE LCGI of the ECA for his particular assistance in preparing the publication.

Acknowledgements

References to British Standards are made with the kind permission of BSI. Complete copies can be obtained by post from:

BSI Customer Services
389 Chiswick High Road
London W4 4AL

For all enquiries contact:

Tel: +44 (0)20 8996 9001
Fax: +44 (0)20 8996 7001

Email: cservices@bsi-global.com
www.bsi-global.com/en/Shop/

References to Building Regulations, Approved Documents and guidance are made with the kind permission of the Department for Communities and Local Government. Downloads of Approved Documents are available from the Planning Portal: www.planningportal.gov.uk

Preface

The *Electrician's Guide to Emergency Lighting* is one of a number of publications prepared by the IET to provide guidance on electrical installations in buildings. This publication is concerned with emergency lighting and in particular emergency escape lighting and must be read in conjunction with the legislation, Approved Document B and the relevant British Standards, in particular BS 5266.

Designers and installers should always consult these documents to satisfy themselves of compliance.

It is expected that persons carrying out work in accordance with this Guide will be competent to do so, competence being a statutory requirement of the Electricity at Work Regulations 1989 for those engaged in electrical work.

Index

A		
Additional emergency lighting	4.1.5; 4.3	
Alterations record	6.6	
Annual testing	6.9.3	
Anti-panic glare limits	4.4.1; 4.5	
Anti-panic lighting	3.4.5	
Approved codes of practice	1.2	
Approved Document B	2.2; 2.3; 7.1.2	
Approved Documents status	2.1.3	
As-installed drawings	4.1.5; 6.4	
Automatic test systems	4.10; 6.11	
B		
Batteries	6.7; 6.8.2	
British Standards	3.2	
BS 5266	3.4	
BS EN standards	2.3.3; 3.1; 3.2	
BS 7671:2008	5.10	
Building Regulations	1.6; Chap 2	
C		
Cable categories	2.3.3	
Cable fixings	5.4.1	
Cable joints	5.4.2	
Cable segregation	2.3.3; 5.3; 5.5	
Cable support	5.4.1	
Cables	2.3.3; 5.3.2	
Call points	4.2.2	
Car parks	4.3; 4.8.5	
Categories X, Y	4.8	
Central batteries	6.8.2	
Central control testing systems	4.10.2	
Central power supply systems	5.3	
Central power supply systems standard	3.2	
Certificates	6.10	
Change of direction	4.2.2	
Change of level	4.2.2	
Cinematograph (Safety) Regulations	1.8	
		Circuit arrangements 5.6; 5.7
		Classification of emergency lighting systems 4.8
		Class of premises 4.8.5
		Combined emergency luminaire, definition 4.8.3
		Combined lighting 4.8
		Commissioning record 6.6
		Compartment lighting 4.4.2
		Competence Preface
		Completion certificates 6.10;
		Chap 6 Annex A
		Chap 6 Annex A
		Conformity declaration 6.7
		Connection of supply 5.6
		Continuity of supply 4.2.2
		Critical electrical circuits 2.3.3
		Cross-sectional area 5.3.3
D		
		Daily inspection 6.9.1
		Declaration of conformity Chap 6 Annex A
		Defects record 6.6
		Definitions 1.1; 3.3; 4.8
		Design Chap 4
		Design certificate Chap 6 Annex A
		Design procedure 4.1.6
		Design sequence 4.1.6; Fig 4.1
		Disability glare limits 4.4.1; 4.5; 4.6
		Disabled persons 4.2.2; 4.3; 4.5; 6.1
		Drawings 6.4
		Duration of emergency lighting 4.1.4; 4.8.1; 4.8.5
		Dwellings 2.2
E		
		Electrical circuits, critical 2.3.3
		Electrical installation Chap 5

Electricity at Work			
Regulations 1989	Preface; 6.2	1.7; 6.8.1	
Emergency escape lighting	3.4.3	4.2.2; 4.4.1	
Emergency escape lighting, definition	1.1; 3.3	7.3; Fig 7.8	
Emergency escape lighting systems standard	3.1	5.4.1	
Emergency escape route lighting, definition	1.1; 3.3	2.3.3	
Emergency escape signs	7.3; Fig 7.4; Fig 7.6		
Emergency exits	1.7; 4.2.2		
Emergency lighting completion certificate	Chap 6 Annex A		
Emergency lighting, definition	1.1; 3.3		
Emergency lighting design procedure	4.1.6		
Emergency lighting duration	4.1.4; 4.8.1; 4.8.5		
Emergency lighting standard, BS 5266	3.4		
Emergency lighting standards	Chap 3		
Emergency lighting, suitable and sufficient	1.4		
Emergency routes	1.7		
Emergency sign locations	4.1.6		
Emergency standby lighting	4.7		
Equipment standards	3.2		
Escalators	4.3		
Escape lighting, additional	4.1.5; 4.3		
Escape route illumination	2.3.1; 4.4		
Escape route luminaires	4.2		
Escape route signs	4.2; 4.9; 7.3		
Escape route sign viewing distances	4.2.3; 4.9		
European standards	3.1		
Evacuation strategy	4.1.6		
Exit doors	4.2.2		
Exit signs	2.3.2		
Exit sign viewing distances	4.2.3		
F			
Facilities	4.8.1; 4.8.4		
Failure of supply	4.1.2		
Fault action record	Chap 6 Annex C		
Fire-fighting equipment	4.2.2; 4.4.1		
Fire-fighting signs	7.4; Fig 7.5; Fig 7.9		
Fire-resistant cables	2.3.3; 5.3.2		
Fire risk safety assessment	6.1		
Fire safety order		1.7; 6.8.1	
First-aid posts		4.2.2; 4.4.1	
First-aid signs		7.3; Fig 7.8	
Fixings, cable		5.4.1	
Flame temperature		2.3.3	
G			
Generators		6.8.3	
Glare limits		4.4.1, Table 4.2	
H			
Handover of system		6.5	
Hazards		3.4.4; 4.1.6	
Health and Safety at Work etc. Act		1.2	
Health and Safety (Safety Signs and Signals) Regulations 1996		1.5; 7.1; 7.2	
High risk task area lighting		3.4.4; 4.6	
High risk task area lighting, definition		1.1; 3.3	
Houses		2.2	
I			
Illuminance minimum		4.4.1	
Illumination levels		4.4.1	
Inhibiting mode		4.8.4	
Inspection and test certificate, periodic		6.10.2	
Inspection and testing record		5.9; 6.9	
Inspection and test record		Chap 6 Annex C	
Installation		Chap 5; 6.7	
Installation conformity		Chap 6 Annex A	
Installation drawings		6.4	
Instructions on O&M		6.3	
Isolation		5.7	
J			
Joints		5.4.2	
K			
No entries			
L			
Legislation		Chap 1; 6.2	
Lifts		4.3	
Lighting applications – Emergency lighting, standard		3.1	
Lighting fittings spacing		4.4.1	
Lighting levels		4.4.1	

Lighting of workplace	1.4	Prohibitory signs	7.2; Fig 7.1
Location of emergency lighting	4.1.6; 4.2.2	Provisions for escape lighting	2.3.1, Table 2.1; 4.1
Logbook	6.6		
Luminaire installation	Chap 5	Q	
Luminaire spacing	4.4.1	No entries	
Luminaire types	4.8.2		
Luminance, signs	4.9	R	
		Ratios of illuminance	4.4; 4.5; 4.6
M		Records	4.1.5
Maintained emergency luminaire, definition	4.8.3	Regulatory Reform (Fire Safety) Order 2005	1.7; 6.8.1; 6.9.3 Note
Maintained lighting	4.8	Remote rest mode	4.8.4
Maintenance	Chap 6	Response times	4.1.3
Maintenance instructions	6.3	Risk assessment	1.3; 4.1.1; 6.9.3 Note
Management of Health and Safety at Work Regulations	1.3; 4.1.1	Risk assessment, emergency lighting	4.1.6
Mandatory signs	4.2.2; 7.2; Fig 7.3	Routine inspection and testing	6.9
Minimum duration	4.1.4; 4.8.5		
Minimum illumination	4.4.1		
Model certificates	Chap 6 Annexes	S	
Mode of operation	4.8.1; 4.8.3	Safety assessment	6.1
Monthly testing	6.9.2	Safety signs	1.5; 4.2; 4.9; Chap 7
		Schedule 1 to the Building Regulations	2.1
N		Segregation	2.3.3; 5.3; 5.5
Natural light	1.4	Self-contained luminaires	4.8; 5.2
Non-maintained lighting	4.8	Servicing	6.8
Non-maintained luminaire, definition	4.8.3	Signs	1.5; 4.2; 4.9; Chap 7
Non-residential premises	4.8.5	Spacing tables	4.4.1; 4.5
Notices	5.8	Stairs	4.2.2; 4.3
		Stand-alone luminaire testing	4.10.3
O		Standards	Chap 3
Objective of escape lighting	4.1	Standby batteries	5.6; 6.8.2
Open area lighting	1.1; 3.4.5; 4.5	Standby generators	6.8.3
Open area lighting, definition	1.1; 3.3	Standby lighting	3.4.2; 4.7
Operating instructions	6.3	Standby lighting, definition	1.1; 3.3
Operation and maintenance	Chap 6	Standby supply	5.6
		Statutory instruments	Chaps 1 and 2
P		Supervision	6.7.1
Periodic inspection and test certificate	6.9.2; Chap 6 Annex B	Support, cable	5.4.1
PH classification	2.3.3; 5.3.2	Survival times of cables	5.3.2
Plans	4.1.5	Sustained luminaire	4.8.3
Plant rooms	4.3	Switching	5.7
Primary escape route signs and luminaires	4.2	Switch rooms	4.3
Process lighting	4.6		
Product standards	3.2		
		T	
		Task area lighting	1.1; 3.4.4; 4.6
		Test certificates	6.10
		Test records	Chap 6 Annex C
		Test systems	4.10
		'This way' signs	7.3; Fig 7.7; Fig 7.10
		Toilets	4.3
		Type of system	4.8.1

U		
Uniformity of illuminance	4.4.1	
V		
Verification	Chap 6 Annex A	
Viewing distances	4.2.3	
Voltage drop	5.3	
W		
Wales, building regulations for	2.1.2	
Warning and escape, means of	2.1	
Warning notices	5.8	
Warning signs	7.2; Fig 7.2	
Waste Electrical and Electronic Equipment Directive		6.12
Wiring		Chap 5
Workplace (Health, Safety and Welfare) Regulations		1.4
X		
X type luminaire		4.8.2; 5.2
Y		
Y type luminaire		4.8.2
Z		
No entries		

Membership

Passionate about your career? Become an IET Member and benefit from a range of benefits from the industry experts. As co-publishers of the IET Wiring Regulations, we can assist you in demonstrating your technical professional competence and support you with all your training and career development needs.

The Institution of Engineering and Technology is the professional home for life for engineers and technicians. With over 150,000 members in 127 countries, the IET is the largest professional body of engineers in Europe.

Joining the IET and having access to tailored products and services will become invaluable for your career and can be your first step towards professional qualifications.

You can take advantage of ...

- a 35% discount on BS 7671:2008 (2011) IET Wiring Regulations, associated guidance publications and Wiring Regulations Digital: Pick&Mix
- career support services to assist throughout your professional development
- dedicated training courses, seminars and events covering a wide range of subjects and skills
- an array of specialist online communities
- professional development events covering a wide range of topics from essential business skills to time management, health and safety, life skills and many more
- access to over 100 Local Networks around the world
- live IET.tv event footage
- instant online access to over 70,000 books, 3,000 periodicals and full-text collections of electronic articles through the Virtual Library, wherever you are in the world.

Join online today: www.theiet.org/join or contact our membership and customer service centre on +44 (0)1438 765678.