



140mm sq.**San Ace 140L**

Model no. 9LB1424B501, 9LB1448F501 are not certified.

140×140×51mm [Mass : 610g] **9LB type** **Specifications** The following nos. **have pulse sensors.**

Model No.	Rated Voltage [V]	Operating Voltage Range [V]	Rated Current [A]	Rated Input [W]	Rated Speed [min ⁻¹]	Max. Airflow [m ³ /min] [CFM]	Max. Static Pressure [Pa] [inchH ₂ O]	SPL [dB(A)]	Operating Temperature [°C]	Expected Life [h]
9LB1412S501	12	10.2 to 13.8	2.7	32.4	4,200	8.1	286.2	240 0.96	57	60,000/60°C
9LB1412H501			1.25	15.0	3,100	5.9	208.5	130 0.52	49	100,000/60°C
9LB1412M501			0.46	5.52	2,050	3.9	138	63 0.25	39	
9LB1424S501	24	20.4 to 27.6	1.38	33.12	4,200	8.1	286.2	240 0.96	57	- 20 to + 70
9LB1424B501			0.97	23.3	3,700	7.1	251	186 0.75	55	
9LB1424H501			0.60	14.4	3,100	5.9	208.5	130 0.52	49	
9LB1424M501			0.22	5.28	2,050	3.9	138	63 0.25	39	
9LB1448S501	48	40.8 to 55.2	0.71	34.08	4,200	8.1	286.2	240 0.96	57	60,000/60°C
9LB1448H501			0.27	12.96	3,100	5.9	208.5	130 0.52	49	
9LB1448F501			0.18	8.6	2,550	4.8	169	91 0.37	44	100,000/60°C
9LB1448M501			0.12	5.76	2,050	3.9	138	63 0.25	39	

Other sensor specifications are available as options. Please refer to the index (p. 509).

Dimensions (unit: mm)**Reference Dimensions of Mounting Holes and Vent Opening (unit: mm)**

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Sanyo Denki:

[9LB1424H5D01](#) [9LB1412M502](#) [9LB1448H5D01](#) [9LB1412H5D01](#) [9LB1448H502](#) [9LB1448S5D01](#) [9LB1424S5D01](#)
[9LB1424M5D01](#) [9LB1424M502](#) [9LB1448M5D01](#) [9LB1448S502](#) [9LB1424S502](#) [9LB1448M502](#) [9LB1412S502](#)
[9LB1424H502](#) [9LB1412H502](#) [9LB1412M5D01](#) [9LB1412S5D01](#)