

Intel® Celeron® Processor 927UE (1M Cache, 1.50 GHz)

[Add to Compare](#)

SPECIFICATIONS

Essentials

[Memory Specifications](#)
[Graphics Specifications](#)
[Expansion Options](#)
[Package Specifications](#)
[Advanced Technologies](#)
[Intel® Data Protection Technology](#)
[Intel® Platform Protection Technology](#)
[ORDERING / SPECS / STEPPINGS](#)

SPECIFICATIONS

Essentials

Status	Launched
Launch Date	Q1'13
Processor Number	927UE
# of Cores	1
# of Threads	1
Clock Speed	1.5 GHz
Intel® Smart Cache	1 MB
DMI	5 GT/s
Embedded Options Available	Yes
Lithography	22 nm
Max TDP	17 W
Recommended Customer Price	TRAY: <input type="text"/>

Memory Specifications

Max Memory Size (dependent on memory type)	16 GB
Memory Types	DDR3/L - 1333/1600
# of Memory Channels	2
Max Memory Bandwidth	25.6 GB/s
ECC Memory Supported †	Yes

Graphics Specifications

Processor Graphics †	Intel® HD Graphics
Graphics Base Frequency	350 MHz
Graphics Max Dynamic Frequency	900 MHz
Graphics Output	eDP/DP/HDMI/SDVO/CRT
Intel® Quick Sync Video	No
Intel® InTru™ 3D Technology	No
Intel® Insider™	No
Intel® Wireless Display	No
Intel® Clear Video HD Technology	No
# of Displays Supported †	2

Expansion Options

PCI Express Revision	2.0
PCI Express Configurations †	1x16, 2x8, 1x8 & 2x4
Max # of PCI Express Lanes	1

Package Specifications

Max CPU Configuration	1
T _{JUNCTION}	105
Package Size	BGA1023 31mm x 24mm
Graphics and IMC Lithography	22 nm
Sockets Supported	FCBGA1023
Low Halogen Options Available	See MDDS

Advanced Technologies

Intel® Turbo Boost Technology †	No
Intel® vPro Technology †	No
Intel® Hyper-Threading Technology †	No
Intel® Virtualization Technology (VT-x) †	Yes
Intel® Virtualization Technology for Directed I/O (VT-d) †	No
Intel® 64 †	Yes
Intel® My WiFi Technology	No
Enhanced Intel SpeedStep® Technology	Yes
Intel® Demand Based Switching	No

RELATED PRODUCTS

- [Intel® Celeron® Processor](#)
- [Intel® Celeron® Processor 900 Series for Mobile](#)
- [Products formerly Ivy Bridge](#)



- [Visit the Embedded Design Center >](#)

QUICK LINKS

- [Download Datasheet](#)
- [Export Full Specifications](#)
- [Search Distributors](#)
- [Software Downloads](#)
- [Support Overview](#)
- [Search all of intel.com](#)

PCN/MDDS Information

SR10F
924842: PCN | MDDS

Thermal Monitoring Technologies	Yes
Intel® Fast Memory Access	Yes
Intel® Flex Memory Access	Yes

Intel® Data Protection Technology

AES New Instructions	No
----------------------	----

Intel® Platform Protection Technology

Trusted Execution Technology‡	No
Anti-Theft Technology	No

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

"Intel classifications" consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company may be the exporter of record, and as such, your company is responsible for determining the correct classification of any item at the time of export.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

See <http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html?wapkw=hyper+threading> for more information including details on which processors support Intel® HT Technology.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

For benchmarking data see <http://www.intel.com/performance>.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See <http://www.intel.com/content/www/us/en/processors/processor-numbers.html> for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.

[Send us your feedback!](#)

