

New Product Introduction

April 13, 2012

Y2B (AYF21) Back Lock FPC Connectors



1. Features:

- 0.2 mm pitch back lock connector
- Slim design with 3.15 mm depth including lever
- 0.9 mm low profile
- Top and bottom double contacts allow flexible FPC wiring conditions
- Connectors are available with levers opened
- Smooth FPC insertion and a design that prevents displacement
- FPC inlet is separated from the lever control to prevent contact disruption when an inserted FPC is lifted

2. Applications:

- Mobile and portable devices

3. Release Date: April 2012

4. Ordering Information:

	AYF	2	1			3	5
21: FPC Connector 0.2 mm pitch (Back lock)							
Number of pins (2 digits)							
Contact direction							
3: Top and bottom double contacts							
Surface treatment (Contact portion / Terminal portion)							
5: Au plating/Au flash plating (Ni barrier)							

PRODUCT TYPES

Height	Number of pins	Part number	Packing	
			Inner carton	Outer carton
0.9 mm	23	AYF212335	5,000 pieces	10,000 pieces
	31	AYF213135		
	41	AYF214135		
	51	AYF215135		

Notes: 1. Order unit;
For volume production: 1-inner carton (1-reel) units
Samples for mounting check: 50-connector units. Please contact our sales office.
2. Please contact our sales office for connectors having a number of pins other than those listed above.

5. Technical Information: Please refer to attached datasheet for details.

Please contact Panasonic Electric Works representative with any question.

(Ref #: M-414)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Panasonic:](#)

[AYF216135](#)