



PRODUCT DATASHEET

Eva series

last update 23/5/2014

DETAILS

Product Number	CA14403_EVA-O
Family	Eva
Type	Assembly
Color	black
Diameter	37.7 mm
Height	17,2 mm
Style	round
Optic Material	PMMA
Holder Material	PC
Fastening	pin, tape
Status	ready
ROHS Compliant	Yes
Date Updated	23/05/2014





OPTICAL PROPERTIES



LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
LUXEON M	20.5+37 deg	Oval	83 %	2.700	-

H G F E D C B A

4



3



2

INDEX	PART NO	MATERIAL	COLOUR
1	Holder	PC	Black
2	Lens	PMMA	Clear
3	Tape	-	Black

1

Tolerances if not otherwise shown According to DIN ISO 2768-1 Linear measures: class C According to DIN ISO 2768-2 Form and position: class L		Ledil Oy Salorankatu 10 FIN 24240 SALO Finland	
THIRD ANGLE PROJECTION:		DRAWING TITLE CA14403_EVA-0	
This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.		SIZE A3	PART NUMBER CA14403
SCALE 2:1		WEIGHT -	SHEET 1/1

H G B A


4

3


2

1

Luminaire: LEDIL OY CA14403_EVA-O (Luxeon M) Efficiency=83%
Lamps: 1 x Luxeon M (362lm @ 250mA)



Luminaire: LEDIL OY CA14403_EVA-O (Luxeon M) Efficiency=83%
Lamps: 1 x Luxeon M (362lm @ 250mA)



NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.