



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

NOTES UNLESS OTHERWISE SPECIFIED:

PANDUIT TOOL NUMBER CT-980 DIELESS CRIMP TOOL INSTALLS # 4 AWG THRU 750 MCM COPPER CONNECTORS AND # 6 AWG THRU 500 MCM ALUMINUM CONNECTORS.

TOOL OUTPUT = 5.5 METRIC TONS / 6.2 SHORT TONS

TOOL WEIGHT = 11.4 LBS / 5.2 Kg

TOOL HAS YELLOW FIBERGLASS HANDLES WITH BLACK RUBBER GRIPS

HINGED TOOL HEAD ROTATES FREELY (180 DEGREES) AND LOCKS IN PLACE WITH PIN AND D-RING

TOOL CRIMP HEAD ROTATES 360 DEGREES ABOUT LOWER HANDLE CENTER LINE

**DO NOT USE TOOL ON LIVE CIRCUITS**

SEE SHEET 1 FOR TOOL DIMENSIONS

PANDUIT CORP. TINLEY PARK, ILLINOIS

**CT-980 CUSTOMER DRAWING**

UNLESS OTHERWISE SPECIFIED,  
DIMENSIONAL TOLERANCES ARE:  
 (.X) ± ..... (.XXX) ± .....  
 (.XX) ± ..... ANGLES ± .....

UNLESS OTHERWISE SPECIFIED,  
ALL DIMENSIONS ARE GIVEN  
IN INCHES, THIRD ANGLE PROJECTION.

DRAWN BY

MAT'L

SCALE

**00 SEE SHEET 1 FOR RELATED INFO**

**3985**

**RFL**

**SHEET 2 OF 2**

**TP24501A01**

**A**

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Panduit:](#)

[CT-980](#)