







T OPTION
PROVIDES CUTOUTS IN ORDER TO
ACCOMMODATE TABS




HARDWARE OPTION E
(EXTENDED SCREW)



HARDWARE OPTION PF
(JACK POST)




HARDWARE OPTION PF-0
(THREADED HOLES TO
ACCEPT JACK POSTS)



HARDWARE OPTION M3-0
(THREADED HOLES M3)

RFI COMB
OPTION



PUSH FIT RFI COMB
(SILVER PLATED BRASS)
COMB SUPPLIED SEPARATELY

DRAWN	K.WINCZURA		DATE	02/03/2016	 3RD ANGLE PROJECTION NOT TO SCALE	PART NUMBER: D**-1-BT-**-**				 Polamco 
SALES APPR			02/03/2016			TITLE: D-SUB BANDING BACKSHELL				
DESIGN APPR	K.SHEPPARD		02/03/2016	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES GENERAL TOL LINEAR +/-0.25MM ANGULAR +/- 1°						
PROD APPR										
QUAL APPR					MATERIAL SEE PART NUMBER BREAKDOWN	ASSY USED ON: MIL-DTL-24308				
ISSUE	REV.	DCR			FINISH SEE PART NUMBER BREAKDOWN	THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.		POLAMCO LTD, WESTON LOCK, LOWER BRISTOL ROAD BATH BA2 1EP	SHT	DRAWING NO: P10143
10	1	5821							1	
NCAGE CODE U5792				WEIGHT						

TABLE 1							
SHELL SIZE	MIL SPEC SHELL SIZE REFERENCE	A	B	C	D	MAX ENTRY (CIRCULAR)	MAX ENTRY (ELLIPTICAL)
09	1	31,19	25,00	12,93	22,86	06	08E
15	2	39,52	33,33	12,93	31,09	06	10E
25	3	53,42	47,02	12,93	44,86	06	12E
37	4	69,76	63,50	12,93	61,32	06	15E
50	5	67,31	61,12	15,75	58,98	08	16E
104	6	69,70	63,50	17,35	NA	09	18E

TABLE 2A			TABLE 2B				
ENTRY SIZE (CIRCULAR)	G	H MAX	ENTRY SIZE (ELLIPTICAL)	E MIN	F MIN	J	EQUIV. CIRCULAR ENTRY DIAMETER
01	3,18	9,00	07E	13,0	9,5	16,6	(11,1)
02	4,75	9,00	08E	16,5	9,5	20,1	(12,7)
03	6,86	11,30	09E	20,5	9,5	24,1	(14,3)
04	7,37	13,10	10E	24,7	9,5	28,3	(15,9)
05	7,92	13,10	11E	29,4	9,5	33,0	(17,5)
06	10,03	13,63	12E	34,6	9,5	38,2	(19,1)
07	10,67	14,27	13E	40,2	9,5	43,8	(20,6)
08	12,70	16,30	14E	46,2	9,5	49,8	(22,2)
09	14,27	17,90	15E	52,7	9,5	56,3	(23,8)
			16E	50,0	12,0	53,6	(25,4)
			17E	49,2	13,9	52,8	(27,0)
			18E	54,9	13,9	58,5	(28,6)

CODE	MATERIAL / PLATING
1-C	ALUMINIUM / ELECTROLESS NICKEL
1-B	ALUMINIUM / CADMIUM OLIVE DRAB OVER ELECTROLESS NICKEL
1-U	ALUMINIUM / UNPLATED
1-ZB	ALUMINIUM / ZINC COBALT OLIVE DRAB OVER ELECTROLESS NICKEL
1-ZN	ALUMINIUM / ZINC NICKEL BLACK PASSIVATE OVER ELECTROLESS NICKEL
1-Y	ALUMINIUM / YELLOW CHROMATE OVER CADMIUM
4-J	STAINLESS STEEL / PASSIVATE

D25-1-BT-08E-1-C-T-L20-E

CONNECTOR TYPE

SHELL SIZE (SEE TABLE 1)

INSERT H FOR RFI COMB COMPATABILITY

ENTRY POSITION (TOP ENTRY)

TERMINATION STYLE

(BT - BAND TERMINATION STYLE)

ENTRY SIZE (SEE TABLE 2)

INSERT E FOR ELLIPTICAL ENTRY

ENTRY SIZES 07 AND ABOVE ONLY

OMIT FOR STANDARD CIRCULAR ENTRY

MATERIAL (TABLE 3)

PLATING (TABLE 3)

T OPTION

OMIT FOR STANDARD FLANGE

OPTIONAL LENGTH (1MM INCREMENTS)

(OMIT FOR STANDARD LENGTH, STANDARD LENGTH = 30MM)

HARDWARE OPTION

OMIT FOR STANDARD

DRAWN	K.WINCZURA		DATE	02/03/2016	 3RD ANGLE PROJECTION NOT TO SCALE	PART NUMBER:				D**-1-BT-**-**				 Polamco 
SALES APPR				02/03/2016		TITLE:				D-SUB BANDING BACKSHELL				
DESIGN APPR	K.SHEPPARD		DATE	02/03/2016	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES GENERAL TOL LINEAR +/-0.25MM ANGULAR +/- 1° MATERIAL SEE PART NUMBER BREAKDOWN FINISH SEE PART NUMBER BREAKDOWN	ASSY USED ON: MIL-DTL-24308								
PROD APPR						THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.				POLAMCO LTD, WESTON LOCK, LOWER BRISTOL ROAD BATH BA2 1EP		SHT	DRAWING NO:	
QUAL APPR						2		P10143						
ISSUE	REV.	DCR		WEIGHT	NCAGE CODE U5792									
10	1	5821												

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

[D25-1-BT-06-1-C-FSK](#) [D37-1-BT-15E-1-C-FSK](#) [D104H-1-BT-18E-1-C-FSK](#) [D09H-1-BT-06-1-C-FSK](#) [D15-1-BT-06-1-C-FSK](#) [D25H-1-BT-06-1-C-FSK](#) [D15H-1-BT-10E-1-C-FSK](#) [D104H-1-BT-09-1-C-FSK](#) [D37-1-BT-06-1-C-FSK](#) [D37H-1-BT-06-1-C-FSK](#) [D37H-1-BT-15E-1-C-FSK](#) [D50H-1-BT-16E-1-C-FSK](#) [D25-1-BT-12E-1-C-FSK](#) [D09H-1-BT-08E-1-C-FSK](#) [D15-1-BT-10E-1-C-FSK](#) [D09-1-BT-06-1-C-FSK](#) [D104-1-BT-09-1-C-FSK](#) [D15H-1-BT-06-1-C-FSK](#) [D50H-1-BT-08-1-C-FSK](#) [D50-1-BT-08-1-C-FSK](#) [D50-1-BT-16E-1-C-FSK](#) [D104-1-BT-18E-1-C-FSK](#) [D25H-1-BT-12E-1-C-FSK](#) [D09-1-BT-08E-1-C-FSK](#) [D15H-1-BT-10E-1-C-T-FSK](#) [D15H-1-BT-06-1-C-T-FSK](#)