

# PRODUCT DATASHEET Strada-S series

last update 19/4/2012



### Product number D12114\_STRADA-S-14

 Family
 Strada-S

 Type
 Lens

 LED
 LUXEON A

 Color
 Clear

 Diameter
 19.6 + 13.8 mm

Height 6.50 mm

Style Rectang

Optic Material PMMA

Holder Material -

Fastening ["glue", "screw", "pin"]
Status Production ready

#### Product number DA12115\_STRADA-S-14

Family Strada-S
Type Assembly
LED LUXEON A
Color Clear

Diameter 19.6 + 13.8 mm
Height 6.65 mm
Style Rectang
Optic Material PMMA

Holder Material -

Fastening ["screw", "pin", "tape"]
Status Production ready

FWHM 136+169 degrees

Efficiency 95 % cd/lm 0.360 Gerber File Available

FWHM 136+169 degrees

Efficiency 95 % cd/lm 0.360 Gerber File Available

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.



# PRODUCT DATASHEET Strada-S series


last update 19/4/2012

### GENERAL INFORMATION

- Product series especially designed & optimized for LUXEON A series of LEDs.
- Special care taken to make light distribution as uniform as possible.
- Lens material optical grade PMMA with high UV and temperature resistance. Allows use of high current and temperature conditions.

Please find more information about used material from below: http://ledil.fi/sites/default/files/Documents/Technical/Material/PMMA%208N%20UL94\_Yellow%20Card.pdf http://ledil.fi/sites/default/files/Documents/Technical/Material/PMMA%208N%20PLEXIGLAS-Datasheet.pdf

## **Relative intensity of D12114\_Strada-S-14\_(Luxeon\_A)**



## **Relative intensity of DA12115\_Strada-S-14\_(Luxeon\_A)**

