




REV  
NC DTM06-12S\*-E003

| REVISIONS |                             |          |          |
|-----------|-----------------------------|----------|----------|
| SYM       | DESCRIPTION                 | DATE     | APPROVED |
| NC        | NEW RELEASE PER E.O. P17535 | 12-17-01 | RDR      |
|           |                             |          |          |
|           |                             |          |          |



8  
END CAP



8. PART MODIFICATION.
7. SEE SHEET 2 FOR OTHER KEY ARRANGEMENT.
6. MATERIAL - HOUSING/END CAP: PLASTIC; GROMMET: RUBBER.
5. THIS PLUG MATES WITH DTM04-12P\*-\*\*\*\* RECEPTACLE. (\* = A,B,C,D KEYS; \*\*\*\* = ALL MODIFICATIONS)
4. FOR CONTACT AND WIRE PERFORMANCE AND APPLICATION CHARACTERISTICS SEE ENVELOPE DRAWING 0425-015-0000.
3. SECONDARY WEDGE LOCK SOLD SEPARATELY: WM-12S.
2. DIMENSION TOLERANCE:  $\pm .025$  [.64].
1. DIMENSIONS ARE IN INCHES [mm].
- NOTES: UNLESS OTHERWISE SPECIFIED

| CONTACT SIZE | MIN. INSUL. O.D. | MAX. INSUL. O.D. | WIRE RANGE [mm <sup>2</sup> ] REF ONLY |
|--------------|------------------|------------------|--|
| 20           | .053 [1.35]      | .120 [3.05]      | 16-20 AWG [1.0-0.5]                    |

| SIGNATURE & DATE |                   |
|------------------|-------------------|
| DR               | D. MEYER 11/15/01 |
| CHK              | B. B. 12/17/01    |
| PE               | D. Meyer 12/13/01 |
| APPD             | R. Reed 12-17-01  |
| SCALE            | NONE WT           |









PLUG W/END CAP  
12 CONTACTS, SIZE 20  
A,B,C,D KEYS  
-E003 MOD  
DTM SERIES

| CP       | MATL. CODE  |
|----------|---|
|          | <b>The Deutsch Company</b><br>DEUTSCH I.P.D.<br>3850 INDUSTRIAL AVE.<br>HEMET, CALIF. 92545 |
| <b>B</b> | <b>DTM06-12S*-E003</b>  |
| DWG SIZE | CODE 11139 SHEET 1 OF 2   |

ENVELOPE

REV  
NC DTM06-12S\*-E003

| REVISIONS |             |          |          |
|-----------|-------------|----------|----------|
| SYM       | DESCRIPTION | DATE     | APPROVED |
|           | SEE SHEET 1 | 12-17-01 | ROR      |
|           |             |          |          |
|           |             |          |          |



DTM06-12SA-E003  
KEY -A-  
COLOR: GREY

DTM06-12SB-E003  
KEY -B-  
COLOR: BLACK

DTM06-12SC-E003  
KEY -C-  
COLOR: GREEN

DTM06-12SD-E003  
KEY -D-  
COLOR: BROWN

NOTES:

| SIGNATURE & DATE |                   |
|------------------|-------------------|
| DR               | D. MEYER 11/15/01 |
| CHK              | R. Rood 12/17/01  |
| PE               | D. Meyer 12/13/01 |
| APPD             | R. Rood 12-17-01  |
| SCALE            | NONE WT _____     |

PLUG W/END CAP  
12 CONTACTS, SIZE 20  
A,B,C,D KEYS  
-E003 MOD  
DTM SERIES

ENVELOPE

| CP   | MATL. CODE              |
|--|-------------------------|
| <b>The Deutch Company</b><br>DEUTSCH I.P.D.<br>3850 INDUSTRIAL AVE.<br>HEMET, CALIF. 92545 |                         |
| <b>B</b> DTM06-12S*-E003   |                         |
| DWG SIZE   | CODE 11139 SHEET 2 OF 2 |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[DTM06-12SA-E003](#)