EA-21843-058


SHT I.I

NOTE:

I. INCREASED PRESSURE AT THE SOUND INLET CAUSES A POSITIVE GOING VOLTAGE TO APPEAR AT THE OUTPUT TERMINAL, RELATIVE TO THE NEGATIVE TERMINAL.

2 |

LOCATED FROM TWO SURFACES FOR CUSTOMER CONVENIENCE. ONLY APPLICABLE FROM ONE SURFACE, NOT TO BE USED TOGETHER. HORIZONTAL LOCATION FOR TERMINAL CENTERED TO ± 0 , 17 [.007].



0,48 [.019]

MINIMUM STRAIGHT

 $3,99\pm0,02$

 $-5,56\pm0,02$

 $[.219\pm.001]$

 $[.157\pm.001]$

0,64 [.025] MAXIMUM SOLDER BUILDUP

NOMINAL WEIGHT .13 GRAM

 $|.4|\pm0.04$

 1.60 ± 0.05

 $[.063 \pm .002]$

 $[.0555\pm.0015]$

OUTER DIAMETER


I,97±0,05


 $[.078 \pm .002]$

DIMENSIONS IN MILLIMETERS [INCHES]

KNOWLES ELECTRONICS ITASCA, ILLINOIS U.S.A.

Revision	C.O. #	Implementation Dat	e RELEASE LEVEL	RELEASE LEVEL		
A	M10101332	12-13-06	Release	A		
SCALE:		2:1		DR. BY	DATE	
DO NOT SCALE DRAWING					12-13-06 DATE	
TITLE:	MIC	ROPHONE	EA-21843-058	GJP APP. BY	1 - 3 - 0 7	
	OUTL	INE DRAWING	SHT I.I	G J P	- 3 - 0 7	





NOTES:

- I. CASE CONNECTED TO NEGATIVE TERMINAL.
- 2. MICROPHONE TO BE FUNCTIONAL WITH 10 VDC SUPPLY.
- 3. CONFORMS TO REQUIREMENTS SHOWN ON 'ELECTRET MICROPHONE ENVIRONMENTAL QUALIFICATION TEST, SHEET 2.2'.

PORT LOCATION		DC	AMPLIFIER	SENSITIVITY CHANGE ON REDUCING SUPPLY	"A" WEIGHTED NOISE	OUTPUT	IMPEDANCE OHMS		CAPACITANCE ±50%	
	SUPPLY	CURRENT DRAIN	TO 0.9VDC	(I kHz EQUIV. SPL)	MIN.	NOM.	MAX.	I - 2	1 - 3	
	3\$	1.3V	50 uA MAX.	3 dB MAX.	28.5 dB MAX.	2000	3500	6000	N A	NA

1/6 1 1 2 1 0 11	C.O. #	Tiliprelile il Lattoli Date	MELLAGE ELVEL	I/L V I 3 I O IV
			Released	ΙΔ
Α	M10101332	12-13-06		
WHEN TEST I	I IMITS ARE IIS	SED TO ESTABLISH INCOMING	INSPECTION ACCEPTANCE/DEJECTION DR. F	Y DATE

KNOWLES ELECTRONICS ITASCA, ILLINOIS U.S.A.

WHEN TEST LIMITS ARE USED TO ESTABLISH INCOMING INSPECTION ACCEPTANCE/REJECTION OR BY CRITERIA, CORRELATION OF TEST EQUIPMENT WITH KNOWLES IS ALSO REQUIRED FOR LSY

CK. BY

TITLE: MICROPHONE EA-21843-058

GJP

PERFORMANCE SPECIFICATION

	LOI	12-13-00	
	CK. BY	DATE	
21843-058	GJP	1 - 3 - 07	
21040 000	APP. BY	DATE	
SHT 2.1	GJP	1 - 3 - 07	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Knowles:

EA-21843-058