

Eclipse® Hardware Connector Housing, stubbed

2U, 48 port, 31 m (100 ft), SC Duplex Conn, SC-UPC, SM, ALTOS® Riser Cable, top right access, single cable stub

CORNING

Corning Cable Systems Preconnectorized (“stubbed”) Optical Hardware is equipped with factory-terminated and tested cable assemblies pre-installed in a variety of hardware products. “Stubbed” hardware is terminated in the factory according to the requirements of the Corning Cable Systems Quality Standards. This ensures connector performance and quality, therefore eliminating the time-consuming and costly process of terminating cables in the field. It also reduces the amount of part numbers needed for installation and minimizes the line items on an order.

Features and Benefits

Quality tested

Superior performance

Factory-quality termination

Reduces time and cost

Variety of connector and cable types

Various installation options



Standards

Approval and Listings RDUP (RUS) Listed

Specifications

General Specifications	
Application	Central Office, Carrier Networks, CATV environments
Mounting Type	Rack 19-in, Rack 23-in
Product Type	Rack-Mountable Hardware
Cable Type Stubbed	ALTOS® Riser
Fiber Category	Single-mode (OS2)

Eclipse® Hardware Connector Housing, stubbed

2U, 48 port, 31 m (100 ft), SC Duplex Conn, SC-UPC, SM, ALTOS® Riser Cable, top right access, single cable stub



Design - Hardware

Housing Color	Black
Housing Type	Eclipse Hardware
Cable Entry Direction	Top-right
Connectorization Configuration	Standard product (no dual-end connectorization)
Connector Polish	UPC
Fiber Count	48
Height Unit	2U
Panel or Module Type	Eclipse Hardware

Mechanical Characteristics

Cable Length	31 ft (100 m)
Dimensions (HxWxD)	8.9 cm x 43.9 cm x 30.2 cm (3.5 in x 17.3 in x 11.9 in)
Number of Cables	1

Design Adapter

Adapter Type	SC duplex
--------------	-----------

Ordering Information

Part Number	EC248311259-W7001B
Product Description	Eclipse® Hardware Connector Housing, stubbed 2U, 48 port, 31 m (100 ft), SC Duplex Conn, SC-UPC, SM, ALTOS® Riser Cable, top right access, single cable stub

Shipping Information

Units per Delivery	1/1
--------------------	-----

Eclipse® Hardware Connector Housing, stubbed

2U, 48 port, 31 m (100 ft), SC Duplex Conn, SC-UPC, SM, ALTOS®
Riser Cable, top right access, single cable stub

The CORNING logo is a blue square with the word "CORNING" in white, uppercase, sans-serif font centered inside.

Notes

Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA

800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/cablesystems

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/trademarks.

Corning Cable Systems is ISO 9001 certified. © 2013 Corning Cable Systems. All rights reserved.