

**Product number FA10311_SSS-RS**

Family	Rose	FWHM	9 degrees
Type	Assembly	Efficiency	86 %
LED	P4	cd/lm	21.100
Color	Black	Gerber File	Available
Diameter	21.6 + 21.6 mm		
Height	14.3 mm		
Style	Square		
Optic Material	PC		
Holder Material	-		
Fastening	["tape"]		
Status	Production ready		

**Product number FA10330_SSS-SS**

Family	Rose	FWHM	14 degrees
Type	Assembly	Efficiency	-
LED	P4	cd/lm	11.100
Color	Black	Gerber File	Available
Diameter	21.6 + 21.6 mm		
Height	14.3 mm		
Style	Square		
Optic Material	PC		
Holder Material	-		
Fastening	["tape"]		
Status	Production ready		

**Product number FA11149_SSS-O-90**

Family	Rose	FWHM	14+46 degrees
Type	Assembly	Efficiency	-
LED	P4	cd/lm	-
Color	Black	Gerber File	Available
Diameter	21.6 + 21.6 mm		
Height	14.3 mm		
Style	Square		
Optic Material	PC		
Holder Material	-		
Fastening	["tape"]		
Status	Production ready		

**Product number FA10312_SSS-D**

Family	Rose	FWHM	16 degrees
Type	Assembly	Efficiency	84 %
LED	P4	cd/lm	7.800
Color	Black	Gerber File	Available
Diameter	21.6 + 21.6 mm		
Height	14.3 mm		
Style	Square		
Optic Material	PC		
Holder Material	-		
Fastening	["tape"]		
Status	Production ready		

**Product number FA10313_SSS-M**

Family	Rose	FWHM	29 degrees
Type	Assembly	Efficiency	83 %
LED	P4	cd/lm	3.130
Color	Black	Gerber File	Available
Diameter	21.6 + 21.6 mm		
Height	14.3 mm		
Style	Square		
Optic Material	PC		
Holder Material	-		
Fastening	["tape"]		
Status	Production ready		

Product number FA10314_SSS-O

Family	Rose	FWHM	45+16 degrees
Type	Assembly	Efficiency	78 %
LED	P4	cd/lm	3.130
Color	Black	Gerber File	Available
Diameter	21.6 + 21.6 mm		
Height	14.3 mm		
Style	Square		
Optic Material	PC		
Holder Material	-		
Fastening	["tape"]		
Status	Production ready		

Product number FA10539_SSS-W

Family	Rose	FWHM	49 degrees
Type	Assembly	Efficiency	76 %
LED	P4	cd/lm	1.260
Color	Black	Gerber File	Available
Diameter	21.6 + 21.6 mm		
Height	14.3 mm		
Style	Square		
Optic Material	PC		
Holder Material	-		
Fastening	["tape"]		
Status	Production ready		

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.

GENERAL INFORMATION

- Product series especially designed & optimized for P4 series of LEDs.
- Special care taken to make light distribution as uniform as possible.
- Lens material optical grade PC with high UV and temperature resistance (120 degrees of Celcius / 248 degrees of Fahrenheit). Allows use of high current and temperature conditions.

Please find more information about used materials from below:

http://ledil.fi/sites/default/files/Documents/Technical/Material/PC%20Makrolon%202400_2407_2456_2458-UL.pdf

D


C

B

A


4

4




3

3



2

2



Materials:
 Lens PC
 Holder PC
 Tape PU Foam with PSA

This drawing is our property.
 It can't be reproduced
 or communicated without
 our written agreement.



L
T
F
F

e
e
i
i
N
n

d

h

DRAWING TITLE

Datasheet SSS-series assy

1

1

DRAWN BY

R

M

DATE

02.10.2007

CHECKED BY

H

DATE

02.10.2007

DESIGNED BY

HH

DATE

02.10.2007

SIZE

A4

DRAWING NUMBER

SCALE

2:1

WEIGHT (g)

4.5

SHEET


1/1

D

A


Ledil Oy FA10330_SSS-SS FA10330_SSS-SS / LDC (Linear)

Luminaire: Ledil Oy FA10330_SSS-SS FA10330_SSS-SS
Lamps: 1 x SEOUL P4




Ledil Oy FA10312_SSS-D FA10312_SSS-D / LDC (Linear)

Luminaire: Ledil Oy FA10312_SSS-D FA10312_SSS-D
Lamps: 1 x SEOUL P4 (white)




Ledil Oy FA10313_SSS-M FA10313_SSS-M / LDC (Linear)

Luminaire: Ledil Oy FA10313_SSS-M FA10313_SSS-M
Lamps: 1 x SEOUL P4 (white)




Ledil Oy FA10314_SSS-O FA10314_SSS-O / LDC (Linear)

Luminaire: Ledil Oy FA10314_SSS-O FA10314_SSS-O
Lamps: 1 x SEOUL P4 (white)



Ledil Oy FA10539_SSS-W FA10539_SSS-W / LDC (Linear)


Luminaire: Ledil Oy FA10539_SSS-W FA10539_SSS-W
Lamps: 1 x SEOUL P4 (white)



Ledil Oy FA10330_SSS-SS FA10330_SSS-SS / LDC (Polar)

Luminaire: Ledil Oy FA10330_SSS-SS FA10330_SSS-SS

Lamps: 1 x SEOUL P4



cd/klm


— C0 - C180

— C90 - C270

SIMULATED

Ledil Oy FA10312_SSS-D FA10312_SSS-D / LDC (Polar)

Luminaire: Ledil Oy FA10312_SSS-D FA10312_SSS-D
Lamps: 1 x SEOUL P4 (white)




cd/klm

— C0 - C180 — C90 - C270

SIMULATED

Ledil Oy FA10313_SSS-M FA10313_SSS-M / LDC (Polar)

Luminaire: Ledil Oy FA10313_SSS-M FA10313_SSS-M
Lamps: 1 x SEOUL P4 (white)



cd/klm


— C0 - C180

— C90 - C270

SIMULATED

Ledil Oy FA10314_SSS-O FA10314_SSS-O / LDC (Polar)

Luminaire: Ledil Oy FA10314_SSS-O FA10314_SSS-O
Lamps: 1 x SEOUL P4 (white)



cd/klm


— C0 - C180 — C90 - C270

SIMULATED

Ledil Oy FA10539_SSS-W FA10539_SSS-W / LDC (Polar)

Luminaire: Ledil Oy FA10539_SSS-W FA10539_SSS-W

Lamps: 1 x SEOUL P4 (white)



cd/klm

— C0 - C180

— C90 - C270

SIMULATED

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Ledi:](#)

[FA10539_SSS-W](#)