

IRIS LENS FOR NICHIA 119/219 SERIES OF LEDs



APPLICATIONS:
TORCH LIGHTS
DOWNLIGHTS
SPOTLIGHTS



- Lens material optical grade PMMA with high UV and temperature resistance (105°C/220°F).
- Holder material PC. Allows use of high current and temperature conditions.
- Very high optical efficiency 92%
- Tape version comes with double sided adhesive tape
- Please check fastening details from this link:
http://www.ledil.com/datasheets/DataSheet_TAPE.pdf
- Screw version can be screwed from the bottom of the PCB
- Positioning pins to ensure right positioning.
- Medium and Oval sub lenses available

LENS TYPES

NAME	ORDERING CODE	FWHM Angle
Iris-N119 Screw	CA11358_Iris-N119-screw	To be measured shortly
Iris-N119 Tape	CA11362_Iris-N119-tape	To be measured shortly

NAME	ORDERING CODE	FWHM Angle
Iris-N219 Screw	CA11358_Iris-N219-screw	To be measured shortly
Iris-N219 Tape	CA11362_Iris-N219-tape	To be measured shortly

NOTE: DELIVERED UNASSEMBLED

MEASUREMENTS



COMING SOON


© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
Tehdaskatu 13
FIN-24100 SALO, Finland

www.ledil.com
email: ledil@ledil.com
FAX: +358-2-733 8001

2011-01-25

DRAWINGS



© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Ledil:

[FCX11362_IRIS](#) [CA11358_Iris-N119-screw](#) [CA11362_Iris-N119-tape](#)