



PANDUIT PART NUMBER	TYPE	FOR USE WITH
FLCDS900BUY	SINGLEMODE	9/125 μ m FIBER
FLCDM900BLY	MULTIMODE	50/125 μ m FIBER
FLCDM900E1Y	MULTIMODE	62.5/125 μ m FIBER

NOTES:

1. SEE CATALOG FOR ADDITIONAL PART NUMBER SUFFIXES TO INDICATE COLOR AND/OR PACKAGE QUANTITY.
2. ACCEPTS 9/125 μ m SINGLEMODE, 50/125 μ m MULTIMODE OR 62.5/125 μ m MULTIMODE, 900 μ m BUFFERED GLASS OPTICAL FIBER.
3. FULLY COMPLIES WITH THE FIBER OPTIC CONNECTOR PERFORMANCE REQUIREMENTS AS SPECIFIED BY TIA/EIA-568-B.3.
4. MATERIAL:
BODY/HARDWARE: PLASTIC
BOOT: THERMOPLASTIC RUBBER
FERRULE: ZIRCONIA CERAMIC
5. DIMENSIONS IN BRACKETS ARE METRIC [mm].
6. WEIGHT PER 10 PIECES: .069 lb [31.3g]



FIBER OPTIC SINGLEMODE/MULTIMODE
DUPLEX LC CONNECTOR WITH 900 μ m BOOT
CUSTOMER DRAWING



PANDUIT™
CORP.
TINLEY PARK, ILL 60477

ALL DIMENSIONS ARE GIVEN IN INCHES
UNLESS OTHERWISE SPECIFIED.

DIMENSIONAL TOLERANCES ARE:
(.01) ±.010 (.03)
(.02) ±.03 (.08) ANGLES

DRAWING FILENAME
M01371AA_DC-Y_900/07A

SCALE
NONE

DRAWN BY
MC

DATE
03-07-07

REVIEW DRAWING NUMBERS

PART NO.
FLCDS900BUY

FLCDM900BLY/FLCDM900E1Y

DRAWING NO.
01371-46

SIZE
A

1 04-15-10 MC RELEASED TO PRODUCTION

REV DATE BY CHK

DESCRIPTION ECN - R CUST SUP OTH CHK'D PJI