

DETAILS

Product Number	FN15379_STELLA-VSM
Family	STELLA
Type	Pack
Color	clear
Diameter	90 mm
Height	20,7 mm
Style	round
Optic Material	Silicone
Holder Material	
Fastening	
Status	production ready
ROHS Compliant	Yes
Date Updated	2/02/2017




OPTICAL PROPERTIES


LED	Viewing	Light	Effi-	cd/lm	Connector
	Angle	Beam	ciency		
VERO18	Asymmetric deg	Wide-Area...	94 %	0.400	-
Vero SE 29	Asymmetric deg	Wide-Area...	94 %	0.260	-
Vero SE 13	Asymmetric deg	Wide-Area...	90 %	0.620	-
Vero SE 18	Asymmetric deg	Wide-Area...	94 %	0.370	-
V10 Gen7	sim: Asymmetric	Wide-Area...	sim: 93 %	sim: 0.510	Bender Wirth: 434 Typ Z1
V22 Gen7	sim: asym	Wide-Area...	sim: 94 %	sim: 0.329	Bender Wirth: 431 Typ Z1
V18 Gen7	sim: Asymmetric	Wide-Area...	sim: 93 %	sim: 0.350	-
V13 Gen7	sim: Asymmetric	Wide-Area...	sim: 97 %	sim: 0.380	Bender Wirth: 433 Typ Z1
V13 Gen7	sim: Asymmetric	Wide-Area...	sim: 98 %	sim: 0.400	-
CLL04x/CLU04x	sim: Asym	Wide-Area...	sim: 93 %	sim: 0.320	-
CLL05x/CLU05x	Asymmetric deg	Wide-Area...	94 %	0.260	-
CLL04x/CLU04x	sim: Asym	Wide-Area...	sim: 94 %	sim: 0.330	Bender Wirth: 431 Typ Z1
CXA/B 30xx	sim: Asymmetric	Wide-Area...	sim: 94 %	sim: 0.300	Bender Wirth: 447 Typ Z1
CXA/B 25xx	sim: Asym	Wide-Area...	sim: 94 %	sim: 0.350	-
LUXEON CoB 1208	Asymmetric deg	Wide-Area...	94 %	0.540	-
LUXEON CoB 1216	sim: Asym	Wide-Area...	sim: 92 %	sim: 0.270	-
CXM-22	sim: Asym	Wide-Area...	sim: 94 %	sim: 0.300	Bender Wirth: 431 Typ Z1

H G F E D C B A


NOTE: Maximum recommended tightening
torgue for STELLA-FRAME is 0,4Nm




Bottom view




Top view




Isometric view




Detail B



Front view



Section view A-A



Detail C


INDEX	PART NO	DESCRIPTION	MATERIAL	COLOUR
1	F15175	STELLA-VSM	Optical grade LSR	
2	F13322	STELLA-FRAME	PA66GF30	black

Tolerances if not otherwise shown
According to DIN ISO 2768-1
Linear measures:
Up to 30mm class M, otherwise class C.
According to DIN ISO 2768-2
Form and position: class L

LEDiL

Ledil Oy
Salorankatu 10
FIN 24240 SALO
Finland

THIRD ANGLE PROJECTION:



This drawing is the property
of LEDiL Oy. It may not be
reproduced, copied or
communicated without a written
agreement with LEDiL Oy.


DRAWING TITLE
FN15379_STELLA-VSM

SIZE	PART NUMBER
A3	FN15379


SCALE	1:1	WEIGHT	58,3 g	SHEET	1/1
-------	-----	--------	--------	-------	-----

H G F E D C B A

Luminaire: Ledil FN15379_STELLA-VSM_(VERO18)
Lamps: 1 x Bridgelux_Vero18_(BXRE-30E4000-F-23)_1040.57lm@250mA_P=6.7955W_I=0.250A




Luminaire: Ledil FN15379_STELLA-VSM_(Vero29_SE_Gen7)
Lamps: 1 x Vero29_SE_Gen7_1759.38lm@250mA_P=8.58975_I=0.25A





Luminaire: LEDiL Oy FN14976_STELLA-DWC2_(Vero_13_SE)

Lamps: 1 x Bridgelux_Vero_13_SE_(BXR-30E2000-C-73-SE)_1028.9lm@250mA_CCT=3000K_P=8.23391W_I=0.25A




Luminaire: LEDiL Oy FN15379_STELLA-VSM_(VERO18_SE)
Lamps: 1 x Bridgelux_VERO18_SE_(BXRC-30E4000-C-73-SE)
_1335.46lm@250mA_P=7.9961W_I=0.25A







Luminaire: Ledil Oy FN15379_STELLA-VSM_Bridgelux_V22_Gen7_SIMULATED FN15379_STELLA-VSM_Bridgelux_V22_Gen7_SIMULATED
Lamps: 1 x FN15379_STELLA-VSM_Bridgelux_V22_Gen7_SIMULATED




Luminaire: Ledil Oy FN15379_STELLA-VSM_BRIDGELUX_V18_Gen7_SIMULATED
Lamps: 1 x BRIDGELUX V18 Gen7




Luminaire: Ledil Oy FN15379_STELLA-VSM_simulated_CLU044
Lamps: 1 x Citizen CLU044




Luminaire: Ledil FN15379_STELLA-VSM_(CLU054)
Lamps: 1 x Citizen_CLU054_(CLU054-1825B8-503MIA2)_1939.14lm@250mA_P=11.752W_I=0.25A




Luminaire: Ledil Oy FN15379_STELLA-VSM_(CLU048)_(B&W_431_Type_Z1)_SIMULATED
Lamps: 1 x Citizen CLU048 + Bender & Wirth 431 Type Z1




Luminaire: Ledil Oy FN15379_STELLA-VSM+_Bender+Wirth 447 Typ Z1_CREE_CXB3070_SIMULATED
Lamps: 1 x CREE CXB3070




Luminaire: Ledil Oy FN15379_STELLA-VSM_(CXB2540)_SIMULATED
Lamps: 1 x Cree CXB 2540




Luminaire: Ledil FN15379_STELLA-VSM_(Luxeon_1208)
Lamps: 1 x Lumileds_Luxeon_1208_(LHC1-3080-1208)_1076.07lm250mA_P=8.2273W_I=0.250A



Luminaire: Ledil Oy FN15379_STELLA-VSM_(Luxeon_CoB_1216)_(431_Typ_Z1)_SIMULATED
Lamps: 1 x Lumileds Luxeon CoB 1216 + Bender & Wirth 431 Type Z1




Luminaire: Ledil Oy FN15379_STELLA-VSM_(CXM-22)_(B&W_431_Type_Z1)_SIMULATED
Lamps: 1 x Luminus CXM-22 + Bender & Wirth 431 Type Z1



Luminaire: Ledil FN15379_STELLA-VSM_(VERO18)

Lamps: 1 x Bridgelux_Vero18_(BXRE-30E4000-F-23)_1040.57lm@250mA_P=6.7955W_I=0.250A




cd/klm

— C0 - C180


— C90 - C270

$\eta = 96\%$


Luminaire: Ledil FN15379_STELLA-VSM_(Vero29_SE_Gen7)
Lamps: 1 x Vero29_SE_Gen7_1759.38lm@250mA_P=8.58975_I=0.25A




Luminaire: LEDiL Oy FN14976_STELLA-DWC2_(Vero_13_SE)
Lamps: 1 x Bridgelux_Vero_13_SE_(BXRC-30E2000-C-73-SE)_1028.9lm@250mA_CCT=3000K_P=8.23391W_η=0.25A




Luminaire: LEDiL Oy FN15379_STELLA-VSM_(VERO18_SE)
Lamps: 1 x Bridgelux_VERO18_SE_(BXRC-30E4000-C-73-SE)
_1335.46lm@250mA_P=7.9961W_I=0.25A




Luminaire: Ledil Oy FN15379_STELLA-VSM+_Bender&Wirth - LED holder 434 Typ Z1_BRIDGELUX_V10_Gen7_SIMULATED
Lamps: 1 x BRIDGELUX V10 Gen7




Luminaire: Ledil Oy FN15379_STELLA-VSM_Bridgelux_V22_Gen7_SIMULATED FN15379_STELLA-VSM_Bridgelux_V22_Gen7_SIMULATED
Lamps: 1 x FN15379_STELLA-VSM_Bridgelux_V22_Gen7_SIMULATED



Luminaire: Ledil Oy FN15379_STELLA-VSM_BRIDGELUX_V18_Gen7_SIMULATED
Lamps: 1 x BRIDGELUX V18 Gen7




Luminaire: Ledil Oy FN15379_STELLA-VSM_simulated_CLU044
Lamps: 1 x Citizen CLU044



Luminaire: Ledil FN15379_STELLA-VSM_(CLU054)

Lamps: 1 x Citizen_CLU054_(CLU054-1825B8-503MIA2)_1939.14lm@250mA_P=11.752W_I=0.25A




cd/klm

— C0 - C180


— C90 - C270

$\eta = 95\%$


Luminaire: Ledil Oy FN15379_STELLA-VSM_(CLU048)_(B&W_431_Type_Z1)_SIMULATED
Lamps: 1 x Citizen CLU048 + Bender & Wirth 431 Type Z1




Luminaire: Ledil Oy FN15379_STELLA-VSM+_Bender+Wirth 447 Typ Z1_CREE_CXB3070_SIMULATED
Lamps: 1 x CREE CXB3070




Luminaire: Ledil Oy FN15379_STELLA-VSM_(CXB2540)_SIMULATED
Lamps: 1 x Cree CXB 2540




Luminaire: Ledil FN15379_STELLA-VSM_(Luxeon_1208)
Lamps: 1 x Lumileds_Luxeon_1208_(LHC1-3080-1208)_1076.07lm250mA_P=8.2273W_I=0.250A



Luminaire: Ledil Oy FN15379_STELLA-VSM_(Luxeon_CoB_1216)_(431_Typ_Z1)_SIMULATED
Lamps: 1 x Lumileds Luxeon CoB 1216 + Bender & Wirth 431 Type Z1



Luminaire: Ledil Oy FN15379_STELLA-VSM_(CXM-22)_(B&W_431_Type_Z1)_SIMULATED
Lamps: 1 x Luminus CXM-22 + Bender & Wirth 431 Type Z1



NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.

GENERAL INFORMATION

- Product series especially designed & optimized for series of LEDs.
- Special care taken to make light distribution as uniform as possible.

Note! Due to use of high power COB's with this product, special attention to proper thermal design is highly recommended. LEDiL has no liability for direct, indirect or consecutive damages arising from the LEDiL products being used outside of the recommended temperature range.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Ledil:

[FN15379_STELLA-VSM](#)