

# Facility Identification Tapes

The facility identification tape offering from Panduit has been expanded to include heavy duty floor tape. Constructed of durable multi-layer polyester, this tape is ideal for visual identification in high traffic, rugged facility environments. The complete facility identification tape offering can be used to visually identify a facility's aisles, safety hazards, walkways, and storage areas to effectively inform employees or visitors of critical facility information at a glance. These tapes are available in a variety of materials for general purpose use, heavy duty, and specialty applications; in solid colors or stripes with the option to easily create customized legends using the Panduit thermal transfer printer.



Key Features	Benefits
<b>Durable multi-layer polyester construction</b>	Delivers reliable visual identification of floors in rugged environments
<b>Super-tack adhesive</b>	Keeps floor tape accurately positioned in high traffic areas
<b>Printable floor tapes can be used in Panduit thermal transfer printers</b>	Provides easy on-demand customized printing on tape, reducing costs and time associated with having tape custom printed
<b>Overlaminate covering</b>	Provides protection of printed information on printable floor tapes

## Heavy Duty Floor Tape



Solid Color Floor Tape

Part Number	Part Description	Width		Length		Std. Pkg. Qty.
		In.	mm	Ft.	M	
<b>Heavy Duty Floor Tape — Solid</b>						
FT2-BLK	Floor tape, polyester, Black.	2.00	50.8	100.0	30.5	1
FT3-BLK	Floor tape, polyester, Black.	3.00	76.2	100.0	30.5	1
FT4-BLK	Floor tape, polyester, Black.	4.00	101.6	100.0	30.5	1
FT2-BLU	Floor tape, polyester, Blue.	2.00	50.8	100.0	30.5	1
FT3-BLU	Floor tape, polyester, Blue.	3.00	76.2	100.0	30.5	1
FT4-BLU	Floor tape, polyester, Blue.	4.00	101.6	100.0	30.5	1
FT2-GRN	Floor tape, polyester, Green.	2.00	50.8	100.0	30.5	1
FT3-GRN	Floor tape, polyester, Green.	3.00	76.2	100.0	30.5	1
FT4-GRN	Floor tape, polyester, Green.	4.00	101.6	100.0	30.5	1
FT2-ORN	Floor tape, polyester, Orange.	2.00	50.8	100.0	30.5	1
FT3-ORN	Floor tape, polyester, Orange.	3.00	76.2	100.0	30.5	1
FT4-ORN	Floor tape, polyester, Orange.	4.00	101.6	100.0	30.5	1
FT2-RED	Floor tape, polyester, Red.	2.00	50.8	100.0	30.5	1
FT3-RED	Floor tape, polyester, Red.	3.00	76.2	100.0	30.5	1
FT4-RED	Floor tape, polyester, Red.	4.00	101.6	100.0	30.5	1
FT2-YEL	Floor tape, polyester, Yellow.	2.00	50.8	100.0	30.5	1
FT3-YEL	Floor tape, polyester, Yellow.	3.00	76.2	100.0	30.5	1
FT4-YEL	Floor tape, polyester, Yellow.	4.00	101.6	100.0	30.5	1
FT2-WHT	Floor tape, polyester, White.	2.00	50.8	100.0	30.5	1
FT3-WHT	Floor tape, polyester, White.	3.00	76.2	100.0	30.5	1
FT4-WHT	Floor tape, polyester, White.	4.00	101.6	100.0	30.5	1

Tape rolls mounted on 3.00" cores.

# Facility Identification Tapes

## Heavy Duty Floor Tapes (continued)



Striped Floor Tape



Printable Floor Tape

Part Number	Part Description	Width		Length		Std. Pkg. Qty.
		In.	mm	Ft.	M	
<b>Heavy Duty Floor Tape — Striped</b>						
<b>FT2S-BLK-WHT</b>	Floor tape, polyester, black/white striped.	2.00	50.8	100.0	30.5	1
<b>FT3S-BLK-WHT</b>	Floor tape, polyester, black/white striped.	3.00	76.2	100.0	30.5	1
<b>FT4S-BLK-WHT</b>	Floor tape, polyester, black/white striped.	4.00	101.6	100.0	30.5	1
<b>FT2S-BLK-YEL</b>	Floor tape, polyester, black/yellow striped.	2.00	50.8	100.0	30.5	1
<b>FT3S-BLK-YEL</b>	Floor tape, polyester, black/yellow striped.	3.00	76.2	100.0	30.5	1
<b>FT4S-BLK-YEL</b>	Floor tape, polyester, black/yellow striped.	4.00	101.6	100.0	30.5	1
<b>FT2S-RED-WHT</b>	Floor tape, polyester, red/white striped.	2.00	50.8	100.0	30.5	1
<b>FT3S-RED-WHT</b>	Floor tape, polyester, red/white striped.	3.00	76.2	100.0	30.5	1
<b>FT4S-RED-WHT</b>	Floor tape, polyester, red/white striped.	4.00	101.6	100.0	30.5	1
<b>Heavy Duty Floor Tape — Printable</b>						
<b>FT2P-BLK</b>	Floor tape, thermal transfer printable polyester, Black, with clear polyester over laminate.	2.00	50.8	100.0	30.5	1
<b>FT2P-BLU</b>	Floor tape, thermal transfer printable polyester, Blue, with clear polyester over laminate.	2.00	50.8	100.0	30.5	1
<b>FT2P-GRN</b>	Floor tape, thermal transfer printable polyester, Green, with clear polyester over laminate.	2.00	50.8	100.0	30.5	1
<b>FT2P-ORN</b>	Floor tape, thermal transfer printable polyester, Orange, with clear polyester over laminate.	2.00	50.8	100.0	30.5	1
<b>FT2P-RED</b>	Floor tape, thermal transfer printable polyester, Red, with clear polyester over laminate.	2.00	50.8	100.0	30.5	1
<b>FT2P-WHT</b>	Floor tape, thermal transfer printable polyester, White, with clear polyester over laminate.	2.00	50.8	100.0	30.5	1
<b>FT2P-YEL</b>	Floor tape, thermal transfer printable polyester, Yellow, with clear polyester over laminate.	2.00	50.8	100.0	30.5	1
<b>FT4P-BLK</b>	Floor tape, thermal transfer printable polyester, Black, with clear polyester over laminate.	4.00	101.6	100.0	30.5	1
<b>FT4P-BLU</b>	Floor tape, thermal transfer printable polyester, Blue, with clear polyester over laminate.	4.00	101.6	100.0	30.5	1
<b>FT4P-GRN</b>	Floor tape, thermal transfer printable polyester, Green, with clear polyester over laminate.	4.00	101.6	100.0	30.5	1
<b>FT4P-ORN</b>	Floor tape, thermal transfer printable polyester, Orange, with clear polyester over laminate.	4.00	101.6	100.0	30.5	1
<b>FT4P-RED</b>	Floor tape, thermal transfer printable polyester, Red, with clear polyester over laminate.	4.00	101.6	100.0	30.5	1
<b>FT4P-WHT</b>	Floor tape, thermal transfer printable polyester, White, with clear polyester over laminate.	4.00	101.6	100.0	30.5	1
<b>FT4P-YEL</b>	Floor tape, thermal transfer printable polyester, Yellow, with clear polyester over laminate.	4.00	101.6	100.0	30.5	1

Tape rolls mounted on 3.00" cores.

## Warning and Hazard Adhesive Backed Tape

- Self-adhesive solid and striped warning/hazard tape
- Color-coded for quick identification
- Installs faster and lasts longer than paint
- Durable vinyl continuous tape for indoor use



Warning Tape



Hazard Tape

Part Number	Part Description	Width		Length		Std. Pkg. Qty.
		In.	mm	Ft.	M	
<b>HT2-BLU</b>	Blue adhesive warning tape.	2.00	50.8	180.0	55.0	1
<b>HT2-GRN</b>	Green adhesive warning tape.	2.00	50.8	180.0	55.0	1
<b>HT2-ORN</b>	Orange adhesive warning tape.	2.00	50.8	180.0	55.0	1
<b>HT2-RED</b>	Red adhesive warning tape.	2.00	50.8	180.0	55.0	1
<b>HT2-YEL</b>	Yellow adhesive warning tape.	2.00	50.8	180.0	55.0	1
<b>HT2-WHT</b>	White adhesive warning tape.	2.00	50.8	180.0	55.0	1
<b>HT2S-BLK-YEL</b>	Black/yellow striped hazard tape.	2.00	50.8	54.0	16.5	1
<b>HT2S-RED-WHT</b>	Red/white striped hazard tape.	2.00	50.8	54.0	16.5	1
<b>HT3S-BLK-YEL</b>	Black/yellow striped hazard tape.	3.00	76.2	54.0	16.5	1
<b>HT3S-RED-WHT</b>	Red/white striped hazard tape.	3.00	76.2	54.0	16.5	1

## Photoluminescent Tapes – Thermal Transfer Printable



Normal Lighting



Blackout

- Used to mark egress routes, fire alarms, and fire equipment that is clearly visible for up to ten hours after power is lost
- Absorb energy from ambient light and releases this energy in the form of a glow when power is lost
- Can be used in Panduit thermal transfer desktop printers to create direction arrow tape, striped tape, or safety signs on demand

- Panduit photoluminescent tapes meet or exceed the following safety standard specification for photoluminescent safety markings including: ASTM E 2072-00, ASTM E 2073-00, ASTM E 2030-99, DIN67510-1, IMO Resolution A.752.18, ISO/CD 15370, DIN 67510, UL924, ASTM 162, ASTM 648, ASTM 662, MIL-L-3891 B, NFPA 101 Life Safety Code, OSHA 1910.37

Part Number	Part Description	Width		Roll Length		Std. Pkg. Qty.
		In.	mm	Ft.	M	
<b>Pre-Printed</b>						
<b>PT2S-ARW</b>	Photoluminescent, polyester tape, black arrow.	2.00	50.8	30.0	9.1	1
<b>PT2S-BLK</b>	Photoluminescent, polyester tape, black stripe.	2.00	50.8	30.0	9.1	1
<b>PT2S-RED</b>	Photoluminescent, polyester tape, red stripe.	2.00	50.8	30.0	9.1	1
<b>Blank</b>						
<b>T200X000Y2T</b>	Photoluminescent, polyester tape.	2.00	50.8	15.0	4.5	1
<b>T400X000Y2T</b>	Photoluminescent, polyester tape.	4.00	101.6	15.0	4.5	1

## Thermal Transfer Continuous Tapes

- Tapes offer crisp, clear legends with superior legibility
- Available in continuous color vinyl or clear polyester and supplied on rolls

- Panduit labeling software packages include all label formats for quick and easy label production



Part Number	Part Description	Width		Roll Length		Std. Pkg. Qty.
		In.	mm	Ft.	M	
<b>T100X000VP1Y</b>	White, continuous vinyl tape.	1.00	25.4	100.0	30.5	1
<b>T100X000VQ1Y</b>	Blue, vinyl tape.	1.00	25.4	100.0	30.5	1
<b>T100X000VS1Y</b>	Green, vinyl tape.	1.00	25.4	100.0	30.5	1
<b>T100X000VU1Y</b>	Orange, vinyl tape.	1.00	25.4	100.0	30.5	1
<b>T100X000VW1Y</b>	Red, vinyl tape.	1.00	25.4	100.0	30.5	1
<b>T100X000VX1Y</b>	Yellow, vinyl tape.	1.00	25.4	100.0	30.5	1
<b>T100X000VY1Y</b>	Black, vinyl tape.	1.00	25.4	100.0	30.5	1
<b>T200X000VP1Y</b>	White, vinyl tape.	2.00	50.8	100.0	30.5	1
<b>T200X000VQ1Y</b>	Blue, vinyl tape.	2.00	50.8	100.0	30.5	1
<b>T200X000VR1Y</b>	Brown, vinyl tape.	2.00	50.8	100.0	30.5	1
<b>T200X000VS1Y</b>	Green, vinyl tape.	2.00	50.8	100.0	30.5	1
<b>T200X000VT1Y</b>	Gray, vinyl tape	2.00	50.8	100.0	30.5	1
<b>T200X000VU1Y</b>	Orange, vinyl tape.	2.00	50.8	100.0	30.5	1
<b>T200X000VV1Y</b>	Purple, vinyl tape.	2.00	50.8	100.0	30.5	1
<b>T200X000VW1Y</b>	Red, vinyl tape.	2.00	50.8	100.0	30.5	1
<b>T200X000VX1Y</b>	Yellow, vinyl tape.	2.00	50.8	100.0	30.5	1
<b>T200X000VY1Y</b>	Black, vinyl tape.	2.00	50.8	100.0	30.5	1
<b>T400X000VP1Y</b>	White, continuous vinyl tape.	4.00	101.6	100.0	30.5	1
<b>T400X000VQ1Y</b>	Blue, vinyl tape.	4.00	101.6	100.0	30.5	1
<b>T400X000VR1Y</b>	Brown, vinyl tape.	4.00	101.6	100.0	30.5	1
<b>T400X000VS1Y</b>	Green, vinyl tape.	4.00	101.6	100.0	30.5	1
<b>T400X000VT1Y</b>	Gray, vinyl tape	4.00	101.6	100.0	30.5	1
<b>T400X000VU1Y</b>	Orange, vinyl tape.	4.00	101.6	100.0	30.5	1
<b>T400X000VV1Y</b>	Purple, vinyl tape.	4.00	101.6	100.0	30.5	1
<b>T400X000VW1Y</b>	Red, vinyl tape.	4.00	101.6	100.0	30.5	1
<b>T400X000VX1Y</b>	Yellow, vinyl tape.	4.00	101.6	100.0	30.5	1
<b>T400X000VY1Y</b>	Black, vinyl tape.	4.00	101.6	100.0	30.5	1
<b>T400X000YK1</b>	Clear, polyester tape.	4.00	101.6	100.0	30.5	1

# Facility Identification Tapes

## Reflective Continuous Tapes

- Reflective sheeting tapes can be used for illuminating or highlighting a range of objects
- Increases safety during power outages or other low light conditions
- Custom legends can be printed using a Panduit TDP43ME thermal printer
- Tapes are laminated for improved print quality and durability



Part Number	Part Description	Width		Roll Length		Std. Pkg. Qty.
		In.	mm	Ft.	M	
T100X000RP1	White, reflective continuous tape.	1.00	25.4	50.0	15.2	1
T100X000RU1	Orange, reflective continuous tape.	1.00	25.4	50.0	15.2	1
T100X000RX1	Yellow, reflective continuous tape.	1.00	25.4	50.0	15.2	1
T200X000RP1	White, reflective continuous tape.	2.00	50.8	50.0	15.2	1
T200X000RU1	Orange, reflective continuous tape.	2.00	50.8	50.0	15.2	1
T200X000RX1	Yellow, reflective continuous tape.	2.00	50.8	50.0	15.2	1
T300X000RP1	White, reflective continuous tape.	3.00	76.2	50.0	15.2	1
T400X000RP1	White, reflective continuous tape.	4.00	101.6	50.0	15.2	1
T400X000RQ1	Blue, reflective continuous tape.	4.00	101.6	50.0	15.2	1
T400X000RU1	Orange, reflective continuous tape.	4.00	101.6	50.0	15.2	1
T400X000RW1	Red, reflective continuous tape.	4.00	101.6	50.0	15.2	1
T400X000RX1	Yellow, reflective continuous tape.	4.00	101.6	50.0	15.2	1

## TDP43ME Thermal Transfer Desktop Printer and Accessories

- Compatible and easy setup with Panduit software and media
- High-quality printed legends
- Durable construction
- Easy-Mark™ Labeling Software included with printer
- Up to 4 inches per second print speed



Part Number	Part Description					Std. Pkg. Qty.
		In.	mm	Ft.	M	
TDP43ME	300 dpi printer — includes printer, Panduit® Easy-Mark™ Labeling Software, RMEH4BL hybrid black ribbon, AC power adapter with US power cord, USB cable, user manual, quick start card, and driver disk.					1
TDP43ME-RS	External label roll stand.					1
PTR-CLN	Printer cleaning kit – contains bottle of cleaning solution with MSDS, cleaning pen, swabs, alcohol wipes, and cleaning instructions.					1



Part Number	Part Description	Width		Roll Length		Std. Pkg. Qty.
		In.	mm	Ft.	M	
RMER2BL*	Black resin thermal transfer ribbon, for use with TDP43ME desktop printer. Use with polyester and polyimide labels, continuous vinyl tape, marker plates, and raised panel labels	2.50	63.5	300.0	91.4	1
RMER4BL**		4.75	105.0	300.0	91.4	1

\*Ribbons are available in white; to order white resin ribbons replace the BL in the part number with WH.

\*\*Ribbons are available in white or red; to order these ribbons replace the BL in the part number with WH for white and RD for red.



## WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA  
Markham, Ontario  
cs-cdn@panduit.com  
Phone: 800.777.3300

PANDUIT EUROPE LTD.  
London, UK  
cs-emea@panduit.com  
Phone: 44.20.8601.7200

PANDUIT SINGAPORE PTE. LTD.  
Republic of Singapore  
cs-ap@panduit.com  
Phone: 65.6305.7575

PANDUIT JAPAN  
Tokyo, Japan  
cs-japan@panduit.com  
Phone: 81.3.6863.6000

PANDUIT LATIN AMERICA  
Guadalajara, Mexico  
cs-la@panduit.com  
Phone: 52.33.3777.6000

PANDUIT AUSTRALIA PTY. LTD.  
Victoria, Australia  
cs-aus@panduit.com  
Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to [www.panduit.com/warranty](http://www.panduit.com/warranty)

For more information

Visit us at [www.panduit.com](http://www.panduit.com)

Contact Customer Service by email: [cs@panduit.com](mailto:cs@panduit.com)  
or by phone: 800.777.3300

©2016 Panduit Corp.

ALL RIGHTS RESERVED.

Printed in the U.S.A.

SFCB04-WW-ENG

Replaces SA-IDCB15

2/2016

**PANDUIT®**