





DRAWING FOR REFERENCE: This is subject to change without notice  
05/31/2013



- NOTE
- 1 THIS PRODUCT IS PACKAGED IN TRAY. (49pcs/TRAY)
  - 2 BLEMISH AND HIT MARK CAN BE OCCURED THROUGH OUT THE MANUFACTURING PROCESS WHICH DOESN'T AFFECT QUALITY LEVEL. ALSO, BLACK SPOT COULD BE OBSERVED ON THE SURFACE OF HOUSING.
  - 3 EACH CONTACT NO. IS APPLIED TO ADJACENT 6 LEADS AS A LINE.
  - 4 MISALIGNMENT ABSORBING RANGE: ± 0.3mm max.
  - 5 THE DIMENSION IN PARENTHESES ARE FOR REFERENCES.
  - 6 POSSIBLE SHORT SHOT AT THE INDICATED AREA DOES NOT AFFECT THE PRODUCT QUALITY.

NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS
2	COPPER ALLOY	CONTACT AREA:GOLD-PLATING 0.1 μm LEAD AREA:TIN-PLATING 1.0 μm UNDER PLATING:NICKEL 1.0 μm	4	PHOSPHOR BRONZE	TIN-PLATING 3.0 μm UNDER PLATING:NICKEL 1.0 μm
1	POLYAMIDE	BLACK UL94V-0	3	COPPER ALLOY	CONTACT AREA:GOLD-PLATING 0.1 μm LEAD AREA:TIN-PLATING 1.0 μm UNDER PLATING:NICKEL 1.0 μm
5	POLYSTYRENE				


UNITS	SCALE	COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	2 : 1	△	APPROVED : HS. OKAWA 12.06.15 CHECKED : KI. HIROKAWA 12.06.15 DESIGNED : DK. AIMOTO 12.06.14 DRAWN : DK. AIMOTO 12.06.14			


DRAWING NO.	PART NO.	CODE NO.
EDC3-341817-00	FX30A-3S-3.81DS	CL570-2501-9-00

DRAWING FOR REFERENCE: This is subject to change without notice  
05/31/2013


RECOMMENDED HOLE PATTERN DIMENSION OF PCB(5:1)  
(CONNECTOR MOUNTING SIDE, PCB THICKNESS: t=1.6mm)



1 DRAWING FOR PACKAGING(1:2)



A(1:1)



<b>HRS</b>	DRAWING NO.	EDC3-341817-00	△ 2/2
	PART NO.	FX30A-3S-3.81DS	
	CODE NO.	CL570-2501-9-00	