



Part No.	Emitting Color + Material	$\lambda_D$ (nm)	Lens Type	Iv (mcd) @10mA *20mA		Viewing Angle 2 $\theta$ /2	Dimension
				Min.	Typ.		

							2mm Flat Top
L1394HD	GaAsP/GaP	660	red diffused	0.5	1	70°	
L1394ID	GaAsP/GaP	628	red diffused	5	8	70°	
L1394GD	GaP	568	green diffused	3	5	70°	
L1394YD	GaAsP/GaP	588	yellow diffused	1.8	5	70°	

							2mm Flat Top
L1034HD	GaP	660	red diffused	0.5	1	70°	
L1034ID	GaAsP/GaP	625	red diffused	3	8	70°	
L1034GD	GaP	568	green diffused	2	6	70°	
L1034YD	GaAsP/GaP	588	yellow diffused	2	5	70°	

							2mm Flat Top
L13HD	GaP	660	red diffused	0.5	1.5	70°	
L13ID	GaAsP/GaP	625	red diffused	5	10	70°	
L13GD	GaP	568	green diffused	3	10	70°	
L13YD	GaAsP/GaP	588	yellow diffused	3	8	70°	

							2.4mm Flat Top
L443HDT	GaP	660	red diffused	0.5	2	100°	
L443IDT	GaAsP/GaP	625	red diffused	3	10	100°	
L443EDT	GaAsP/GaP	625	orange diffused	3	10	100°	
L443GDT	GaP	565	green diffused	1	5	100°	
L443YDT	GaAsP/GaP	588	yellow diffused	1	5	100°	

**NOTES :**

1. All dimensions are in millimeters (inches)
2. Tolerance is  $\pm 0.25\text{mm}(0.01")$  unless otherwise noted.