



Soldering Tips - Weller

MS SERIES

Plato is one of the largest manufacturers of soldering tips in the world, producing tips to fit all of the most popular soldering stations. The long life and fast heat recovery of Plato soldering tips increases user effectiveness and decreases production times. All Plato soldering tips manufactured since January 2004 are tinned with Lead-Free solder.

Long Life: Using a high quality Plato soldering tip increases soldering speed and decreases the total cost of manufacture. Higher temperatures and high tin content solders, common in lead-free soldering processes, place additional strain on soldering iron tips. The long life of a Plato soldering iron tip reduces tip changes, decreasing the total number of tips used and decreasing production time.

Rapid Heat Recovery: Plato soldering tips are constructed from highly conductive premium grade copper to transmit heat to the work more quickly than other brands of soldering tips. This quick heat recovery enables more joints to be soldered per minute, thus reducing manufacturing time and costs.



Tips for Weller WSL, WD, WS and WSD stations and WSP and MPR irons

Plato is one of the largest manufacturers of soldering tips in the world, producing tips to fit all of the most popular soldering stations. The long life and fast heat recovery of Plato soldering tips increases user effectiveness and decreases production times.

- Fast heat recovering increases soldering speed
- Longer tip reduces manufacturing costs
- Fewer tip change overs



Product Packaging

MS-4140
Conical
0.8mm
10 units/case



MS-4120
Point
0.25mm
10 units/case



MS-4110
Point, long
0.25mm
10 units/case



MS-4101
Angled SMD
0.25mm
10 units/case



MS-4100
Point, micro
0.25mm
10 units/case



MS-5160
Bevel, micro
1.2mm
10 units/case



MS-3125
Angled SMD
0.4mm
10 units/case



MS-3200
Screwdriver
1.6mm
10 units/case





TECHSPRAY®

Technical Data Sheet

MS-3200LF
Screwdriver, long-life
1.6mm
10 units/case



MS-3300
Screwdriver
2.4mm
10 units/case



MS-3300LF
Screwdriver, long-life
2.4mm
10 units/case



MS-3400
Screwdriver
3.2mm
10 units/case



MS-3400LF
Screwdriver, long-life
3.2mm
10 units/case



MS-3600
Screwdriver
4.6mm
10 units/case



MS-3600LF
Screwdriver, long-life
4.6mm
10 units/case



MS-0100
SMD flow tip
2.1mm
10 units/case



MS-0100LF
SMD flow tip, long-life
2.1mm
10 units/case



MS-3110
Screwdriver
0.8mm
10 units/case



MS-3101
Angled SMD
0.6mm
10 units/case



MS-3150
Screwdriver, long
1.3mm
10 units/case



MS-3250
Screwdriver, long
2.0mm
10 units/case



MS-3450
Screwdriver, long
3.2mm
10 units/case



MS-4130
Point, long
0.5mm
10 units/case



MS-4200LF
Point, rounded
0.9mm
10 units/case



MS-5300LF
Bevel, long-life
2.4mm
10 units/case



MS-5400LF
Bevel, long-life
3.2mm
10 units/case



MS-0201LF
Knife, long-life
5.7mm
10 units/case





Technical Information

Environmental Policy

Techspray is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

Resources

Techspray products are supported by a global sales, technical and customer services resources.

For additional technical information on this product or other Techspray products in the United States, call the technical sales department at 800-858-4043, email tsales@techspray.com or visit our web site at: www.techspray.com.

North America

Techspray
P.O. Box 949
Amarillo, TX 79105
800-858-4043
Email: tsales@techspray.com

Europe

ITW Contamination Control
Saffierlaan 5
2132 VZ Hoofddorp
The Netherlands
+31 88 1307 400
Email: info@itw-cc.com

Countries Outside US

Call to locate a distributor in your country.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.

© 2013 Techspray, A Division of ITW