



Path: [Home](#) > [Rack Index](#) > Cooling Accessories



### Slotted Steel Panel

- Standard 19" rack mount
- 14 gauge steel construction
- Slots are 0.25" x 1.0"
- Powder paint finish - smooth finish to match our standard panels
- Requires mounting [hardware](#)

| Part Number                                                  | Color               |  | Drawing<br>File Size |  | .zip<br>file size | Rows<br>of Slots | Panel Height |       | Open Space<br>(Cubic In.) |
|--------------------------------------------------------------|---------------------|--|----------------------|--|-------------------|------------------|--------------|-------|---------------------------|
|                                                              |                     |  |                      |  |                   |                  | Inches       | Units |                           |
| <a href="#">PVSS19001BK2</a><br><a href="#">PVSS19001CG2</a> | Black<br>Gray/Beige |  | 13K                  |  | 12K               | 1                | 1.75         | 1     | 9.7                       |
| <a href="#">PVSS19003BK2</a><br><a href="#">PVSS19003CG2</a> | Black<br>Gray/Beige |  | 14K                  |  | 13K               | 2                | 3.50         | 2     | 19.4                      |



### Slotted Aluminum Panel

- Standard 19" rack mount
- 0.13" thick aluminum construction
- Slots are 0.25" x 1.0"
- Powder paint finish - smooth finish to match our standard panels
- Requires mounting [hardware](#)


| Part Number                                | Color               |  | Drawing<br>File Size |  | .zip<br>file size | Rows<br>of Slots | Panel Height |       | Open Space<br>(Cubic In.) |
|--------------------------------------------|---------------------|--|----------------------|--|-------------------|------------------|--------------|-------|---------------------------|
|                                            |                     |  |                      |  |                   |                  | Inches       | Units |                           |
| <b>PVSA19001BK2</b><br><b>PVSA19001CG2</b> | Black<br>Gray/Beige |  | 13K                  |  | 11K               | 1                | 1.75         | 1     | 9.7                       |
| <b>PVSA19003BK2</b><br><b>PVSA19003CG2</b> | Black<br>Gray/Beige |  | 14K                  |  | 13K               | 2                | 3.50         | 2     | 19.4                      |




## Perforated Panel

- Standard 19" rack mount
- Folded (for extra strength) - 16 ga. steel construction
- Powder paint finish - smooth finish to match our standard panels
- Requires mounting [hardware](#)

| Part Number                                | Color                   |  | Drawing<br>File Size |  | .zip<br>file<br>size | Panel Height |       |
|--------------------------------------------|-------------------------|--|----------------------|--|----------------------|--------------|-------|
|                                            |                         |  |                      |  |                      | Inches       | Units |
| <b>PPFS19001BK2</b><br><b>PPFS19001CG2</b> | Black<br>Gray/<br>Beige |  | 26K                  |  | 16K                  | 1.75         | 1     |
| <b>PPFS19003BK2</b><br><b>PPFS19003CG2</b> | Black<br>Gray/<br>Beige |  | 46K                  |  | 18K                  | 3.50         | 2     |
| <b>PPFS19005BK2</b><br><b>PPFS19005CG2</b> | Black<br>Gray/<br>Beige |  | 41K                  |  | 18K                  | 5.25         | 3     |
| <b>PPFS19007BK2</b><br><b>PPFS19007CG2</b> | Black<br>Gray/<br>Beige |  | 54K                  |  | 20K                  | 7.00         | 4     |
| <b>PPFS19008BK2</b><br><b>PPFS19008CG2</b> | Black<br>Gray/<br>Beige |  | 61K                  |  | 23K                  | 8.75         | 5     |
| <b>PPFS19010BK2</b><br><b>PPFS19010CG2</b> | Black<br>Gray/<br>Beige |  | 72K                  |  | 26K                  | 10.50        | 6     |



PART No.PPFS19007BK2



# Ventilated Panels

## LOUVERED PANELS



- Standard, 19" rack mount
- Formed 16 gauge steel construction
- Includes a 0.50" fold, top and bottom for added strength
- Designed with 3 columns of 4" wide louvers
- Smooth powder paint finish to match our standard panels
- Louvers face out
- Requires mounting hardware

| Part Number                  |                              | Panel Height |       | Rows of Louvers |
|------------------------------|------------------------------|--------------|-------|-----------------|
| Black Smooth                 | Beige Smooth                 | Inches       | Units |                 |
| <a href="#">PVLL19005BK2</a> | <a href="#">PVLL19005CG2</a> | 5.25         | 3     | 3               |
| <a href="#">PVLL19007BK2</a> | <a href="#">PVLL19007CG2</a> | 7.00         | 4     | 4               |
| <a href="#">PVLL19008BK2</a> | <a href="#">PVLL19008CG2</a> | 8.75         | 5     | 6               |
| <a href="#">PVLL19010BK2</a> | <a href="#">PVLL19010CG2</a> | 10.50        | 6     | 8               |
| <a href="#">PVLL19012BK2</a> | <a href="#">PVLL19012CG2</a> | 12.25        | 7     | 10              |

## SLOTTED STEEL PANELS



- Standard, 19" rack mount
- 14 gauge steel construction
- Slots are 0.25" x 1.0"
- Smooth powder paint finish to match our standard panels
- Requires mounting hardware

| Part Number                  |                              | Panel Height |       | Rows of Slots | Open Space (Cubic In.) |
|------------------------------|------------------------------|--------------|-------|---------------|------------------------|
| Black Smooth                 | Beige Smooth                 | Inches       | Units |               |                        |
| <a href="#">PVSS19001BK2</a> | <a href="#">PVSS19001CG2</a> | 1.75         | 1     | 1             | 9.7                    |
| <a href="#">PVSS19003BK2</a> | <a href="#">PVSS19003CG2</a> | 3.50         | 2     | 2             | 19.4                   |

## SLOTTED ALUMINUM PANELS



- Standard, 19" rack mount
- 0.13" thick aluminum construction
- Slots are 0.25" x 1.0"
- Smooth powder paint finish to match our standard panels
- Requires mounting hardware

| Part Number                  |                              | Panel Height |       | Rows of Slots | Open Space (Cubic In.) |
|------------------------------|------------------------------|--------------|-------|---------------|------------------------|
| Black Smooth                 | Beige Smooth                 | Inches       | Units |               |                        |
| <a href="#">PVSA19001BK2</a> | <a href="#">PVSA19001CG2</a> | 1.75         | 1     | 1             | 9.7                    |
| <a href="#">PVSA19003BK2</a> | <a href="#">PVSA19003CG2</a> | 3.50         | 2     | 2             | 19.4                   |

## PERFORATED STEEL PANELS



- Standard, 19" rack mount
- Folded (for extra strength) - 16 gauge steel construction
- Smooth powder paint finish to match our standard panels
- Requires mounting hardware

| Part Number                  |                              | Panel Height |       |
|------------------------------|------------------------------|--------------|-------|
| Black Smooth                 | Beige Smooth                 | Inches       | Units |
| <a href="#">PPFS19001BK2</a> | <a href="#">PPFS19001CG2</a> | 1.75         | 1     |
| <a href="#">PPFS19003BK2</a> | <a href="#">PPFS19003CG2</a> | 3.50         | 2     |
| <a href="#">PPFS19005BK2</a> | <a href="#">PPFS19005CG2</a> | 5.25         | 3     |
| <a href="#">PPFS19007BK2</a> | <a href="#">PPFS19007CG2</a> | 7.00         | 4     |
| <a href="#">PPFS19008BK2</a> | <a href="#">PPFS19008CG2</a> | 8.75         | 5     |
| <a href="#">PPFS19010BK2</a> | <a href="#">PPFS19010CG2</a> | 10.50        | 6     |