

DO NOT SCALE FROM THIS PRINT

TABLE 1							MATED HEIGHT WITH QSH-01	T
STYLE	"A"	"B"	BODY (-LC)	BODY (-A)	GROUND PLANE	TERMINAL		
-01	.1680[4.267]	.1600[4.064]	QTH-30-01-D-XX	QTH-30-01-D-XX-A	T-1G1-01-X	T-1S39-01-X	.197[5.00]	REF
-02	.2861[7.267]	.2781[7.064]	QTH-30-02-D-XX	QTH-30-02-D-XX-A	T-1G1-02-X	T-1S59-02-X	.315[8.00]	REF

QTH-XXX-XX-X-D-XX

No OF POSITIONS

-030, -060, -090, -120, -150 (PER ROW)

LEAD STYLE

- 01: .1680[4.267]
- 02: .2861[7.264]
- 03: .4043[10.269]
- 04: .6001[15.246]
- 05: .7181[18.240]
- 06: .8361[21.237]
- 07: .9542[24.237]
- 08: 1.1511[29.238]
- 09: .5224[13.269]

OPTION

- LC: LOCKING CLIPS (USE LC-08-T-01) (SEE FIG. 2, SHEET 2)
  - A: ALIGNMENT PINS (USE QTH-30-XX-D-XX-A FOR -01 & -02) (FOR -03 THRU -09 SEE TABLE 4)
  - K: POLYIMIDE FILM (USE K-500-300) (AVAILABLE ON -01 THRU -04 & -09 ONLY)
  - TR: TAPE & REEL (90 POS MAX) (60 POS MAX W/ -GP OPTION) (N/A ON -05 THRU -08)
  - GP: GUIDE POSTS (AVAILABLE ON -01 & -02 ONLY) (USE QTH-30-XX-D-XX-X-GP) (SEE FIG. 7, SHEET 4)
  - TY: TRAY PACKAGING (NOT AVAILABLE FOR -TR & -GP OPTIONS)
- ROW SPECIFICATION**
- D: DOUBLE (USE QTH-30-XX-D-XX & QTHH-30-XX-D-XX)

PLATING SPECIFICATION

- F: FLASH SELECTIVE GOLD (USE T-1SXX-XX-F & T-1GXX-XX-F) (SEE NOTE 7)
- L: LIGHT SELECTIVE GOLD (USE T-1SXX-XX-L & T-1GXX-XX-G)
- H: HEAVY GOLD (USE T-1SXX-XX-H & T-1GXX-XX-G)

□ = SEE TABLE 4






FIG. 1


QTH-090-01-X-D-LC SHOWN



-LC: LOCKING CLIP OPTION SHOWN



-A: ALIGNMENT PIN OPTION [STYLE -01 & -02]



SECTION "A"- "A"

NOTES:

1. Ⓢ REPRESENTS A CRITICAL DIMENSION.
2. MINIMUM PUSHOUT FORCE: 6 OZ FOR -01 & -02, 8 OZ FOR -03 THRU -09.
3. MINIMUM GROUND PLANE RETENTION: 1 LB.
4. PARTS TO BE MOLDED TO POSITION.
5. MAXIMUM VARIANCE OF .002[.05]. APPLIES TO SIGNAL OR GROUNDS INDEPENDENT OF THE GROUND OR SIGNAL PINS RESPECTIVELY.
6. LEAD STYLES -03 THRU -08: TOP BODY (QTH) CANNOT HAVE -A OPTION.
7. -L PLATING CAN BE SUBSTITUTED FOR -F PLATING.
- G PLATED GROUND PLANE CAN BE SUBSTITUTED FOR -F PLATED GROUND PLANE.
8. GROUND PLANE PRESS HEIGHT MUST BE .003 [.07] LESS THAN THE MAXIMUM HEIGHT OR .002[.03] GREATER THAN THE MINIMUM HEIGHT OF SIGNAL PIN.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. TOLERANCES ARE:  
 DECIMALS ANGLES  
 .XX: ±.01 [.3]  
 .XXX: ±.005 [.13]  
 .XXXX: ±.0020[.051]

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

**SAMTEC**

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
 PHONE: 812.944.6733 FAX: 812.948.5047  
 e-Mail: [INFO@SAMTEC.COM](mailto:INFO@SAMTEC.COM) CODE: 55322

TABLE 2	
No OF POSITIONS	COPLANARITY (INCLUDING GP)
-030 THRU -060	.004 [.10]
-090 THRU -150	.006 [.15]

MATERIAL: DO NOT SCALE DRAWING SHEET SCALE: 1.75:1  
 INSULATOR: LCP, COLOR: BLACK  
 TERMINAL & GROUND PLANE: PHOS BRONZE


DESCRIPTION: .5mm DOUBLE ROW HS TERMINAL ASSEMBLY

DWG. NO. QTH-XXX-XX-X-D-XX

BY: DEAN P 5/27/1999 SHEET 1 OF 4


NOTE: "R" = (No OF POSITIONS / 30) x .7875[20.003]  
 "S" = (( "R" - .275[6.99] ) / 2) ±.020[.51]

TABLE 3	
STYLE	"T"
-01	.173[4.39]
-02	.291[7.39]
-03	.409[10.39]
-04	.605[15.37]
-09	.527[13.39]



**FIG. 2**

-K: POLYAMIDE FILM PAD OPTION  
 [USE K-500-300]




**FIG. 3**

-A: ALIGNMENT PIN OPTION  
 (QTH-090-05-X-D-A SHOWN)  
 [DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG. 1]  
 (STYLES -03 THRU -08)

**PACKAGING VIEWS**

[PARTS TO HAVE POSITION #1 LOADED IN SAME DIRECTION AS ARROW ON TUBE]



PACKAGING TABLE		
STYLE	PACKAGING TUBE	PLUG
-01	PT-1-24-01-78	TP-07
-02		
-02-GP	PT-1-24-02-09	TP-07
-03	PT-1-24-01-98	TP-26
-04		
-05	PT-1-24-02-105	
-06	PT-1-24-01-105	
-07	PT-1-24-02-104	
-08	PT-1-24-01-104	
-09	PT-1-24-01-98	

**PROPRIETARY NOTE**

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1.75:1

**SAMTEC**

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
 PHONE: 812.944.6733 FAX: 812.948.5047  
 e-Mail: [INFO@SAMTEC.COM](mailto:INFO@SAMTEC.COM) CODE: 55322

DESCRIPTION:

.5mm DOUBLE ROW HS TERMINAL ASSEMBLY



DWG. NO.

**QTH-XXX-XX-X-D-XX**


BY: DEAN P 5/27/1999 SHEET 2 OF 4

TABLE 4								
STYLE	SEE FIGURE	"C" OVERALL HEIGHT	GROUND PLANE	TERMINAL	TOP BODY (SEE NOTE 6)	BOTTOM SPACER BODY (-LC OR NONE)	BOTTOM SPACER BODY (-A)	MATED HEIGHT WITH QSH-01
-03	4	.4043 [10.269]	T-1G1-03-X	T-1S60-03-X	QTH-30-02-D-XX	QTHH-30-01-D-XX	QTHH-30-01-D-XX-A	.433 [11.00] REF
-04	4	.6001 [15.246]	T-1G1-04-X	T-1S60-04-X	QTH-30-02-D-XX	QTHH-30-01-D-XX	QTHH-30-01-D-XX-A	.630 [16.00] REF
-05	5	.7181 [18.240]	T-1G1-05-X	T-1S60-05-X	QTH-30-02-D-XX	QTHH-30-03-D-XX	QTHH-30-03-D-XX-A	.748 [19.00] REF
-06	5	.8361 [21.237]	T-1G1-06-X	T-1S60-06-X	QTH-30-02-D-XX	QTHH-30-03-D-XX	QTHH-30-03-D-XX-A	.866 [22.00] REF
-07	6	.9542 [24.237]	T-1G17-01-X	T-1S61-01-X	QTH-30-02-D-XX	QTHH-30-04-D-XX	QTHH-30-04-D-XX-A	.984 [25.00] REF
-08	6	1.1511 [29.238]	T-1G17-02-X	T-1S61-02-X	QTH-30-02-D-XX	QTHH-30-04-D-XX	QTHH-30-04-D-XX-A	1.181 [30.00] REF
-09	4	.5224 [13.269]	T-1G1-09-X	T-1S60-09-X	QTH-30-02-D-XX	QTHH-30-01-D-XX	QTHH-30-01-D-XX-A	.551 [14.00] REF


T



**FIG. 4**  
(QTH-090-03-X-D-LC SHOWN)  
[DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG. 1]



**FIG. 5**  
(QTH-090-05-X-D SHOWN)  
[DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG. 3]



**FIG. 6**  
(QTH-090-07-X-D SHOWN)  
[DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG. 3]

**PROPRIETARY NOTE**  
THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING  
SHEET SCALE: 1.75:1

**SAMTEC**  
520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812.944.6733 FAX: 812.948.5047  
e-Mail: [INFO@SAMTEC.COM](mailto:INFO@SAMTEC.COM) CODE: 55322

DESCRIPTION:  
.5mm DOUBLE ROW HS TERMINAL ASSEMBLY  
DWG. NO. **QTH-XXX-XX-X-D-XX**  
BY: DEAN P 5/27/1999 SHEET 3 OF 4

**FIG. 7**

(QTH-090-01-X-D-GP SHOWN)  
 [DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG. 1]  
 (AVAILABLE ON -01 & -02 ONLY)




TABLE 5		
STYLE	"D"	BODY
-01	.363[9.22]	QTH-30-01-D-XX-X-GP
-02	.481[12.22]	QTH-30-02-D-XX-X-GP

**PROPRIETARY NOTE**  
 THIS DOCUMENT CONTAINS INFORMATION  
 CONFIDENTIAL AND PROPRIETARY TO  
 SAMTEC, INC. AND SHALL NOT BE REPRODUCED  
 OR TRANSFERRED TO OTHER DOCUMENTS OR  
 DISCLOSED TO OTHERS OR USED FOR ANY  
 PURPOSE OTHER THAN THAT WHICH IT WAS  
 OBTAINED WITHOUT THE EXPRESSED WRITTEN  
 CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2.5:1

**SAMTEC**

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
 PHONE: 812.944.6733 FAX: 812.948.5047  
 e-Mail: [INFO@SAMTEC.COM](mailto:INFO@SAMTEC.COM) CODE: 55322

DESCRIPTION:  
 .5mm DOUBLE ROW HS TERMINAL ASSEMBLY

DWG. NO. QTH-XXX-XX-X-D-XX

BY: DEAN P 5/27/1999 SHEET 4 OF 4