

Shelves (Fixed) - Internal Mount (Two Pair of Panel Rails)

Path: <u>Home</u> > <u>Rack Index</u> > Shelves (Fixed) - Internal Mount - Two Pair of Panel Rails



click to enlarge




Fixed Shelf (Unvented)

- Attach to the sides of both pair of rack combination rails
- Requires no front rail mounting
- Front & rear lip folded for extra strength
- Weight load tested (RFVS2426BK1) to 350 pounds!
- Versatile design can be used as shown (easy to install) or upside down (front & rear lip become equipment retainers)
- Heavy duty, 14 Ga. steel construction
- Sides folded up for easy hardware installation from above
- Sides are slotted for easy adjustment with most rail depth locations
- Rugged textured powder paint finish
- Includes all mounting hardware
- If used with our square hole rails you will need to order P/N CPRSA rail adaptor for each shelf ordered.

(below) to more information.

 MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)



click to enlarge



Fixed Shelf (Vented)

- Attach to the sides of both pair of rack combination rails
- Requires no front rail mounting
- Provides a sturdy shelf without obstructing upward heat movement
- Front & rear lip folded for extra strength
- Weight load tested (RFVS2426BK1) to 350 pounds!
- Versatile design can be used as shown (easy to install) or upside down (front & rear lip become equipment retainers)
- Heavy duty, 14 Ga. steel construction
- Sides folded up for easy hardware installation from above
- Sides are slotted for easy adjustment with most rail depth locations
- Rugged textured powder paint finish
- Includes all mounting hardware
- If used with our square hole rails you will need to order P/N CPRSA rail adaptor for each shelf ordered.

(below) to more information.

• MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)

VENTED - 19" Rack Mount


Part Number	Color	Drawing File Size	.zip File Size	Shelf Depth
RFVS1918BK1 RFVS1918CG1		61K	92K	18"
RFVS1921BK1 RFVS1921CG1		61K	94K	21"

RFVS1926BK1 Black Grey/Beige	65K	102K	26"
RFVS1931BK1 Black Grey/Beige	66K	103K	31"

VENTED - 24 " Rack Mount

Part Number	Color	Drawin File Siz	١	.zip ile Size	Shelf Depth
RFVS2418BK1 RFVS2418CG1		45K	76	бК	18"
RFVS2421BK1 RFVS2421CG1	1	47K	78	8K	21"
RFVS2426BK1 RFVS2426CG1		57K	97	7K	26"
RFVS2431BK1 RFVS2431CG1		54K	99	ЭК	31"


Note: Weight load tested (RFVS2426BK1) to 350 pounds.




FIXED SHELVES

- · Heavy duty, 14 Ga. steel construction, folded edges on all four sides for extra strength
- The vented version provides a sturdy shelf without obstructing upward heat movement
- · Weight load tested to 350 pounds
- · Sides folded up for easy hardware installation from above the shelf
- · Sides are slotted for easy adjustment with most rail depth locations
- Rugged textured powder paint finish
- If used with our square hole rails you will need to order P/N CPRSA rail adaptor for each shelf ordered
- MOUNTS ON TWO PAIR OF MOUNTING RAILS (FRONT & BACK)

Vented





Unvented



SLIDING SHELVES


- Heavy duty, 14 Ga. steel construction, folded edges on all four sides for extra strength
- The vented version provides a sturdy shelf without obstructing upward heat movement
- Weight load tested to 120 pounds
- Slides are slotted for easy adjustment with most rail depth locations
- Rugged textured powder paint finish

Part Number		Sholf Type	Shelf		
Black Textured	Beige Textured	Shelf Type	Depth		
19" Width					
RSVS1918BK1	RSVS1918CG1	Vented	18"		
RSVS1921BK1	RSVS1921CG1	Vented	21"		
RSVS1926BK1	RSVS1926CG1	Vented	26"		
RSVS1931BK1	RSVS1931CG1	Vented	31"		
RSUS1918BK1	RSUS1918CG1	Unvented	18"		
RSUS1921BK1	RSUS1921CG1	Unvented	21"		
RSUS1926BK1	RSUS1926CG1	Unvented	26"		
RSUS1931BK1	RSUS1931CG1	Unvented	31"		
	24" Width				
RSVS2418BK1	RSVS2418CG1	Vented	18"		
RSVS2421BK1	RSVS2421CG1	Vented	21"		
RSVS2426BK1	RSVS2426CG1	Vented	26"		
RSVS2431BK1	RSVS2431CG1	Vented	31"		
RSUS2418BK1	RSUS2418CG1	Unvented	18"		
RSUS2421BK1	RSUS2421CG1	Unvented	21"		
RSUS2426BK1	RSUS2426CG1	Unvented	26"		
RSUS2431BK1	RSUS2431CG1	Unvented	31"		

Vented



Unvented



ccessories

