

Data Sheet

SR99S01VBNN06G7 orange


Page 1/4

P/N

SR99S01VBNN06G7

2016/07/21

Illustration



see enlarged drawing at the end of the document

Product specification

- spring clamp terminal block, THR solderable, double solder pins
- direction of connection 90°
- fittable without loss of poles
- color orange
- Tape & Reel packaging
- finger push-button
- test point and wire connection indicator
- Variants: black, creme white, yellow, green, red, blue



Data Sheet

SR99S01VBNN06G7 orange

Technical Data

General Data

Solder pin length	2.4 mm
min. number of poles	1
max. number of poles	1
Insulating material class	CTI 600
protection category	IP 20
Min. insul. strip length	7 mm

Connection data

Rated wiring solid wire	0.2 - 1.5 mm ² / AWG 24 - 16
Rated wiring stranded wire	0.2 - 1.5 mm ² / AWG 24 - 16

Approvals

 V / A / AWG	300 / 9 / 24 - 16	
 0,75 mm ²	T60	*Approval pending

Material

insulating material	PA66/6T
flammability class	V0
spring material	Spring steel
contact material	CuSn
contact surface	Sn

Climatic properties

upper limit temperature	105 °C
lower limit temperature	-40 °C

General

solderability	Acc. to IPC/JEDEC J-STD-020D-MSL 1
Tolerance	ISO 2768 -mH

Data Sheet

SR99S01VBNN06G7 orange

Page 3/4





P/N

SR99S01VBNN06G7

2016/07/21

Illustration

Drawing



Data Sheet

SR99S01VBNN06G7 orange

Page 4/4

P/N

SR99S01VBNN06G7

2016/07/21

PCB Layout

