




TinkerKit!

TinkerKit 2 / 3 Axis Accelerometer



Overview

An **accelerometer** is a device that measures acceleration. It is very common in consumer electronics such as portable electronic devices and video game controllers to detect movement using accelerometers.

Output: This module outputs 0V to 5V on one of its two signal pins when its G-force is changed (e.g. is moved). The value is approximately 2.5V when there is 0G on the X or Y axis. When you connect this module to the input on an Arduino using the TinkerKit Shield, you can expect to read values between 0 to 1023 while moving the module.

Module description: On the back of the module you can find two signal amplifier and a green LED that signals that the module is correctly powered. The module is based on the [LIS344AL](#) by ST Microelectronics, and is a three-axis accelerometer. You can get data about the third axis (referred to as Z) by soldering a header to the thru-hole labeled "Z".

This module is a **SENSOR**. The connector is an **OUTPUT** which must be connected to one of the **INPUT** connectors on the **TinkerKit Shield**.

Datasheet: [LIS344AL](#)

Code Example

```
/*  
Double Analog input, Double analog output, serial output  
  
Reads from two analog input pins, a T000020 Accelerometer Module connected  
to I0 and I1, maps the result to a range from 0 to 255  
and uses the result to set the pulsewidth modulation (PWM) on two T010111  
LED Modules connected on O0 and O1.  
Also prints the results to the serial monitor.  
  
created 29 Dec. 2008  
Modified 4 Sep 2010  
by Tom Igoe  
modified 7 dec 2010  
by Davide Gomba  
  
This example code is in the public domain.  
  
*/  
  
#define O0 11  
#define O1 10  
#define O2 9  
#define O3 6  
#define O4 5  
#define O5 3  
#define I0 A0  
#define I1 A1  
#define I2 A2  
#define I3 A3  
#define I4 A4  
#define I5 A5  
  
// These constants won't change. They're used to give names  
// to the pins used:  
const int analogInPin1 = I0; // Analog input pin that the Accelerometer's  
first pin is attached to  
const int analogInPin2 = I1; // Analog input pin that the Accelerometer's  
second pin is attached to  
  
const int analogOutPin1= O0; // Analog output pin that the LED is attached  
to  
const int analogOutPin2= O1; // Analog output pin that the LED is attached  
to  
  
int sensorValue1 = 0; // value read from the Accelerometer's first pin  
int sensorValue2 = 0; // value read from the Accelerometer's second pin  
  
int outputValue1 = 0; // value output to the PWM (analog out)  
int outputValue2 = 0; // value output to the PWM (analog out)
```

```
void setup() {  
  // initialize serial communications at 9600 bps:  
  Serial.begin(9600);  
}  
  
void loop() {  
  // read the both analog in values:  
  sensorValue1 = analogRead(analogInPin1);  
  sensorValue2 = analogRead(analogInPin2);  
  // map it to the range of the analog out:  
  outputValue1 = map(sensorValue1, 0, 1023, 0, 255);  
  outputValue2 = map(sensorValue2, 0, 1023, 0, 255);  
  // change the analog out value:  
  analogWrite(analogOutPin1, outputValue1);  
  analogWrite(analogOutPin2, outputValue2);  
  
  // print the results to the serial monitor:  
  Serial.print("accelerometer X = " );  
  Serial.print(sensorValue1);  
  Serial.print("\t accelerometer Y = " );  
  Serial.print(sensorValue2);  
  Serial.print("\t output 1 = " );  
  Serial.print(outputValue1);  
  Serial.print("\t output 2 = " );  
  Serial.println(outputValue2);  
  
  // wait 10 milliseconds before the next loop  
  // for the analog-to-digital converter to settle  
  // after the last reading:  
  delay(10);  
}
```

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Arduino:

A000010	A000082	A000083	A000080	B000003	T000060	T000062	T010050	T010051	A000003	A000004
A000014	A000028	K000001	K000002	K000003	K000004	K000005	K000006	T000020	T000030	T000070
T000090	T000190	T000220	T010010	T010020	T020010	T020040	T020080	X000002	T030080	T030081
A000009	A000062	A000079	A000077	K000008	X000005	C000012	E000022	B000004	A000008	A000092
A000078	X000003	A000088	A000087	A000058	A000095	A000096	X000004	A000070	A000086	A000022
A000023	A000052	A000093	A000105	A000106	A000108	A000110	A000025	A000026	A000032	K010007
A000068	A000021	T020090	C000036	T040060	M000011	M000006	T020100	A000006	A000045	A000074
E000021	A000081	A009078								